


# BIKE PROMOTION

the track agency

aktuelle Mischungen sind dick gekennzeichnet						
Dimension	Mischung - Compound	Dunlop	Infos zur Mischung			
120 / 70 R 17	hard > soft	Dunlop Slick KR106 (8743)	soft			2,0 cold pressure ; 2,2 - 2,3 hot pressure
120 / 70 R 17		Dunlop Slick KR106 (8813)	medium/soft			
120 / 70 R 17	hard > soft	Dunlop Slick KR106 (302)	medium			
195 / 65 R 17	hard >>> soft	Dunlop Slick KR108 (8827/7827/7614)	soft	up to 40° Asphalt		1,2 cold pressure ; 1,5 hot pressure
195 / 65 R 17		Dunlop Slick KR108 (7882)	soft/medium	up to 35° Asphalt		
195 / 65 R 17		Dunlop Slick KR108 (4902/7813/7704)	medium/soft	up to 30° Asphalt		
195 / 65 R 17		Dunlop Slick KR108 (4886/7712/3712)	medium	up to 20° Asphalt		
195 / 65 R 17		Dunlop Slick KR108 (8854/6854/3854)	medium/hard	up to 15° Asphalt		
195 / 65 R 17		Dunlop Slick KR108 (8838/6838/6868)	hard	up to 10° Asphalt		
195 / 65 R 17		Dunlop Slick KR108 (8855/6855)	hard (Endurance)	Practice / Endurance		
120 / 70 ZR 17	hard > soft	D211 GP (6743)	soft			2,0 cold pressure ; 2,2 - 2,3 hot pressure
120 / 70 ZR 17		D211 GP (6813/6704)	soft/medium			
120 / 70 ZR 17		D211 GP (6838/6875/6680)	medium			
190 / 55 ZR 17	hard >>> soft	D211 GP (6863/6681)	Qualifier	until 3 laps Qualifier		1,2 cold pressure ; 1,5 hot pressure
190 / 55 ZR 17		D211 GP (7827/7614)	soft	up to 40° Asphalt		
190 / 55 ZR 17		D211 GP (7882)	soft/medium	up to 35° Asphalt		
190 / 55 ZR 17		D211 GP (7813/7704)	medium/soft	up to 30° Asphalt		
190 / 55 ZR 17		D211 GP (7712)	medium	up to 20° Asphalt		
190 / 55 ZR 17		D211 GP (6854/3854)	medium/hard	up to 15° Asphalt		
190 / 55 ZR 17		D211 GP (6838/6680)	hard	up to 10° Asphalt		
200 / 55 ZR 17	hard >>> soft	D211 GP (6863/6681)	Qualifier	until 3 laps Qualifier		1,2 cold pressure ; 1,5 hot pressure
200 / 55 ZR 17		D211 GP (7827/7614)	soft	up to 40° Asphalt		
200 / 55 ZR 17		D211 GP (7882)	soft/medium	up to 35° Asphalt		
200 / 55 ZR 17		D211 GP (7813/7704)	medium/soft	up to 30° Asphalt		
200 / 55 ZR 17		D211 GP (7712)	medium	up to 20° Asphalt		
200 / 55 ZR 17		D211 GP (6854/3854)	medium/hard	up to 15° Asphalt		
200 / 55 ZR 17		D211 GP (6838/6680)	hard	up to 10° Asphalt		
120 / 70 ZR 17	hard > soft	D212 GP (8743)	soft			2,0 cold pressure ; 2,2 - 2,3 hot pressure
120 / 70 ZR 17		D212 GP (8813)	soft/medium			
120 / 70 ZR 17		D212 GP (8854)	medium			
120 / 70 ZR 17		D212 GP (8838)	medium/hard			
190 / 55 ZR 17	hard >>> soft	D212 GP (8863)	Qualifier	until 3 laps Qualifier		1,2 cold pressure ; 1,5 hot pressure
190 / 55 ZR 17		D212 GP (8827)	soft	up to 40° Asphalt		
190 / 55 ZR 17		D212 GP (8948)	medium/soft	up to 30° Asphalt		
190 / 55 ZR 17		D212 GP (8751)	medium	up to 20° Asphalt		
190 / 55 ZR 17		D212 GP (8854)	medium/hard	up to 15° Asphalt		
190 / 55 ZR 17		D212 GP (8838)	hard	up to 10° Asphalt		
200 / 55 ZR 17	hard >>> soft	D212 GP (8863)	Qualifier	until 3 laps Qualifier		1,2 cold pressure ; 1,5 hot pressure
200 / 55 ZR 17		D212 GP (8827)	soft	up to 40° Asphalt		
200 / 55 ZR 17		D212 GP (8948)	medium/soft	up to 30° Asphalt		
200 / 55 ZR 17		D212 GP (8751)	medium	up to 20° Asphalt		
200 / 55 ZR 17		D212 GP (8854)	medium/hard	up to 15° Asphalt		
200 / 55 ZR 17		D212 GP (8838)	hard	up to 10° Asphalt		
125 / 80 R 17		Regen KR191 (414)	soft			2,2 cold pressure for front and rear
125 / 80 R 17		Regen KR222 (WA)	medium			
125 / 80 R 420		Regen KR191 (414)	soft			
165 / 50 R 17		Regen KR244 (465)	supersoft			
165 / 50 R 17		Regen KR389 (465)	soft			
195 / 80 R 420		Regen KR392 (414)	soft			
190 / 55 R 17		Regen KR393 (414)	soft			
190 / 55 R 17		Regen KR393 (3701)	medium			