

## dangerous drugs in the news



[addictionhelp.net/addiction-treatment-in-idaho](http://addictionhelp.net/addiction-treatment-in-idaho) A number of "dangerous drugs" have been in the news recently. These reports began to surface when Congress was having hearings concerning the painkiller, Vioxx. A Food and Drug Administration employee testified before Congress that there are safety concerns about drugs. These medications are Accutane, Arava, Bextra, Celebrex, Crestor, Lotronex, Meridia, and Serevent.

When you set the problems in perspective, the number of problems associated with these drugs is extremely small in comparison with the number of people who took the drugs. The possibilities aren't that good, but the chance is there.

Quite a few "dangerous drugs" will be in the news recently. A Food and Drug Administration staff member testified before Congress that there are security concerns about several medicines.

The next is a rapid overview of what the FDA feels are some of the issues with your medications.

Lotronex

Lotronex is used for women with Irritable Bowel Syndrome who have frequent diarrhoea and have failed to progress on other solutions. Stories have been around in the news since about 0.1% of women who take Lotronex may get cut constipation. It can also cause ischemic colitis, caused by

low blood-flow to parts of the gut. Should you feel the risks outweigh the rewards, there are other drugs for diarrhea or irritable bowel syndrome that don't have these effects.

## Meridia

Meridia is used for fat loss, but it may raise blood pressure and heartbeat. You will find studies of stroke and heart-attack in patients taking Meridia, but these might not be caused by the drug. It may perhaps not be h-e drug evoking the dilemmas, since many over weight people already have high-blood pres-sure or heart illness. Patients using Meridia must always check their blood-pressure and heart rate at least weekly and report any continual increases for their physician.

## Accutane

This treatment is extremely helpful for severe acne. Because of this, the manufacturer has set recommendations for its dispensing. If the patient is female, she will need to have a negative pregnancy test EACH month before the prescription is written by the doctor. After that it has to be filled with-in seven days. The individual must also go back to a doctor every month for a new prescription. Women who are sexually active and simply take Accutane should two types of contraceptive and not become pregnant for a minimum of a month after stopping the medication.

The problems arise when women just take Accutane from a buddy or obtain it from another country. They're then not being monitored by a doctor and may not know the dangers of pregnancy.

Still another matter surrounding Accutane may be the reported increase in suicide rates. It's been stated that Accutane makes some people feel depressed or irritable. This really is where family and friends could step up and examine these issues with the in-patient.

## Celebrex

This medicine can be used largely for mild to moderate pain. Professionals are thus concerned that Celebrex can cause the same increased possibility of stroke of other heart issues.

The cardiovascular risk is extremely low, but the risk is there. Due to this, those people who have heart problems may want to avoid Celebrex. Contact your doctor about your concerns, If you're currently taking Celebrex. Often times, normal anti-inflammatories like ibuprofen or naproxen work very well.

## Crestor

Crestor is in the drug type statins and can be used to reduce cholesterol. Some consumer advocates say it should be removed the market because of the chance for liver and kidney problems. These issues are rare and the danger is reduced by using lower doses and by periodically checking liver and kidney function. Everyone getting Crestor should call their medical

practitioner if they experience muscle pain or weakness, nausea, abdominal pain, fatigue, dark urine, pain when urinating, soft chairs, or yellow-looking eyes or skin. These are the symptoms of liver or kidney problems.

## Arava

If you are getting Arava and have some of these signs, contact your doctor.

Arava can be used for managing severe rheumatoid arthritis. Individuals on Arava must get frequent liver function tests to find any problems before they get serious. Virtually every time, liver failure does occur gradually over an extended amount of time. By screening frequently, these issues can be discovered early and can be fixed. The symptoms of liver problems include: vomiting, abdominal pain, fatigue, dark urine, pale stools, and yellow eyes or skin.

## Serevent

Every medicine has potential unwanted effects. Your physician ought to know the possible negative effects and can consider the benefit of your treatment against their risks. Be sure to ask any questions you've each time a drug is approved by your doctor or distributed by your pharmacist. Always follow the treatment instructions and never share medications with everyone. If you're hesitant to have a particular medicine, by all means, let your physician know. There are always a number of different medications that can also allow you to.

Realize that huge numbers of people throughout the world simply take these medications. A number of people are simply just predisposed to certain issues. The news media loves to hit these reports out of proportion.

Serevent is really a long-acting bronchodilator used to stop airway constriction in patients with asthma. It might result in an elevated risk of asthma worsening, particularly when the medicine is not used correctly. Serevent shouldn't be utilized for emergency breathing problems. The fast acting inhaler, albuterol, should be used for these issues. Serevent must always be used in combination with another inhaler that controls irritation, such as for example an inhaled steroid.