

International Journal of Modern Physics B (IJMPB)

Condensed Matter Physics; Statistical Physics; Applied Physics

[< Previous Article](#)

Volume 26, Issue 13, 20 May 2012

[Next Article >](#)

[Add to Favorites](#) | [Download to Citation Manager](#) | [Citation Alert](#)

[Enhanced Abstract](#) | [PDF \(392 KB\)](#) | [PDF Plus \(427 KB\)](#)

A. L. KUZEMSKY, *Int. J. Mod. Phys. B*, **26**, 1250092 (2012) [34 pages]

GENERALIZED VAN HOVE FORMULA FOR SCATTERING OF NEUTRONS BY THE NONEQUILIBRIUM STATISTICAL MEDIUM

A. L. KUZEMSKY

Bogoliubov Laboratory of Theoretical Physics, Joint Institute for Nuclear Research, 141980 Dubna, Moscow Region, Russia

Received: 1 March 2012


Published: 30 April 2012

The theory of scattering of particles (e.g., neutrons) by statistical medium was recast for the nonequilibrium statistical medium. The correlation scattering function of the relevant variables give rise to a very compact and entirely general expression for the scattering cross-section of interest. The formula obtained by Van Hove provides a convenient method of analyzing the properties of slow neutron and light scattering by systems of particles such as gas, liquid or solid in the equilibrium state. In this paper the theory of scattering of particles by many-body system was reformulated and generalized for the case of nonequilibrium statistical medium. A new method of quantum-statistical derivation for the space and time Fourier transforms of the Van Hove correlation function was formulated. Thus in place of the usual Van Hove scattering function, a generalized one was deduced and the result was shown to be of greater potential utility than those previously given in the literature. This expression gives a natural extension of the familiar Van Hove formula for scattering of slow neutrons for the case in which the system under consideration is in a nonequilibrium state. The feasibility of light- and neutron-scattering experiments to investigate the appropriate problems in real physical systems was discussed briefly.

Keywords: Dynamical properties of condensed matter; slow neutron scattering in solids and fluids; correlations over space and time; scattering cross-section; light- and neutron-scattering experiments; Van Hove scattering function; method of the nonequilibrium statistical operator; quantum evolution; entropy production

Imperial College Press | Global Publishing | Asia-Pacific Biotech News | Innovation Magazine
Labcreations Co | World Century | Meeting Matters | National Academies Press

Copyright© 2012 World Scientific Publishing Co. All rights reserved.
Powered by Atypon® Literatum



The Smithsonian/NASA Astrophysics Data System



[Home](#) [Help](#) [Sitemap](#)

neutron scattering Kuzer

- [Fulltext Article](#)
- [Find Similar Articles](#)
- [Full record info](#)

Generalized Van Hove Formula for Scattering of Neutrons by the Nonequilibrium Statistical Medium

[Kuzemsky, A. L.](#)

International Journal of Modern Physics B, Volume 26, Issue 13, id. 1250092-1-1250092-34

The theory of scattering of particles (e.g., neutrons) by statistical medium was recast for the nonequilibrium statistical medium. The correlation scattering function of the relevant variables give rise to a very compact and entirely general expression for the scattering cross-section of interest. The formula obtained by Van Hove provides a convenient method of analyzing the properties of slow neutron and light scattering by systems of particles such as gas, liquid or solid in the equilibrium state. In this paper the theory of scattering of particles by many-body system was reformulated and generalized for the case of nonequilibrium statistical medium. A new method of quantum-statistical derivation for the space and time Fourier transforms of the Van Hove correlation function was formulated. Thus in place of the usual Van Hove scattering function, a generalized one was deduced and the result was shown to be of greater potential utility than those previously given in the literature. This expression gives a natural extension of the familiar Van Hove formula for scattering of slow neutrons for the case in which the system under consideration is in a nonequilibrium state. The feasibility of light- and neutron-scattering experiments to investigate the appropriate problems in real physical systems was discussed briefly.

Keywords: Dynamical properties of condensed matter, slow neutron scattering in solids and fluids, correlations over space and time, scattering cross-section, light- and neutron-scattering experiments, Van Hove scattering function, method of the nonequilibrium statistical operator, quantum evolution, entropy production

DOI: [10.1142/S0217979212500920](https://doi.org/10.1142/S0217979212500920)



The ADS is Operated by the [Smithsonian Astrophysical Observatory](#) under [NASA](#) Grant NNX09AB39G