



TECHNOLOGIE

A DIVISION OF APM DIESEL 1992 INC.
ISO 9001 : 2008



**ADVANCED
PROTECTION
MULTI-TECHNOLOGY**

email: info@apmtechnologie.com

414 rue Rivière
Cowansville, QC,
Canada
J2k 1N3
Phone 1-450-955-4411



A/ Cover Page	1
B/ NIJ3A 0101.06 semi rigid	100
C/ NIJ3A 0101.06 semi rigid+cover	200
D/ NIJ3A 0101.06 soft+cover	300
E/ NIJ3A 0101,06+stab1+rigid	400
F/ NIJ3A 0101.06+stab1 soft	500
G/ NIJ3+ 0101.06 IC	600
H/ NIJ3 0101.06 IC	700
H/ NIJ3 0101.06 SA	750
J/ NIJ4 0101.06 IC	800
J/ NIJ4 0101.06 SA	850
K/ NIJ3A 0101.06 OFFICE ITEMS	900
K/ TRAUMA PLATE	1000
L/ NIJ3A 0108.01	1100




PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

**Aramid fiber composite plate with elastic edge
Raw material without cover.**

5 years warranty"



INCH	4"x4"X3/8"
CM	10x10x1
KG	,200
MODEL	square
NO	1000
STYLE	raw semi-rigid

INCH	10"x12"X3/8"
CM	25x30x1
KG	,600
MODEL	single curved, shooter cut
NO	1001
STYLE	raw semi-rigid

INCH	11"x15"X3/8"
CM	28x38x1
KG	,825
MODEL	single curved, shooter cut
NO	1002
STYLE	raw semi-rigid




PROTECTION FOR:

**NIJ TYPE IIIA 0101,06
.357sig and .44 Magnum**

**Aramid fiber composite plate with elastic edge
Raw material without cover.**

5 years warranty



INCH	12"x12"X3/8"
CM	30x32x1
KG	,800
MODEL	single curved, rectangular
NO	1003
STYLE	raw semi-rigid

INCH	12"x14"X3/8"
CM	30x36x1
KG	,850
MODEL	single curved, shooter cut
NO	1004
STYLE	raw semi-rigid

INCH	12"x14"X3/8"
CM	30x36x1
KG	,900
MODEL	single curved, rectangular
NO	1005
STYLE	raw semi-rigid




PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

**Aramid fiber composite plate with elastic edge
Raw material without cover.**

5 years warranty



INCH	6"x8"X3/8"
CM	15x20x1
KG	,250
MODEL	single curved, rectangular
NO	1006
STYLE	raw semi-rigid

INCH	7"x8"X3/8"
CM	18x20x1
KG	,300
MODEL	single curved, rectangular
NO	1007
STYLE	raw semi-rigid

INCH	8"x10"X3/8"
CM	20x25x1
KG	,425
MODEL	single curved, rectangular
NO	1008
STYLE	raw semi-rigid




PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

**Aramid fiber composite plate with elastic edge
Raw material without cover.**

5 years warranty



INCH	10"x12"X3/8"
CM	25x30x1
KG	,650
MODEL	single curved, rectangular
NO	1009
STYLE	raw semi-rigid

INCH	6"x6"X3/8"
CM	10x10
KG	,200
MODEL	single curved, square
NO	1010
STYLE	raw semi-rigid

INCH	11"x15"X3/8"
CM	28x38x1
KG	,950
MODEL	single curved, rectangular
NO	1011
STYLE	raw semi-rigid



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06
.357sig and .44 Magnum**

**Aramid fiber composite plate
Water repellent, perspiration & moisture resistant
Finish with nylon cover
Trauma below the Nij norm
Color Black**

5 years warranty



INCH	10"x12"X3/8"
CM	28x38x1
KG	,850
MODEL	single curved, shooter cut
NO	3001
STYLE	water repellent semi-rigid

INCH	11"x15"X3/8"
CM	25x30x1
KG	,625
MODEL	single curved, shooter cut
NO	3002
STYLE	water repellent semi-rigid

INCH	12"x12"X3/8"
CM	30x32x1
KG	,800
MODEL	single curved, rectangular
NO	3003
STYLE	water repellent semi-rigid

INCH	12"x14"X3/8"
CM	30x36x1
KG	,850
MODEL	single curved, shooter cut
NO	3004
STYLE	water repellent semi-rigid



PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

Aramid fiber composite plate
Water repellent, perspiration & moisture resistant
Finish with nylon cover
Trauma below the Nij norm
Color Black

5 years warranty



INCH	12"x14"X3/8"
CM	30x36x1
KG	,900
MODEL	single curved, rectangular
NO	3005 3005
STYLE	water repellent semi-rigid

INCH	6"x8"X3/8"
CM	15x20x1
KG	,300
MODEL	single curved, rectangular
NO	3006
STYLE	water repellent semi-rigid

INCH	7"x8"X3/8"
CM	18x20x1
KG	,325
MODEL	single curved, rectangular
NO	3007
STYLE	water repellent semi-rigid

INCH	8"x10"X3/8"
CM	20x25x1
KG	,450
MODEL	single curved, rectangular
NO	3008
STYLE	water repellent semi-rigid



PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

**Aramid fiber composite plate
Water repellent, perspiration & moisture resistant
Finish with nylon cover
Trauma below the Nij norm
Color Black**

5 years warranty



INCH	10"x12"X3/8"
CM	25x30x1
KG	,650
MODEL	single curved, rectangular
NO	3009
STYLE	water repellent semi-rigid

INCH	6"x6"X3/8"
CM	10x10x1
KG	,200
MODEL	single curved, rectangular
NO	3010
STYLE	water repellent semi-rigid

INCH	11"x15"X3/8"
CM	28x38x1
KG	1,0
MODEL	single curved, rectangular
NO	3011
STYLE	water repellent semi-rigid



PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

**Aramid fiber composite plate soft
Water repellent, perspiration & moisture resistant
Finish with nylon cover
Color Black**

5 years warranty



INCH	
CM	25x30x1 10"x12"
KG	,600
MODEL	clipped
NO	9001
STYLE	water repellent soft

INCH	
CM	25x30x1 10"x12"
KG	,650
MODEL	rectangular
NO	9002
STYLE	water repellent soft

INCH	
CM	13x20x1 5"x8"
KG	,850
MODEL	rectangular
NO	9004
STYLE	water repellent soft



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06
.357sig and .44 Magnum**

**Aramid fiber composite plate soft
Water repellent, perspiration & moisture resistant
Finish with nylon cover
Color Black**

5 years warranty



INCH	
CM	30x36x1 12"x14"
KG	,900
MODEL	rectangular
NO	9005 3005
STYLE	water repellent soft

INCH	6"x8"X3/8"
CM	15x20x1
KG	,300
MODEL	rectangular
NO	9006
STYLE	water repellent soft

INCH	8"x10"X3/8"
CM	20x25x1
KG	,450
MODEL	rectangular
NO	9008
STYLE	water repellent soft



PROTECTION FOR:

NIJ TYPE IIIA 0101,06

.357sig and .44 Magnum

Aramid fiber composite plate soft
Water repellent, perspiration & moisture resistant
Finish with nylon cover
Color Black

5 years warranty



INCH	6"x6"X3/8"
CM	10x10x1
KG	,200
MODEL	rectangular
NO	9010
STYLE	water repellent soft

INCH	11"x15"X3/8"
CM	28x38x1
KG	1,0
MODEL	rectangular
NO	9011
STYLE	water repellent soft



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06 + stab 1
.357sig and .44 Magnum**

**Aramid fiber/HDPE composite rigid plate RESISTECK
Water repellent, perspiration & moisture resistant
Grey or Black neoprene cover
Stab 1 protection**



5 years warranty

INCH	10"x12"x13/16"
CM	25x30x2
KG	1,3
MODEL	single curved, shooter cut
NO	1200
STYLE	water repellent rigid stab

INCH	10"x12"x13/16"
CM	25x30x2
KG	1,5
MODEL	single curved, rectangular
NO	1201
STYLE	water repellent rigid stab

INCH	7"x8"x13/16"
CM	18x20x2
KG	,700
MODEL	single curved, rectangular
NO	1202
STYLE	water repellent rigid stab



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06 + stab 1
.357sig and .44 Magnum**

**Aramid fiber/HDPE composite rigid plate RESISTECK
Water repellent, perspiration & moisture resistant
Grey or Black neoprene cover
Stab 1 protection**



5 years warranty

INCH	11"x15"x13/16"
CM	28x38x2
KG	2,0
MODEL	single curved, shooter cut
NO	1203
STYLE	water repellent rigid stab

INCH	6"x8"x13/16"
CM	15x20x2
KG	0,6
MODEL	single curved, rectangular
NO	1204
STYLE	water repellent rigid stab

INCH	8"x10"x13/16"
CM	20x25x2
KG	1,0
MODEL	single curved, rectangular
NO	1205
STYLE	water repellent rigid stab



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06 + Stab 1
.357sig and .44 Magnum**

**Aramid fiber/polymer composite plate FLEXTECK
water repellent, perspiration & moisture resistant
Black nylon cover
Stab1 protection**

5 years warranty



INCH	10"x12"X1/2"
CM	25x30x1,3
KG	,850
MODEL	rectangular
NO	4001
STYLE	water repellent soft stab

INCH	8"x10"X1/2"
CM	20x25x1,3
KG	,550
MODEL	rectangular
NO	4002
STYLE	water repellent soft stab

INCH	6"x8"X1/2"
CM	15x20x1,3
KG	,350
MODEL	rectangular
NO	4003
STYLE	water repellent soft stab

INCH	5"x8"X1/2" 50 40
CM	13x20x1,3
KG	,300
MODEL	rectangular
NO	4004
STYLE	water repellent soft stab



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06 + Stab 1
.357sig and .44 Magnum**

**Aramid fiber/polymer composite plate FLEXTECK
Black nylon cover water repellent, perspiration & moisture
resistant
Stab1 protection**

5 years warranty



INCH	11"x15"X1/2"
CM	28x38x1,3
KG	1,1
MODEL	rectangular
NO	4005
STYLE	water repellent soft stab



PROTECTION FOR:

NIJ TYPE III 0101,06 PLUS
.308+.223&5.56x45 nato ss109

Ballistic steel plate of 1/4" (0,7cm)
Multi-Impact

Fragmentation reducer thanks to:
Polyester layer
Ballistic nylon Insert

Foam anti-trauma

5 years warranty



INCH	10"x12"x3/4"
CM	25x30x1,9
KG	3,6
MODEL	single curved, shooter cut
NO	1301
STYLE	in conjunction

INCH	10"x12"x3/4"
CM	25x30x1,9
KG	3,8
MODEL	single curved, rectangular
NO	1302
STYLE	in conjunction

INCH	6"x8"x3/4"
CM	5x20x1,7
KG	1,5
MODEL	single curved, rectangular
NO	1303
STYLE	in conjunction



PROTECTION FOR:

NIJ TYPE III 0101,06

.308 Winchester

Hybrid plate done with aramid fibers composite and ceramic
 Thermoforming process; monocoque
 Anti-drop tested with pressure of 20 tons
 Black neoprene water repellent



To be used in conjunction with body armour vest or soft plate
 NIJ3A.

Warranty period 3 years

INCH	6"x8"x5/8"
CM	15x20x1,7
KG	1
MODEL	single curved, rectangular
NO	1449
STYLE	in conjunction

INCH	10"x12"x5/8"
CM	25x30x1,7
KG	2,2
MODEL	single curved, shooter cut
NO	1450
STYLE	in conjunction

INCH	10"x12"x5/8"
CM	25x30x1,7
KG	2,4
MODEL	single curved, rectangular
NO	1451
STYLE	in conjunction

INCH	10"x12"x5/8"
CM	25x30x1,7
KG	2,0
MODEL	triple curved, shooter cut
NO	1454
STYLE	in conjunction



PROTECTION FOR:

NIJ TYPE III 0101,06

.308 Winchester

Hybrid plate done with aramid fibers composite and ceramic
 Thermoforming process; monocoque
 Anti-drop tested with pressure of 20 tons
 Black neoprene water repellent
 Can be used stand alone

Warranty period 3 years



INCH	10"x12"x13/16"
CM	25x30x2
KG	2,6
MODEL	single curved, shooter cut
NO	1452
STYLE	stand alone

INCH	10"x12"x13/16"
CM	25x30x2
KG	2,8
MODEL	single curved, rectangular
NO	1453
STYLE	stand alone

INCH	6"x8/x5/8"
CM	15x20x1,7
KG	1,2
MODEL	single curved, rectangular
NO	1455
STYLE	stand alone

INCH	10"x12"x13/16"
CM	25x30x2
KG	2,4
MODEL	triple curved, shooter cut
NO	1456
STYLE	stand alone



PROTECTION FOR:

NIJ TYPE IV 0101,06
300 Remington Ultra Mag

Hybrid plate done with aramid fibers composite and ceramic
 Thermoforming process; monocoque
 Anti-drop tested with pressure of 20 tons
 Black neoprene water repellent



To be used in conjunction with body armour vest or soft plate
 NIJ3A.

Warranty period 3 years

INCH	10"x12"x3/4"
CM	25x30x1,9
KG	2,6
MODEL	triple curved, shooter cut
NO	1409
STYLE	in conjunction

INCH	10"x12"x3/4"
CM	25x30x1,9
KG	3,2
MODEL	single curved, rectangular
NO	1404
STYLE	in conjunction

INCH	10"x12"x3/4"
CM	25x30x1,9
KG	3,0
MODEL	single curved, shooter cut
NO	1403
STYLE	in conjunction



PROTECTION FOR:

NIJ TYPE IV 0101,06
300 Remington Ultra Mag

Hybrid plate done with aramid fibers composite and ceramic
 Thermoforming process; monocoque
 Anti-drop tested with pressure of 20 tons
 Black neoprene water repellent



Can be used stand alone

INCH	6"x8"x1"
CM	13x18x2,5
KG	1,2
MODEL	single curved, rectangular
NO	1406
STYLE	stand alone

INCH	10"x12"x1"
CM	25x30x2,5
KG	3,2
MODEL	single curved, shooter cut
NO	1407
STYLE	stand alone

INCH	10"x12"x1"
CM	25x30x2,5
KG	3,4
MODEL	single curved, rectangular
NO	1408
STYLE	stand alone



PROTECTION FOR:

NIJ TYPE IV 0101,06
300 Remington Ultra Mag

Hybrid plate done with aramid fibers composite and ceramic
 Thermoforming process; monocoque
 Anti-drop tested with pressure of 20 tons
 Black neoprene water repellent



Can be used stand alone

Warranty period 3 years

INCH	10"x12"x1"
CM	25x30x2,5
KG	3,0
MODEL	triple curved, shooter cut
NO	1411
STYLE	stand alone

INCH	11"x14"x1"
CM	28x36x2,5
KG	4,1
MODEL	triple curved,shooter cut
NO	1412
STYLE	stand alone



PROTECTION FOR:

**NIJ TYPE IIIA 0101,06
.357sig and .44 Magnum**

**Aramid fiber composite folder
Water repellent, perspiration & moisture resistant
Finish with vinyl**

Color Black

5 years warranty



INCH	10"x13"x3/8"
CM	25x33x1
KG	
MODEL	Pad rectangular
NO	5002
STYLE	water repellent semi-rigid

INCH	10,5"x18"x3/8"
CM	27x46x1
KG	
MODEL	Folder rectangular
NO	5003
STYLE	water repellent semi-rigid



PROTECTION FOR:

NIJ TYPE TRAUMA ONLY

**Aramid fiber composite to be used in conjunction with bodyarmor vest NIJ type 2, 2A or 3A, To be positioned in the center of the chest to reduce, to absorb and disrupt the kinetic energy of a bullet impact and to reduce the blunt trauma. Water repellent, perspiration & moisture resistant black nylon cover
5 years warranty**



INCH	10"x12"x1/4"
CM	25x30x0,6
KG	,650
MODEL	single curved, shooter cut
NO	901
STYLE	water repellent semi-rigid


INCH	5"x8"x1/8"
CM	13x20x0,6
KG	,200
MODEL	rectangular
NO	902
STYLE	water repellent



PROTECTION FOR:

NIJ TYPE IIIA 0108,01
44 Magnum + 9mm

Panel for architectural or vehicle use.



INCH	49"X96,6"
CM	125x242
KG	,525kg by square feet
MODEL	Aramid composite panel
NO	1501
STYLE	Protection material

INCH	49"X96,6"
CM	125x242
KG	1,6kg by square feet
MODEL	Hybrid panel
NO	1601
STYLE	Protection Material