



RASPFiber

Fiber Optic Network Switch

Managed gigabit switches, 1 fiber SC port, 5 UTP ports, TX1550nm/RX1310nm, single fiber, single mode 20KM

- ❖ 5-Port 10/100/1000Mbps management gigabit ethernet ports
- ❖ 1 Port 1.25G fiber single mode SC connector
- ❖ Distance 20 Km
- ❖ Wavelength 1550nm/1310nm
- ❖ Supports Port-Based and 802.1Q VLAN function, up to 64 VLAN groups
- ❖ Easy-to Use graphical user interface



Managed gigabit switches, 1 fiber SC port, 5 UTP ports, TX1550nm/RX1310nm, single fiber, single mode 20KM

- ❖ 5-Port 10/100/1000Mbps management gigabit ethernet ports
- ❖ 1 Port 1.25G fiber single mode SC connector
- ❖ Distance 20 Km
- ❖ Wavelength 1310nm/1550nm
- ❖ Supports Port-Based and 802.1Q VLAN function, up to 64 VLAN groups
- ❖ Easy-to Use graphical user interface



Managed gigabit switches, 1 fiber SC port, 5 UTP ports, TX1550nm/RX1310nm, single fiber, single mode 20KM in Pair


- ❖ 5-Port 10/100/1000Mbps management gigabit ethernet ports
- ❖ 1 Port 1.25G fiber single mode SC connector
- ❖ Distance 20 Km
- ❖ Wavelength 1310nm/1550nm , 1550nm/1310nm
- ❖ Supports Port-Based and 802.1Q VLAN function, up to 64 VLAN groups
- ❖ Easy-to Use graphical user interface



RASP-MG1500-SFP

Managed gigabit switches, 1 fiber SFP port, 5 UTP ports

- ❖ 5 Port 10/100/1000Mbps management gigabit ethernet ports
- ❖ 1 Port fiber SFP slot
- ❖ Distance 20,40,60,80 Km. (Require SFP Module)
- ❖ Supports Port-Based and 802.1Q VLAN function, up to 64 VLAN groups
- ❖ Easy-to Use graphical user interface



ACCESSORIES

RASP-SFP-GBD20-A



- ❖ 1.25G SFP, Single Fiber, TX1550/RX1310, 20KM
- ❖ Distance 20 KM
- ❖ Wavelength 1550nm/1310nm

RASP-SFP-GBD20-B



- ❖ 1.25G SFP, Single Fiber, TX1310/RX1550, 20KM
- ❖ Distance 20 KM
- ❖ Wavelength 1310nm/1550nm

ACCESSORIES

RASP-SFP-GBD20-Pair



- ❖ 1.25G SFP, Single Fiber, TX1310/RX1550, TX1550/RX1310, 20KM Pair
- ❖ Distance 20 KM
- ❖ Wavelength 1310nm/1550nm, 1550/1310 nm

RASP-10GSFPBDS+



- ❖ 10G SFP+, Single Fiber, 20KM, 1 Pair
- ❖ 10Gb/s 20KM BiDi SFP
- ❖ Single mode 1270nm/1330nm, 1330nm/1270nm CWDM DFB, DDM

RASPBERRY S TECHNOLOGIES

We are advanced networking designer and manufacturer based in Newyork, USA. Our wide range of products suitable for both wired and wireless solution. We dedicated our effort to design a better solutions which included intelligent software that can provide easier way to control over each product.

RASPBERRY S Technologies continue our focus on innovative solution of the future such as Wireless Broadband, Manage Switched, POE Switches, IP Camera, Fiber Optic Equipment. These innovation not only allow you to connect to global network but also give you a peace of mind with quality and customer's satisfaction in mind.



 **USA**

**1330 Avenue of the Americas
Suite 23
New York City, NY 10019**

 **info@raspberrys.com**

<http://www.raspberrys.com>

RASPBERRY S TECHNOLOGIES