

NITEO PRODUCTS		Page: 1
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Car Brite™ BUTTER WAX™
Creme Wax

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Niteo Products, LLC P.O. Box 191629 Dallas TX 75219 United States of America	Emergency telephone number CHEMTREC DIRECT 1-800-424-9300 Product Information 1-844-696-4836
--	---

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3
Skin sensitization : Category 1
Carcinogenicity : Category 1A
Reproductive toxicity : Category 2


GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Flammable liquid and vapor.
May cause an allergic skin reaction.
May cause cancer.
Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**
Obtain special instructions before use.

		Page: 2
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

Do not handle until all safety precautions have been read and understood.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 IF exposed or concerned: Get medical advice/ attention.
 If skin irritation or rash occurs: Get medical advice/ attention.
 Wash contaminated clothing before reuse.
 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
 Store in a well-ventilated place. Keep cool.
 Store locked up.
Disposal:
 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Static Accumulating liquid

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Defatter

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	64742-47-8	Flam. Liq. 3; H226 STOT SE 3; H336 Asp. Tox. 1; H304	10.02
OCTAMETHYLCYCLOTETRASIL	556-67-2	Flam. Liq. 3; H226	5.60

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax


Version: 1.1

CBOOA007-02

OXANE		Repr. 2; H361	
ALKOXY-TERMINATED AMINOALKYL-FUNCTIONAL SILOXANE	67923-07-3	Eye Irrit. 2A; H319	1.01
QUARTZ (SiO ₂)	14808-60-7	Carc. 1A; H350 STOT RE 1; H372	0.14
5-CHLORO-2-METHYL-4- ISOTHIAZOLIN-3-ONE	26172-55-4	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Skin Sens. 1; H317	0.00

SECTION 4. FIRST AID MEASURES


- General advice : Move out of dangerous area.
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
Wash contaminated clothing before re-use.
If on clothes, remove clothes.

		Page: 4
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Obtain medical attention.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.
- Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Lung irritation
confusion
irregular heartbeat
Convulsions
May cause an allergic skin reaction.
May cause cancer.
Suspected of damaging fertility or the unborn child.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Do not allow run-off from fire fighting to enter drains or water

		Page: 5
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

courses.

- Hazardous combustion products : aluminum oxides
silicon oxides
carbon dioxide and carbon monoxide
Hydrocarbons
formaldehyde
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Ensure adequate ventilation.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
- Other information : Comply with all applicable federal, state, and local regulations.
Suppress (knock down) gases/vapours/mists with a water spray jet.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Open drum carefully as content may be under pressure.
Avoid formation of aerosol.

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1


CBOOA007-02

Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
 Container hazardous when empty.
 Take precautionary measures against static discharges.
 Avoid exposure - obtain special instructions before use.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	64742-47-8	TWA	200 mg/m ³ Non-aerosol (as total hydrocarbon vapor)	ACGIH
		REL	100 mg/m ³	NIOSH/GUID E
QUARTZ (SiO ₂)	14808-60-7	TWA	0.025 mg/m ³ Respirable fraction.	ACGIH
		REL	0.05 mg/m ³ Respirable dust.	NIOSH/GUID E
		TWA	0.1 mg/m ³ Respirable.	Z3
		TWA	0.3 mg/m ³ Total dust.	Z3
		TWA	0.1 mg/m ³ Respirable dust.	TN OEL

		Page: 7
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

Hand protection
Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

: Wear resistant gloves (consult your safety equipment supplier).
Wear as appropriate:
impervious clothing
Safety shoes
Flame-resistant clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures

: Wash hands before breaks and at the end of workday.
When using do not eat or drink.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid
Colour : yellow
Odour : like fruit
Odour Threshold : No data available

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1

CBOOA007-02

pH : No data available

: No data available

Boiling point/boiling range : 150 °F / 66 °C
(1013.33 hPa)

Flash point : 120 °F / 49 °C

Evaporation rate : No data available

Flammability (solid, gas) :
No data available

Flammability (liquids) : Static Accumulating liquid

Flammability (liquids) :
Upper explosion limit : 6 %(V)
GLP: Calculated Explosive Limit

Lower explosion limit : 1 %(V)
GLP: Calculated Explosive Limit

Vapour pressure : 23.3333333 hPa (20 °C)
Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : No data available

Density : 1.04 g/cm3

Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : > 20.5 mm2/s (40 °C)

Oxidizing properties : No data available

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1

CBOOA007-02

SECTION 10. STABILITY AND REACTIVITY

- Reactivity : No decomposition if stored and applied as directed.
- Chemical stability : Stable under recommended storage conditions.
- Possibility of hazardous reactions : Vapours may form explosive mixture with air.
- Conditions to avoid : Heat, flames and sparks.
- Incompatible materials : Strong oxidizing agents
strong reducing agents
- Hazardous decomposition products : carbon dioxide and carbon monoxide
formaldehyde
Hydrocarbons
silicon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

- Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

Acute oral toxicity : LD 50 (Rat): > 5,000 mg/kg


Acute inhalation toxicity : LC 50 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

OCTAMETHYLCYCLOTETRASILOXANE:

Acute oral toxicity : LD 50 (Rat): > 4,800 mg/kg
Assessment: Not classified as acutely toxic by ingestion under GHS.

Acute inhalation toxicity : LC50 (Rat): 36 mg/l

		Page: 10
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

Exposure time: 4 h
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,400 mg/kg
 Assessment: Not classified as acutely toxic by dermal absorption under GHS.
 Remarks: No mortality observed at this dose.

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Acute oral toxicity :
 Assessment: The component/mixture is classified as acute oral toxicity, category 3.

Acute inhalation toxicity : Assessment: The component/mixture is classified as acute inhalation toxicity, category 3.

Acute dermal toxicity : Assessment: The component/mixture is classified as acute dermal toxicity, category 3.

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation in susceptible persons.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:
 Result: Mildly irritating to skin

OCTAMETHYLCYCLOTETRASILOXANE:

Species: Rabbit
 Result: Not irritating to skin

ALKOXY-TERMINATED AMINOALKYL-FUNCTIONAL SILOXANE:

Result: Not irritating to skin

QUARTZ (SiO₂):

Result: Possibly irritating to skin

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Result: Corrosive to skin

Serious eye damage/eye irritation


Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:
 Result: Mildly irritating to eyes

		Page: 11
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

OCTAMETHYLCYCLOTETRASILOXANE:

Species: Rabbit

Result: Slightly irritating to eyes

ALKOXY-TERMINATED AMINOALKYL-FUNCTIONAL SILOXANE:

Result: Irritating to eyes

QUARTZ (SiO₂):

Result: Possibly irritating to eyes

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Result: Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation: May cause an allergic skin reaction.

Respiratory sensitisation: Not classified based on available information.

Components:

OCTAMETHYLCYCLOTETRASILOXANE:

Test Type: Maximisation Test (GPMT)

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Assessment: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

OCTAMETHYLCYCLOTETRASILOXANE:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Carcinogenicity

May cause cancer.

Components:

QUARTZ (SiO₂):

Carcinogenicity - : Human carcinogen.

Assessment

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

OCTAMETHYLCYCLOTETRASILOXANE:

Reproductive toxicity - : Some evidence of adverse effects on sexual function and


Assessment fertility, based on animal experiments.

STOT - single exposure

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

		Page: 12
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Components:

QUARTZ (SiO₂):

Exposure routes: inhalation (dust/mist/fume)

Target Organs: Respiratory system, Kidney

Assessment: Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:

DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Solvents may degrease the skin.

Components:

QUARTZ (SiO₂):

Remarks: Lung

Carcinogenicity:

IARC

Group 1: Carcinogenic to humans

QUARTZ / SAND

14808-60-7

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

Known to be human carcinogen

QUARTZ / SAND

14808-60-7

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

OCTAMETHYLCYCLOTETRASILOXANE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.022 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1

CBOOA007-02

Test Type: flow-through test
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): ≥ 0.015 mg/l
Exposure time: 48 h
Test Type: flow-through test
Remarks: No toxicity at the limit of solubility

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.022 mg/l
End point: Growth inhibition
Exposure time: 96 h
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): ≥ 0.0044 mg/l
Exposure time: 93 d
Test Type: flow-through test
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia (water flea)): 0.0079 mg/l
Exposure time: 21 d
Test Type: flow-through test
Remarks: No toxicity at the limit of solubility

Ecotoxicology Assessment
Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Toxicity to fish : LC 50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h
Test Type: flow-through test

Persistence and degradability
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT:

Biodegradability : Result: Inherently biodegradable
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

OCTAMETHYLCYCLOTETRASILOXANE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3.7 %
Exposure time: 29 d
Method: OECD Test Guideline 310

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE:

Biodegradability : Biodegradation: 30 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: Not readily biodegradable.

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1

CBOOA007-02

Bioaccumulative potential

OCTAMETHYLCYCLOTETRASILOXANE:

Bioaccumulation : Species: Fathead minnow (*Pimephales promelas*)
 Bioconcentration factor (BCF): 14,261
 Exposure time: 28 d
 Concentration: 0.00016 mg/l
 Method: Flow through

Partition coefficient: n-octanol/water : log Pow: 6.488 (25 °C)
 Method: OECD Test Guideline 123

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.

 Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

U.S. DOT - ROAD

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1

CBOOA007-02

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

UN	1993	FLAMMABLE LIQUID, N.O.S. (ALIPHATIC PETROLEUM DISTILLATES)	3	III
----	------	--	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

UN	1993	Flammable liquid, n.o.s. (ALIPHATIC PETROLEUM DISTILLATES)	3	III
----	------	--	---	-----

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

UN	1993	Flammable liquid, n.o.s. (ALIPHATIC PETROLEUM DISTILLATES)	3	III
----	------	--	---	-----

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	1993	LIQUIDO INFLAMABLE, N.E.P. (ALIPHATIC PETROLEUM DISTILLATES)	3	III
----	------	--	---	-----

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

SAFETY DATA SHEET

Revision Date: 08/05/2015

Print Date: 3/1/2016

SDS Number: R0405531

Car Brite™ BUTTER WAX™ Creme Wax

Version: 1.1

CBOOA007-02

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SARA 313 Component(s)SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 WARNING! This product contains a chemical known to the State of California to cause cancer.
QUARTZ / SAND 14808-60-7

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
METHANOL 67-56-1

ETHYLENE GLYCOL 109-86-4
MONOMETHYL ETHER

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL.
- AICS : On the inventory, or in compliance with the inventory
- ENCS : Not in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

NITEO PRODUCTS		Page: 17
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 08/05/2015

NFPA:	HMIS III:						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td>HEALTH</td> <td>2*</td> </tr> <tr> <td>FLAMMABILITY</td> <td>2</td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td>0</td> </tr> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	2*	FLAMMABILITY	2	PHYSICAL HAZARD	0
HEALTH	2*						
FLAMMABILITY	2						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class II

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H350	May cause cancer.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.


Sources of key data used to compile the Safety Data Sheet

Internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

		Page: 18
SAFETY DATA SHEET		Revision Date: 08/05/2015
		Print Date: 3/1/2016
		SDS Number: R0405531
Car Brite™ BUTTER WAX™ Creme Wax		Version: 1.1
CBOOA007-02		

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Niteo's Environmental Health and Safety Department (1-844-696-4836).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act
 DOT : Department of Transportation
 FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act
 HMIRC : Hazardous Materials Information Review Commission
 HMIS : Hazardous Materials Identification System
 NFPA : National Fire Protection Association
 NIOSH : National Institute for Occupational Safety and Health
 OSHA : Occupational Safety and Health Administration
 PMRA : Health Canada Pest Management Regulatory Agency
 RTK : Right to Know
WHMIS : Workplace Hazardous Materials Information System