

Initialize engine version: 5.2.3p3 (383123ade41b)

GfxDevice: creating device client; threaded=1

Direct3D:

Version: Direct3D 11.0 [level 11.0]

Renderer: NVIDIA GeForce GT 650M (ID=0xfd1)

Vendor: NVIDIA

VRAM: 3072 MB

Begin MonoManager ReloadAssembly

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\UnityEngine.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\UnityEngine.dll into Unity Child Domain

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\Assembly-CSharp-firstpass.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\Assembly-CSharp-firstpass.dll into Unity Child Domain

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\Assembly-CSharp.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\Assembly-CSharp.dll into Unity Child Domain

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\Assembly-UnityScript-firstpass.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\Assembly-UnityScript-firstpass.dll into Unity Child Domain

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\UnityEngine.UI.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\UnityEngine.UI.dll into Unity Child Domain

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\UnityEngine.Networking.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\UnityEngine.Networking.dll into Unity Child Domain

Platform assembly: C:\Program Files (x86)\HEX\Hex_

Data\Managed\Flow.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\Flow.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\ICSharpCode.SharpZipLib.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\ICSharpCode.SharpZipLib.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\NCalc.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\NCalc.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\RabbitMQ.Client.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\RabbitMQ.Client.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Runtime.Serialization.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Runtime.Serialization.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Web.Services.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Web.Services.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Xml.Linq.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Xml.Linq.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\Vectrosity.dll (this message is harmless)
Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\Vectrosity.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\SampleClassLibrary.dll (this message is harmless)

Loading C:\Program Files (x86)\HEX\Hex_Data\Managed\SampleClassLibrary.dll into Unity Child Domain
Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Core.dll (this message is harmless)

- Completed reload, in 0.124 seconds

<RI> Initializing input.

<RI> Input initialized.

desktop: 1920x1080 60Hz; virtual: 1920x1080 at 0,0

<RI> Initialized touch support.

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.dll (this message is harmless)

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Xml.dll (this message is harmless)

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\Mono.Security.dll (this message is harmless)

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Configuration.dll (this message is harmless)

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.EnterpriseServices.dll (this message is harmless)

Platform assembly: C:\Program Files (x86)\HEX\Hex_Data\Managed\System.Web.dll (this message is harmless)

Main|4/10/2016 12:51:02 AM|Using EXTRA hexdata path

@ C:\Program Files (x86)\HEX\HexData

2016-04-10 00:51:02.5608|DEBUG|Main|4/10/2016 12:5

1:02 AM|Using EXTRA hexdata path @ C:\Program File

s (x86)\HEX\HexData

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Using EXTRA hexdata path

@ C:\Program Files (x86)\HEX\HexData

2016-04-10 00:51:02.5784|DEBUG|Main|4/10/2016 12:5

1:02 AM|Using EXTRA hexdata path @ C:\Program File

s (x86)\HEX\HexData

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

For player.ini using OVERRIDE @ C:\Users\Ben\AppData\LocalLow\Cryptozoic\HexPatch\h_dl_hex_gameforge_com__live-6597987\player.ini

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Using EXTRA hexdata path @ C:\Program Files (x86)\HEX\HexData
2016-04-10 00:51:02.6546|DEBUG|Main|4/10/2016 12:51:02 AM|Using EXTRA hexdata path @ C:\Program Files (x86)\HEX\HexData

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

For api.ini using DEFAULT @ C:\Program Files (x86)\HEX\api.ini

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

PLAYER CONFIG FILE = C:\Users\Ben\AppData\LocalLow\Cryptozoic\HexPatch\h_dl_hex_gameforge_com__live-6597987\player.ini

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

ROOT PATH = C:\Program Files (x86)\HEX\

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Using EXTRA hexdata path
@ C:\Program Files (x86)\HEX\HexData
2016-04-10 00:51:02.6546|DEBUG|Main|4/10/2016 12:5
1:02 AM|Using EXTRA hexdata path @ C:\Program File
s (x86)\HEX\HexData

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

For config.ini using OVERRIDE @ C:\Users\Ben\AppData
a\LocalLow\Cryptozoic\HexPatch\h_dl_hex_gameforge_
com__live-6597987\config.ini

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

CONFIG FILE = C:\Users\Ben\AppData\LocalLow\Crypto
zoic\HexPatch\h_dl_hex_gameforge_com__live-6597987
\config.ini

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Using EXTRA hexdata path
@ C:\Program Files (x86)\HEX\HexData
2016-04-10 00:51:02.6801|DEBUG|Main|4/10/2016 12:5
1:02 AM|Using EXTRA hexdata path @ C:\Program File
s (x86)\HEX\HexData

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Extra Loc folder C:\Use
rs\Ben\AppData\LocalLow\Cryptozoic\HexPatch\h_dl_h
ex_gameforge_com__live-6597987
2016-04-10 00:51:02.6820|DEBUG|Main|4/10/2016 12:5

1:02 AM|Extra Loc folder C:\Users\Ben\AppData\LocalLow\Cryptozoic\HexPatch\h_dl_hex_gameforge_com__live-6597987

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Extra Loc folder C:\Program Files (x86)\HEX\HexData
2016-04-10 00:51:02.6820|DEBUG|Main|4/10/2016 12:51:02 AM|Extra Loc folder C:\Program Files (x86)\HEX\HexData

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Main|4/10/2016 12:51:02 AM|Root directory: C:\Program Files (x86)\HEX\
2016-04-10 00:51:02.6820|INFO|Main|4/10/2016 12:51:02 AM|Root directory: C:\Program Files (x86)\HEX\

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.GameClient|4/10/2016 12:51:02 AM|*****
*****GameClient:GameClient*****
2016-04-10 00:51:02.7094|INFO|Game.Client.GameClient|4/10/2016 12:51:02 AM|*****
*****GameClient:GameClient*****

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

2016-04-10 00:51:02.7524|INFO|Game.Client.PlayerProfile|4/10/2016 12:51:02 AM|*****
PlayerProfile: Created*****

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:02 AM|**
*****PlayerProfile: Created*****

Reckoning.Game.Campaign.ZoneClient|4/10/2016 12:51:
02 AM|PvE Zone client Initialized
2016-04-10 00:51:02.8013|WARN|Reckoning.Game.Campa
ign.ZoneClient|4/10/2016 12:51:02 AM|PvE Zone clie
nt Initialized

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.Arena.ArenaClient|4/10/2016 12:51:02
AM|Arena client Initialized
2016-04-10 00:51:02.8062|WARN|Reckoning.Game.Arena
.ArenaClient|4/10/2016 12:51:02 AM|Arena client In
itialized

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

|4/10/2016 12:51:02 AM|Finished intializing templat
e manager in 00:00:00.0369922
2016-04-10 00:51:02.8795|INFO||4/10/2016 12:51:02
AM|Finished intializing template manager in 00:00:
00.0369922

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:02 AM|INITIALIZE wit
h ip 79.110.82.220
2016-04-10 00:51:02.8883|DEBUG| {ClientConn} |4/10
/2016 12:51:02 AM|INITIALIZE with ip 79.110.82.220

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:02 AM|SES_STATE NONE  
-> CONNECTING  
2016-04-10 00:51:02.9049|DEBUG| {ClientConn} |4/10  
/2016 12:51:02 AM|SES_STATE NONE -> CONNECTING
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:02 AM|SES_STATE CONN  
ECTING -> CONNECTING  
2016-04-10 00:51:02.9049|DEBUG| {ClientConn} |4/10  
/2016 12:51:02 AM|SES_STATE CONNECTING -> CONNECTI  
NG
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:02 AM|SES_STATE CONN  
ECTING -> CONNECTING  
2016-04-10 00:51:02.9049|DEBUG| {ClientConn} |4/10  
/2016 12:51:02 AM|SES_STATE CONNECTING -> CONNECTI  
NG
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Setting up 2 worker threads for Enlighten.

```
Thread -> id: 15fc -> priority: 1  
Thread -> id: 174c -> priority: 1  
{Session} |4/10/2016 12:51:03 AM|Requesting new Se  
ssion  
2016-04-10 00:51:03.3635|DEBUG| {Session} |4/10/201  
6 12:51:03 AM|Requesting new Session
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:03 AM|SES_STATE CONN  
ECTING -> NEWSESSION  
2016-04-10 00:51:03.3635|DEBUG| {ClientConn} |4/10  
/2016 12:51:03 AM|SES_STATE CONNECTING -> NEWSESSI  
ON
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:03 AM|Client requesting  
session at version: (1.0.0.057)  
2016-04-10 00:51:03.3635|DEBUG| {Session} |4/10/20  
16 12:51:03 AM|Client requesting session at versio  
n: (1.0.0.057)
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:03 AM|SES_STATE NEWS  
SESSION -> REQSESSION  
2016-04-10 00:51:03.3684|DEBUG| {ClientConn} |4/10  
/2016 12:51:03 AM|SES_STATE NEWSESSION -> REQSESSI  
ON
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:03 AM|Sending session c  
reate request  
2016-04-10 00:51:03.3684|DEBUG| {Session} |4/10/20  
16 12:51:03 AM|Sending session create request
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:03 AM|Queuing for SEND
```

```
-> {"target":"newsession","ccnt":0,"scnt":0,"time":1460213463,"sid":null,"version":"1.0.0.057"}
2016-04-10 00:51:03.5199|DEBUG| {Session} |4/10/2016 12:51:03 AM|Queuing for SEND -> {"target":"newsession","ccnt":0,"scnt":0,"time":1460213463,"sid":null,"version":"1.0.0.057"}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

The referenced script on this Behaviour is missing!

(Filename: Line: 1649)

```
{Session} |4/10/2016 12:51:04 AM|HS: 13 HLEN: 144 MZ: 161 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"create","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":0,"scnt":1,"time":4219547439}
2016-04-10 00:51:04.0537|DEBUG| {Session} |4/10/2016 12:51:04 AM|HS: 13 HLEN: 144 MZ: 161 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"create","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":0,"scnt":1,"time":4219547439}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:04 AM|Cleared 1 on ccnt 0
2016-04-10 00:51:04.0586|DEBUG| {Session} |4/10/2016 12:51:04 AM|Cleared 1 on ccnt 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:04 AM|Session created
```

2016-04-10 00:51:04.0586|DEBUG| {ClientConn} |4/10/
2016 12:51:04 AM|Session created

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:04 AM|Got new session id
is (tHAJFDfbAfFwTBRs)

2016-04-10 00:51:04.0586|DEBUG| {Session} |4/10/20
16 12:51:04 AM|Got new session id is (tHAJFDfbAfFw
TBRs)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:04 AM|SES_STATE REQS
SESSION -> CONNECTED

2016-04-10 00:51:04.0586|DEBUG| {ClientConn} |4/10/
/2016 12:51:04 AM|SES_STATE REQSESION -> CONNECTE
D

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Unloading 5 Unused Serialized files (Serialized fil
es now loaded: 0)

UISystem|4/10/2016 12:51:04 AM|No GameObjects in sc
ene with the ChatWindow tag!

2016-04-10 00:51:04.2071|WARN|UISystem|4/10/2016 1
2:51:04 AM|No GameObjects in scene with the ChatWi
ndow tag!

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

AuthenticationSDK.Authenticator|4/10/2016 12:51:04
AM|Ignoring ping request no info.

2016-04-10 00:51:04.2189|DEBUG|AuthenticationSDK.A

uthenticator|4/10/2016 12:51:04 AM|Ignoring ping request no info.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:06 AM|template 5a8783b0-e420-4f41-b2a1-96f70b0cd851 (5a8783b0-e420-4f41-b2a1-96f70b0cd851 Play Card Ability) already exists. Is this a problem?
2016-04-10 00:51:06.0988|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:06 AM|template 5a8783b0-e420-4f41-b2a1-96f70b0cd851 (5a8783b0-e420-4f41-b2a1-96f70b0cd851 Play Card Ability) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:06 AM|template 2d2687e4-a72b-4c34-9ef6-fce95c42ab17 (2d2687e4-a72b-4c34-9ef6-fce95c42ab17 Rage X Ability) already exists. Is this a problem?
2016-04-10 00:51:06.1066|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:06 AM|template 2d2687e4-a72b-4c34-9ef6-fce95c42ab17 (2d2687e4-a72b-4c34-9ef6-fce95c42ab17 Rage X Ability) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:06 AM|template b967e60c-f15b-4f22-be81-a91f783641a4 (b967e60c-f15b-4f22-be81-a91f783641a4 Cheat Destroy Card) already exists. Is this a problem?
2016-04-10 00:51:06.1066|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:06 AM|template b967e60c-f15b-4f22-be81-a91f783641a4 (b967e60c-f15b-4f22-b

e81-a91f783641a4 Cheat Destroy Card) already exist s. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

UnloadTime: 11.769822 ms

Existing bus 'Music' was not found, specified in prefab 'Interface_Campaign'.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

The Playlist 'Login' is already loaded. Ignoring Change Playlist request.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:08 AM|While getting. Auth info isn't valid

2016-04-10 00:51:08.9877|DEBUG|StackTrace|4/10/2016 12:51:08 AM|While getting. Auth info isn't valid

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:08 AM| --- Frame 0: Void
StackTrace(System.String) -- 0

2016-04-10 00:51:08.9877|DEBUG|StackTrace|4/10/2016 12:51:08 AM| --- Frame 0: Void
StackTrace(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:08 AM| --- Frame 1: Syst

```
em.String get_PlayerName() -- 0
2016-04-10 00:51:08.9877|DEBUG|StackTrace|4/10/201
6 12:51:08 AM| --- Frame 1: System.String get_Play
erName() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:08 AM| --- Frame 2: Void
OnEnable() -- 0
2016-04-10 00:51:08.9877|DEBUG|StackTrace|4/10/201
6 12:51:08 AM| --- Frame 2: Void OnEnable() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:08 AM| --- Frame 3: Uni
tyEngine.Object Internal_CloneSingle(UnityEngine.O
bject) -- 0
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/201
6 12:51:08 AM| --- Frame 3: UnityEngine.Object Int
ernal_CloneSingle(UnityEngine.Object) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:08 AM| --- Frame 4: Uni
tyEngine.Object Instantiate(UnityEngine.Object) --
0
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/201
6 12:51:08 AM| --- Frame 4: UnityEngine.Object Ins
tstantiate(UnityEngine.Object) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:08 AM| --- Frame 5: Uni
tyEngine.Object SpawnChildGo(UnityEngine.Object, U
```

```
nityEngine.Transform, Int32) -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:08 AM| --- Frame 5: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: Boolean IsTaggedUIElementVisible(System.String) -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: Boolean IsTaggedUIElementVisible(System.String) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: Void SetInitialChatVisibility() -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: Void SetInitialChatVisibility() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: Void _update() -- 0  
2016-04-10 00:51:08.9945|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: Void _update() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Void Update() -- 0  
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Void Update() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

```
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
```

```
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void OnEnable() -- 0
```

```
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void OnEnable() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: UnityEngine.Object Internal_CloneSingle(UnityEngine.Object) -- 0
```

```
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: UnityEngine.Object Internal_CloneSingle(UnityEngine.Object) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 4: UnityEngine.Object Instantiate(UnityEngine.Object) -- 0

2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 4: UnityEngine.Object Instantiate(UnityEngine.Object) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 5: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0

2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 5: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0

2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.GameObject GetTaggedUIElement(System.Stri

```
ng) -- 0
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.GameObject
  GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: TaggedUIElementBase GetTaggedUIElement(System.String)
-- 0
```

```
2016-04-10 00:51:09.0092|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: Boolean IsTaggedUIElementVisible(System.String) -- 0
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: Boolean IsTaggedUIElementVisible(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: Void SetInitialChatVisibility() -- 0
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: Void SetInitialChatVisibility() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: Void _update() -- 0
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: Void _update() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Void Update() -- 0
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Void Update() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
```

```
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
```

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void
SetChatState(Int32, Boolean) -- 0
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 2: Void SetChatState(Int3
2, Boolean) -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void
OnEnable() -- 0
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 3: Void OnEnable() -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 4: Uni
tyEngine.Object Internal_CloneSingle(UnityEngine.O
bject) -- 0
2016-04-10 00:51:09.0248|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 4: UnityEngine.Object Int
ernal_CloneSingle(UnityEngine.Object) -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 5: Uni
tyEngine.Object Instantiate(UnityEngine.Object) --
0
2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 5: UnityEngine.Object Ins
tantiate(UnityEngine.Object) -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0
```

```
2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0
```

```
2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0
```

```
2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0
```

```
2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: TaggedUIElementBase Ge
```

tTaggedUIElement(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: Boolean IsTaggedUIElementVisible(System.String) -- 0

2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: Boolean IsTaggedUIElementVisible(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: Void SetInitialChatVisibility() -- 0

2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: Void SetInitialChatVisibility() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Void _update() -- 0

2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Void _update() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 13: Void Update() -- 0

2016-04-10 00:51:09.0405|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 13: Void Update() -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM|Auth info isn't va
lid

2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/2016
12:51:09 AM|Auth info isn't valid

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void
StackTrace(System.String) -- 0

2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 0: Void StackTrace(System
.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: Bool
ean get_IsAdmin() -- 0

2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 1: Boolean get_IsAdmin()
-- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void
PopulateDataList() -- 0

2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/201
6 12:51:09 AM| --- Frame 2: Void PopulateDataList(
) -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void  
ProcessPortraitData() -- 0  
2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 3: Void ProcessPortraitDa  
ta() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 4: Void  
.ctor(UICChatOptionViewModel) -- 0  
2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 4: Void .ctor(UICChatOptio  
nViewModel) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 5: Void  
Awake() -- 0  
2016-04-10 00:51:09.0620|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 5: Void Awake() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: Uni  
tyEngine.Object Internal_CloneSingle(UnityEngine.O  
bject) -- 0  
2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 6: UnityEngine.Object Int  
ernal_CloneSingle(UnityEngine.Object) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: Uni  
tyEngine.Object Instantiate(UnityEngine.Object) --
```

0

```
2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.Object Instantiate(UnityEngine.Object) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0
```

```
2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0
```

```
2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0
```

```
2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0

2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Boolean IsTaggedUIElementVisible(System.String) -- 0

2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Boolean IsTaggedUIElementVisible(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 13: Void SetInitialChatVisibility() -- 0

2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 13: Void SetInitialChatVisibility() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 14: Void _update() -- 0

2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 14: Void _update() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 15: Void Update() -- 0
```

```
2016-04-10 00:51:09.0717|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 15: Void Update() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM|Auth info isn't valid
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM|Auth info isn't valid
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: Boolean get_IsModerator() -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: Boolean get_IsModerator() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void PopulateDataList() -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/201
```

```
6 12:51:09 AM| --- Frame 2: Void PopulateDataList(
) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void ProcessPortraitData() -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void ProcessPortraitData() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 4: Void .ctor(UIChatOptionViewModel) -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 4: Void .ctor(UIChatOptionViewModel) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 5: Void Awake() -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 5: Void Awake() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object Internal_CloneSingle(UnityEngine.Object) -- 0
```

```
2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 6: UnityEngine.Object Internal_CloneSingle(UnityEngine.Object) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.Object Instantiate(UnityEngine.Object) -- 0

2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 7: UnityEngine.Object Instantiate(UnityEngine.Object) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0

2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 8: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform, Int32) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0

2016-04-10 00:51:09.0874|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 9: UnityEngine.Object SpawnChildGo(UnityEngine.Object, UnityEngine.Transform) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: UnityEngine.GameObject GetTaggedUIElement(System.Str

```
ing) -- 0
2016-04-10 00:51:09.1030|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 10: UnityEngine.GameObject GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0
```

```
2016-04-10 00:51:09.1030|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 11: TaggedUIElementBase GetTaggedUIElement(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Boolean IsTaggedUIElementVisible(System.String) -- 0
```

```
2016-04-10 00:51:09.1030|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 12: Boolean IsTaggedUIElementVisible(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 13: Void SetInitialChatVisibility() -- 0
```

```
2016-04-10 00:51:09.1030|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 13: Void SetInitialChatVisibility() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 14: Voi
```

```
d _update() -- 0
2016-04-10 00:51:09.1030|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 14: Void _update() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 15: Void Update() -- 0
2016-04-10 00:51:09.1030|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 15: Void Update() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void  
ProcessOptions() -- 0  
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions()  
-- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void  
Start() -- 0  
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid  
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void  
StackTrace(System.String) -- 0  
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
2016-04-10 00:51:09.1392|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions() -- 0
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System
```

.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions() -- 0
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void  
  StackTrace(System.String) -- 0  
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 0: Void StackTrace(System  
.String) -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: Syst  
em.String get_PlayerName() -- 0  
2016-04-10 00:51:09.1509|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 1: System.String get_Play  
erName() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void  
  ProcessOptions() -- 0  
2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 2: Void ProcessOptions()  
-- 0
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void  
  Start() -- 0  
2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/201  
6 12:51:09 AM| --- Frame 3: Void Start() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
StackTrace|4/10/2016 12:51:09 AM|While getting. Aut
```

h info isn't valid

2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void
StackTrace(System.String) -- 0

2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0

2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void
ProcessOptions() -- 0

2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions()
-- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void
Start() -- 0

2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid
2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM|While getting. Auth info isn't valid

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void
StackTrace(System.String) -- 0
2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void StackTrace(System.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0
2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: System.String get_PlayerName() -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void
ProcessOptions() -- 0
2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions()
-- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void
Start() -- 0

2016-04-10 00:51:09.1656|DEBUG|StackTrace|4/10/2016
12:51:09 AM| --- Frame 3: Void Start() -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM|While getting. Aut
h info isn't valid

2016-04-10 00:51:09.1812|DEBUG|StackTrace|4/10/2016
12:51:09 AM|While getting. Auth info isn't valid

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 0: Void
StackTrace(System.String) -- 0

2016-04-10 00:51:09.1812|DEBUG|StackTrace|4/10/2016
12:51:09 AM| --- Frame 0: Void StackTrace(System
.String) -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 1: Syst
em.String get_PlayerName() -- 0

2016-04-10 00:51:09.1812|DEBUG|StackTrace|4/10/2016
12:51:09 AM| --- Frame 1: System.String get_Play
erName() -- 0

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void
ProcessOptions() -- 0

```
2016-04-10 00:51:09.1812|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 2: Void ProcessOptions()  
-- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0
```

```
2016-04-10 00:51:09.1812|DEBUG|StackTrace|4/10/2016 12:51:09 AM| --- Frame 3: Void Start() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
Objects that holds a reference to Movies/ : 0  
Unloading AssetBundle: Movies/
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
Unloading 8 unused Assets to reduce memory usage. Loaded Objects now: 24513.
```

```
Total: 60.853439 ms (FindLiveObjects: 1.240999 ms  
CreateObjectMapping: 2.980194 ms MarkObjects: 56.530045 ms DeleteObjects: 0.101349 ms)
```

```
T: 8.372319 - MasterAudio Cueing only child of Aud_Menu_Login
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:14 AM|Authentication sending https://79.110.82.220:8443/auth/gflogin
```

```
2016-04-10 00:51:14.4650|INFO|Game.Client.PlayerPr
```

ofile|4/10/2016 12:51:14 AM|Authentication sending
https://79.110.82.220:8443/auth/gflogin

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:16 AM|Authentication received response
2016-04-10 00:51:16.0976|INFO|Game.Client.PlayerProfile|4/10/2016 12:51:16 AM|Authentication received response

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:16 AM|Authentication error: INVALID_LOGIN
2016-04-10 00:51:16.0976|INFO|Game.Client.PlayerProfile|4/10/2016 12:51:16 AM|Authentication error: INVALID_LOGIN

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 1909f054-b023-4b05-8efa-18371d738041 (Built-In Play Card Effect) already exists. Is this a problem?
2016-04-10 00:51:16.7789|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 1909f054-b023-4b05-8efa-18371d738041 (Built-In Play Card Effect) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 0e40bc0b-be18-4b3f-870c-cc69cffef83f (

Finish Resolving Card Effect) already exists. Is this a problem?

```
2016-04-10 00:51:16.7789|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 0e40bc0b-bel18-4b3f-870c-cc69cfffef83f (Finish Resolving Card Effect) already exists. Is this a problem?
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 45ddb212-6a19-436d-b575-0203894636c4 (Rage X Effect) already exists. Is this a problem?  
2016-04-10 00:51:16.7789|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 45ddb212-6a19-436d-b575-0203894636c4 (Rage X Effect) already exists. Is this a problem?
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 20b30ee0-79d9-4512-afb0-7eb23f3bcded7 (Cheat Destroy Card Effect) already exists. Is this a problem?  
2016-04-10 00:51:16.7789|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:16 AM|template 20b30ee0-79d9-4512-afb0-7eb23f3bcded7 (Cheat Destroy Card Effect) already exists. Is this a problem?
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template e6a705e4-3afa-4ffe-8e49-856bee8e52b3 (NoOp Card Target) already exists. Is this a problem?  
2016-04-10 00:51:17.8887|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template e6a705e4
```

-3afa-4ffe-8e49-856bee8e52b3 (NoOp Card Target) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template 459eebb2-53da-4ea1-bb98-287f1cec7cd1 (Play Card Target) already exists. Is this a problem?

2016-04-10 00:51:17.8887|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template 459eebb2-53da-4ea1-bb98-287f1cec7cd1 (Play Card Target) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template 73a49fee-d93d-499a-aa85-38e269778eab (Rage X Target) already exists. Is this a problem?

2016-04-10 00:51:17.8887|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template 73a49fee-d93d-499a-aa85-38e269778eab (Rage X Target) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template a4633ed0-bbc2-419b-b976-080b5095140f (Cheat Destroy Card Target) already exists. Is this a problem?

2016-04-10 00:51:17.8887|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:17 AM|template a4633ed0-bbc2-419b-b976-080b5095140f (Cheat Destroy Card Target) already exists. Is this a problem?

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template ce90b5b4-6034-4de6-9183-2ef90d
8127d2 from template dedad6c3-9e2a-4ead-9ef7-46320
6319609 because it is a null template.
2016-04-10 00:51:23.5654|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
ce90b5b4-6034-4de6-9183-2ef90d8127d2 from template
dedad6c3-9e2a-4ead-9ef7-463206319609 because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template 20b76b8f-3842-453a-b40f-92ccd9
6a4785 from template dedad6c3-9e2a-4ead-9ef7-46320
6319609 because it is a null template.
2016-04-10 00:51:23.5654|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
20b76b8f-3842-453a-b40f-92ccd96a4785 from template
dedad6c3-9e2a-4ead-9ef7-463206319609 because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template ce90b5b4-6034-4de6-9183-2ef90d
8127d2 from template f84b4a3e-499d-408c-bf47-e4a04
e9ef8eb because it is a null template.
2016-04-10 00:51:23.5654|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
ce90b5b4-6034-4de6-9183-2ef90d8127d2 from template
f84b4a3e-499d-408c-bf47-e4a04e9ef8eb because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template 07091a61-ae44-4c6b-bb40-982532
2a6643 from template 7b3fad97-02aa-4f36-8d62-8391b
9f5203b because it is a null template.
2016-04-10 00:51:23.5752|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
07091a61-ae44-4c6b-bb40-9825322a6643 from template
7b3fad97-02aa-4f36-8d62-8391b9f5203b because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template 07091a61-ae44-4c6b-bb40-982532
2a6643 from template 60c1a5a9-e172-4906-98fe-8dcd8
396405d because it is a null template.
2016-04-10 00:51:23.5752|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
07091a61-ae44-4c6b-bb40-9825322a6643 from template
60c1a5a9-e172-4906-98fe-8dcd8396405d because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template 07091a61-ae44-4c6b-bb40-982532
2a6643 from template 4d9fc2a2-76e0-4ff5-842f-5690b
8d7d3c6 because it is a null template.
2016-04-10 00:51:23.5752|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
07091a61-ae44-4c6b-bb40-9825322a6643 from template
4d9fc2a2-76e0-4ff5-842f-5690b8d7d3c6 because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:23
AM|Removed template 07091a61-ae44-4c6b-bb40-982532
2a6643 from template 3bff2c55-4e28-4b28-b271-7a561
bb8223b because it is a null template.

2016-04-10 00:51:23.5752|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:23 AM|Removed template
07091a61-ae44-4c6b-bb40-9825322a6643 from template
3bff2c55-4e28-4b28-b271-7a561bb8223b because it i
s a null template.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

T: 16.81894 - MasterAudio Cueing only child of Aud_
Menu_Login

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:24 AM|Au
thentication sending https://79.110.82.220:8443/au
th/gflogin

2016-04-10 00:51:24.2040|INFO|Game.Client.PlayerPr
ofile|4/10/2016 12:51:24 AM|Authentication sending
https://79.110.82.220:8443/auth/gflogin

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:24 AM|Aut
hentication received response

2016-04-10 00:51:24.5745|INFO|Game.Client.PlayerPr
ofile|4/10/2016 12:51:24 AM|Authentication receive
d response

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:24 AM|Pla
yerProfile:Auth Succeeded!

2016-04-10 00:51:24.5745|INFO|Game.Client.PlayerPr
ofile|4/10/2016 12:51:24 AM|PlayerProfile:Auth Suc
ceeded!

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:24 AM|Cal
ling LogIntoGame

2016-04-10 00:51:24.5745|INFO|Game.Client.PlayerPr
ofile|4/10/2016 12:51:24 AM|Calling LogIntoGame

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:24 AM|Queuing for SEND
-> {"target":"auth:req","instance":"auth:req","re
qid":4,"ccnt":1,"scnt":1,"time":1460213484,"sid":
"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}

2016-04-10 00:51:24.5745|DEBUG| {Session} |4/10/20
16 12:51:24 AM|Queuing for SEND -> {"target":"auth
:req","instance":"auth:req","reqid":4,"ccnt":1,"sc
nt":1,"time":1460213484,"sid":"tHAJFDfbAfFwTBRs",
"version":"1.0.0.057"}

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:24 AM|Ret
urned from LogIntoGame

2016-04-10 00:51:24.5745|INFO|Game.Client.PlayerPr
ofile|4/10/2016 12:51:24 AM|Returned from LogIntoG
ame

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 146
MZ: 295 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"auth:res","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":2,"time":4219568569}
```

```
2016-04-10 00:51:25.0858|DEBUG| {Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 146 MZ: 295 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"auth:res","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":2,"time":4219568569}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:25 AM|Unknown Session message Headers:
```

```
sid = tHAJFDfbAfFwTBRs
target = auth:res
instance =
issuer = Session
version = 1.0.0.057
conh = 0
ccnt = 1
scnt = 2
time = 4219568569
```

```
Body: {"success":true,"errmsg":"","username":"SeriousBsnsGames","sauthid":"4470783","sreckid":"3271156","admin":false,"moderator":false}
```

```
2016-04-10 00:51:25.0887|ERROR| {ClientConn} |4/10/2016 12:51:25 AM|Unknown Session message Headers:
```

```
sid = tHAJFDfbAfFwTBRs
target = auth:res
instance =
issuer = Session
version = 1.0.0.057
conh = 0
```

```
ccnt = 1
scnt = 2
time = 4219568569
```

```
Body: {"success":true,"errmsg":"","username":"SeriousBsnsGames","sauthid":"4470783","sreckid":"3271156","admin":false,"moderator":false}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:25 AM|Got auth response value is System.Collections.Generic.Dictionary`2[System.String,System.Object]
2016-04-10 00:51:25.1317|DEBUG| {ClientConn} |4/10/2016 12:51:25 AM|Got auth response value is System.Collections.Generic.Dictionary`2[System.String,System.Object]
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:25 AM|Login success user SeriousBsnsGames Have someone to notify? True
2016-04-10 00:51:25.1366|DEBUG| {ClientConn} |4/10/2016 12:51:25 AM|Login success user SeriousBsnsGames Have someone to notify? True
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 630 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":3,"time":4219569070}
2016-04-10 00:51:25.5922|DEBUG| {Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 630 Enqueing {
```

```
"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":3,"time":4219569070}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 679 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":4,"time":4219569070}
```

```
2016-04-10 00:51:25.5922|DEBUG| {Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 679 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":4,"time":4219569070}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 736 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":5,"time":4219569070}
```

```
2016-04-10 00:51:25.5922|DEBUG| {Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 736 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":5,"time":4219569070}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:25 AM|No message yet buffering

2016-04-10 00:51:25.7036|DEBUG| {Session} |4/10/2016 12:51:25 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 3381 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":6,"time":4219569170}

2016-04-10 00:51:25.8053|DEBUG| {Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 3381 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":6,"time":4219569170}

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:25 AM|More data in buffer, but no message yet, buffering

2016-04-10 00:51:25.8082|DEBUG| {Session} |4/10/2016 12:51:25 AM|More data in buffer, but no message yet, buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191 MZ: 3107 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":7,"time":4

```
219569170}
2016-04-10 00:51:25.9099|DEBUG| {Session} |4/10/20
16 12:51:25 AM|HS: 13 HLEN: 191 MZ: 3107 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":7,"time":4219569170}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191
MZ: 3225 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":8,"time":4
219569170}
```

```
2016-04-10 00:51:25.9099|DEBUG| {Session} |4/10/20
16 12:51:25 AM|HS: 13 HLEN: 191 MZ: 3225 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":8,"time":4219569170}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:25 AM|HS: 13 HLEN: 191
MZ: 3186 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":9,"time":4
219569170}
```

```
2016-04-10 00:51:25.9099|DEBUG| {Session} |4/10/20
16 12:51:25 AM|HS: 13 HLEN: 191 MZ: 3186 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":9,"time":4219569170}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:25 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:25.9177|DEBUG| {Session} |4/10/2016 12:51:25 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3410 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":10,"time":4219569171}
2016-04-10 00:51:26.1211|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3410 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":10,"time":4219569171}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3271 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":11,"time":4219569171}
2016-04-10 00:51:26.1211|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3271 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","con
```

```
h":0,"ccnt":1,"scnt":11,"time":4219569171}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3189 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":12,"time":4219569171}
```

```
2016-04-10 00:51:26.1211|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3189 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":12,"time":4219569171}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:26.1211|DEBUG| {Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3427 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":13,"time":4219569271}
```

```
2016-04-10 00:51:26.2325|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3427 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
```

```
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":13,"time":4219569271}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
MZ: 3250 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":14,"time":
4219569271}
```

```
2016-04-10 00:51:26.2325|DEBUG| {Session} |4/10/20
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3250 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":14,"time":4219569271}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
MZ: 3282 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":15,"time":
4219569271}
```

```
2016-04-10 00:51:26.2325|DEBUG| {Session} |4/10/20
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":15,"time":4219569271}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3331 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":16,"time":4219569271}
```

```
2016-04-10 00:51:26.2442|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3331 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":16,"time":4219569271}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:26.2442|DEBUG| {Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3261 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":17,"time":4219569271}
```

```
2016-04-10 00:51:26.4495|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3261 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":17,"time":4219569271}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3299 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":18,"time":4219569271}
```

```
2016-04-10 00:51:26.4495|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3299 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":18,"time":4219569271}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":19,"time":4219569271}
```

```
2016-04-10 00:51:26.4495|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":19,"time":4219569271}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3372 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":20,"time":4219569271}
```

```
2016-04-10 00:51:26.4495|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3372 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":20,"time":4219569271}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:26.4642|DEBUG| {Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3150 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":21,"time":4219569271}
```

```
2016-04-10 00:51:26.5659|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3150 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":21,"time":4219569271}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 2524 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version"
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 22, "time": 4219569271}
2016-04-10 00:51:26.5659|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 2524 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 22, "time": 4219569271}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3345 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 23, "time": 4219569371}
```

```
2016-04-10 00:51:26.5659|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3345 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 23, "time": 4219569371}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3316 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 24, "time": 4219569371}
```

```
2016-04-10 00:51:26.5747|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3316 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 24, "time": 4219569371}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
MZ: 3432 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":25,"time":4219569371}
```

```
2016-04-10 00:51:26.5747|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3432 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":25,"time":4219569371}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:26.5747|DEBUG| {Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
MZ: 3339 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":26,"time":4219569371}
```

```
2016-04-10 00:51:26.7858|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3339 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 26, "time": 4219569371}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3177 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 27, "time":  
4219569371}
```

```
2016-04-10 00:51:26.7907|DEBUG| {Session} |4/10/20  
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3177 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 27, "time": 4219569371}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3269 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 28, "time":  
4219569371}
```

```
2016-04-10 00:51:26.7907|DEBUG| {Session} |4/10/20  
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3269 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 28, "time": 4219569371}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
```

```
MZ: 3299 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":29,"time":4219569472}
```

```
2016-04-10 00:51:26.7907|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3299 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":29,"time":4219569472}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":30,"time":4219569472}
```

```
2016-04-10 00:51:26.7907|DEBUG| {Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":30,"time":4219569472}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:26.8063|DEBUG| {Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3309 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":1,"scnt":31,"time":  
4219569472}
```

```
2016-04-10 00:51:26.9090|DEBUG| {Session} |4/10/20  
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3309 Enqueueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":1, "scnt":31, "time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3229 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057",  
"conh":0,"ccnt":1,"scnt":32,"time":  
4219569472}
```

```
2016-04-10 00:51:26.9090|DEBUG| {Session} |4/10/20  
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3229 Enqueueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":1, "scnt":32, "time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3211 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057",  
"conh":0,"ccnt":1,"scnt":33,"time":  
4219569472}
```

```
2016-04-10 00:51:26.9090|DEBUG| {Session} |4/10/20
```

```
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3211 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":33,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
MZ: 3357 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":34,"time":
4219569472}
```

```
2016-04-10 00:51:26.9178|DEBUG| {Session} |4/10/20
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3357 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":34,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192
MZ: 3127 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":35,"time":
4219569472}
```

```
2016-04-10 00:51:26.9178|DEBUG| {Session} |4/10/20
16 12:51:26 AM|HS: 13 HLEN: 192 MZ: 3127 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":35,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|HS: 13 HLEN: 192  
MZ: 3192 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,  
"scnt":36,"time":4219569472}
```

```
2016-04-10 00:51:26.9178|DEBUG| {Session} |4/10/2016 12:51:26 AM|  
HS: 13 HLEN: 192 MZ: 3192 Enqueueing {"sid":"tHAJFDfbAfFwTBRs",  
"target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.  
3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,  
"ccnt":1,"scnt":36,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:26.9178|DEBUG| {Session} |4/10/2016 12:51:26 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3169 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,  
"scnt":37,"time":4219569472}
```

```
2016-04-10 00:51:27.1299|DEBUG| {Session} |4/10/2016 12:51:27 AM|  
HS: 13 HLEN: 192 MZ: 3169 Enqueueing {"sid":"tHAJFDfbAfFwTBRs",  
"target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.  
3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,  
"ccnt":1,"scnt":37,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3264 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":38,"time":4219569472}
```

```
2016-04-10 00:51:27.1299|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3264 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":38,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 2548 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":39,"time":4219569472}
```

```
2016-04-10 00:51:27.1348|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 2548 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":39,"time":4219569472}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3232 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":38,"time":4219569472}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 40, "time": 4219569572}
2016-04-10 00:51:27.1348|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3232 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 40, "time": 4219569572}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3125 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 41, "time": 4219569572}
```

```
2016-04-10 00:51:27.1348|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3125 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 41, "time": 4219569572}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 42, "time": 4219569572}
```

```
2016-04-10 00:51:27.1348|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 42, "time": 4219569572}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:27.1348|DEBUG| {Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":43,"time":4219569572}
2016-04-10 00:51:27.2502|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":43,"time":4219569572}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3393 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":44,"time":4219569672}
2016-04-10 00:51:27.2502|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3393 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 44, "time": 4219569672}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3180 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 45, "time":  
4219569672}
```

```
2016-04-10 00:51:27.2502|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3180 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 45, "time": 4219569672}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3198 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 46, "time":  
4219569672}
```

```
2016-04-10 00:51:27.2590|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3198 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 46, "time": 4219569672}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
```

```
MZ: 3261 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":47,"time":4219569672}
```

```
2016-04-10 00:51:27.2590|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3261 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":47,"time":4219569672}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3148 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":48,"time":4219569672}
```

```
2016-04-10 00:51:27.2590|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3148 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":48,"time":4219569672}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3261 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":49,"time":4219569672}
```

```
2016-04-10 00:51:27.2590|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3261 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":49,"time":4219569672}
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 49, "time": 4219569672}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|More data in buff  
er, but no message yet, buffering  
2016-04-10 00:51:27.2590|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|More data in buffer, but no message  
yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:27 AM|Triggering On  
ConnectionLogin for ServiceAuthClient.17463 and Se  
rvicePlayer.12777  
2016-04-10 00:51:27.3391|DEBUG| {ClientConn} |4/10  
/2016 12:51:27 AM|Triggering OnConnectionLogin for  
ServiceAuthClient.17463 and ServicePlayer.12777
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:27 AM|Pl  
ayerProfile: AuthID: ServiceAuthClient.17463 ReckI  
D: ServicePlayer.12777  
2016-04-10 00:51:27.3391|INFO|Game.Client.PlayerPr  
ofile|4/10/2016 12:51:27 AM|PlayerProfile: AuthID:  
ServiceAuthClient.17463 ReckID: ServicePlayer.127  
77
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:27 AM|Set
```

ting ProfileID to 17463.

2016-04-10 00:51:27.3391|DEBUG|Game.Client.PlayerProfile|4/10/2016 12:51:27 AM|Setting ProfileID to 17463.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| -- Frame 0: Void set_m_ProfileId(UInt64) -- 0
2016-04-10 00:51:27.3391|DEBUG|Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --- Frame 0: Void set_m_ProfileId(UInt64) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| -- Frame 1: Void Initialize(UID, UInt64) -- 0
2016-04-10 00:51:27.3391|DEBUG|Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --- Frame 1: Void Initialize(UID, UInt64) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| -- Frame 2: Void HandleGameLogin(UID, UID) -- 0
2016-04-10 00:51:27.3391|DEBUG|Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --- Frame 2: Void HandleGameLogin(UID, UID) -- 0

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| -- Frame 3: Void <>m__4D6() -- 0
2016-04-10 00:51:27.3391|DEBUG|Game.Client.PlayerP

```
rofile|4/10/2016 12:51:27 AM| --- Frame 3: Void <>  
m__4D6() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --  
- Frame 4: Void Update() -- 0  
2016-04-10 00:51:27.3391|DEBUG|Game.Client.PlayerP  
rofile|4/10/2016 12:51:27 AM| --- Frame 4: Void Up  
date() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --  
- Frame 5: Boolean Update() -- 0  
2016-04-10 00:51:27.3538|DEBUG|Game.Client.PlayerP  
rofile|4/10/2016 12:51:27 AM| --- Frame 5: Boolean  
Update() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --  
- Frame 6: Void _update() -- 0  
2016-04-10 00:51:27.3538|DEBUG|Game.Client.PlayerP  
rofile|4/10/2016 12:51:27 AM| --- Frame 6: Void _u  
pdate() -- 0
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
Game.Client.PlayerProfile|4/10/2016 12:51:27 AM| --  
- Frame 7: Void Update() -- 0  
2016-04-10 00:51:27.3538|DEBUG|Game.Client.PlayerP  
rofile|4/10/2016 12:51:27 AM| --- Frame 7: Void Up  
date() -- 0
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|Queuing for SEND  
-> {"target":"ServiceMail","instance":"252","reqid":6,"ccnt":2,"scnt":49,"time":1460213487,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}  
2016-04-10 00:51:27.3870|DEBUG| {Session} |4/10/2016 12:51:27 AM|Queuing for SEND -> {"target":"ServiceMail","instance":"252","reqid":6,"ccnt":2,"scnt":49,"time":1460213487,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3211 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":50,"time":4219569672}  
2016-04-10 00:51:27.4897|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3211 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":50,"time":4219569672}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3146 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":51,"time":4219569672}
```

```
2016-04-10 00:51:27.4897|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3146 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":51,"time":4219569672}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3304 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":52,"time":4219569673}
```

```
2016-04-10 00:51:27.4956|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3304 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":52,"time":4219569673}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3097 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":53,"time":4219569673}
```

```
2016-04-10 00:51:27.4956|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3097 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":53,"time":4219569673}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3222 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":54,"time":4219569773}
```

```
2016-04-10 00:51:27.4956|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3222 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":54,"time":4219569773}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3404 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":55,"time":4219569773}
```

```
2016-04-10 00:51:27.4956|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3404 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":55,"time":4219569773}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 2514 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":56,"time":
```

```
4219569773}
2016-04-10 00:51:27.4956|DEBUG| {Session} |4/10/20
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 2514 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":56,"time":4219569773}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3139 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":57,"time":
4219569773}
```

```
2016-04-10 00:51:27.5112|DEBUG| {Session} |4/10/20
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3139 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":57,"time":4219569773}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|More data in buff
er, but no message yet, buffering
```

```
2016-04-10 00:51:27.5112|DEBUG| {Session} |4/10/20
16 12:51:27 AM|More data in buffer, but no message
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3202 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 58, "time": 4219569873}
```

```
2016-04-10 00:51:27.6161|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3202 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 58, "time": 4219569873}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3369 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 59, "time": 4219569873}
```

```
2016-04-10 00:51:27.6191|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3369 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 59, "time": 4219569873}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3348 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 60, "time": 4219569873}
```

```
2016-04-10 00:51:27.6191|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3348 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "con
```

```
h":0,"ccnt":1,"scnt":60,"time":4219569873}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:27.6191|DEBUG| {Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3099 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":61,"time":4219569873}  
2016-04-10 00:51:27.7263|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3099 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":61,"time":4219569873}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":62,"time":4219569873}  
2016-04-10 00:51:27.7302|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 62, "time": 4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3128 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 63, "time":  
4219569873}
```

```
2016-04-10 00:51:27.7302|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3128 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 63, "time": 4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3335 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 64, "time":  
4219569873}
```

```
2016-04-10 00:51:27.7302|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3335 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 64, "time": 4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3238 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":65,"time":4219569873}
```

```
2016-04-10 00:51:27.7302|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3238 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":65,"time":4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3317 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":66,"time":4219569873}
```

```
2016-04-10 00:51:27.7302|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3317 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":66,"time":4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:27.7449|DEBUG| {Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3219 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":67,"time":4219569873}
```

```
2016-04-10 00:51:27.8467|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3219 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":67,"time":4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3151 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":68,"time":4219569873}
```

```
2016-04-10 00:51:27.8467|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3151 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":68,"time":4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3165 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":69,"time":4219569873}
```

```
2016-04-10 00:51:27.8467|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3165 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":69,"time":4219569873}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3270 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":70,"time":4219569973}
```

```
2016-04-10 00:51:27.8555|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3270 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":70,"time":4219569973}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3398 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":71,"time":4219569973}
```

```
2016-04-10 00:51:27.8555|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3398 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":71,"time":4219569973}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3229 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":72,"time":  
4219569973}
```

```
2016-04-10 00:51:27.8555|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3229 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":1,"scnt":72,"time":4219569973}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 2510 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":73,"time":  
4219569973}
```

```
2016-04-10 00:51:27.8555|DEBUG| {Session} |4/10/20  
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 2510 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":1,"scnt":73,"time":4219569973}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192  
MZ: 3355 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":74,"time":
```

```
4219570073}
2016-04-10 00:51:27.8555|DEBUG| {Session} |4/10/20
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3355 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":74,"time":4219570073}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3297 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":75,"time":
4219570073}
```

```
2016-04-10 00:51:27.8692|DEBUG| {Session} |4/10/20
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3297 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":75,"time":4219570073}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":76,"time":
4219570073}
```

```
2016-04-10 00:51:27.8692|DEBUG| {Session} |4/10/20
16 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3307 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":76,"time":4219570073}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3454 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":77,"time":4219570073}
```

```
2016-04-10 00:51:27.8692|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3454 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":77,"time":4219570073}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192
MZ: 3258 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":78,"time":4219570073}
```

```
2016-04-10 00:51:27.8692|DEBUG| {Session} |4/10/2016 12:51:27 AM|HS: 13 HLEN: 192 MZ: 3258 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":78,"time":4219570073}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:27.8692|DEBUG| {Session} |4/10/2016 12:51:27 AM|More data in buffer, but no message
```

yet, buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192
MZ: 3280 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":79,"time":4219570174}
```

```
2016-04-10 00:51:28.0839|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3280 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":79,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192
MZ: 3269 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":80,"time":4219570174}
```

```
2016-04-10 00:51:28.0839|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3269 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":80,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:28.0897|DEBUG| {Session} |4/10/2016 12:51:28 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3389 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":81,"time":4219570174}
```

```
2016-04-10 00:51:28.1917|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3389 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":81,"time":4219570174}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3202 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":82,"time":4219570174}
```

```
2016-04-10 00:51:28.1917|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3202 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":82,"time":4219570174}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3333 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":83,"time":4219570174}
```

```
2016-04-10 00:51:28.1985|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3333 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":83,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3374 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":84,"time":4219570174}
```

```
2016-04-10 00:51:28.1985|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3374 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":84,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3294 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":85,"time":4219570174}
```

```
2016-04-10 00:51:28.1985|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3294 Enqueueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":85,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3357 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":86,"time":4219570174}
```

```
2016-04-10 00:51:28.1985|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3357 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":86,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3334 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":87,"time":4219570174}
```

```
2016-04-10 00:51:28.2122|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3334 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":87,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3270 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":1,"scnt":88,"time":  
4219570174}
```

```
2016-04-10 00:51:28.2122|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3270 Enqueueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":1, "scnt":88, "time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3112 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057",  
"conh":0,"ccnt":1,"scnt":89,"time":  
4219570174}
```

```
2016-04-10 00:51:28.2122|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3112 Enqueueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":1, "scnt":89, "time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 2454 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057",  
"conh":0,"ccnt":1,"scnt":90,"time":  
4219570174}
```

```
2016-04-10 00:51:28.2122|DEBUG| {Session} |4/10/20
```

```
16 12:51:28 AM|HS: 13 HLEN: 192 MZ: 2454 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":90,"time":4219570174}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192
MZ: 3242 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":91,"time":
4219570274}
```

```
2016-04-10 00:51:28.2122|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3242 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":91,"time":4219570274}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192
MZ: 3176 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":92,"time":
4219570274}
```

```
2016-04-10 00:51:28.2122|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3176 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":92,"time":4219570274}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3348 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":93,"time":4219570274}
```

```
2016-04-10 00:51:28.2298|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3348 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":93,"time":4219570274}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3438 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":94,"time":4219570274}
```

```
2016-04-10 00:51:28.2298|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3438 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":94,"time":4219570274}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192  
MZ: 3469 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":95,"time":4219570274}
```

```
2016-04-10 00:51:28.2298|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3469 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":95,"time":4219570274}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:28.2298|DEBUG| {Session} |4/10/2016 12:51:28 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3326 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":96,"time":4219570374}
```

```
2016-04-10 00:51:28.4399|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3326 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":96,"time":4219570374}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3178 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version"
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 97, "time": 4219570374}
2016-04-10 00:51:28.4399|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3178 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 97, "time": 4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3310 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 98, "time": 4219570374}
```

```
2016-04-10 00:51:28.4399|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3310 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 98, "time": 4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 99, "time": 4219570374}
```

```
2016-04-10 00:51:28.4497|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 192 MZ: 3282 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 99, "time": 4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3310 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":100,"time":4219570374}
```

```
2016-04-10 00:51:28.4497|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3310 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":100,"time":4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3201 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":101,"time":4219570374}
```

```
2016-04-10 00:51:28.4497|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3201 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":101,"time":4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":101,"time":4219570374}
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 102, "time": 4219570374}
```

```
2016-04-10 00:51:28.4497|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3296 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 102, "time": 4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3274 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 103, "time": 4219570374}
```

```
2016-04-10 00:51:28.4497|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3274 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 103, "time": 4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3176 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 104, "time": 4219570374}
```

```
2016-04-10 00:51:28.4644|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3176 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "con
```

```
h":0,"ccnt":1,"scnt":104,"time":4219570374}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3278 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":105,"time":4219570374}
```

```
2016-04-10 00:51:28.4644|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3278 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":105,"time":4219570374}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3323 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":106,"time":4219570374}
```

```
2016-04-10 00:51:28.4644|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3323 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":106,"time":4219570374}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 2523 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":106,"time":4219570374}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":107,"time":4219570374}
```

```
2016-04-10 00:51:28.4644|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 2523 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":107,"time":4219570374}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3294 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":108,"time":4219570474}
```

```
2016-04-10 00:51:28.4644|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3294 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":108,"time":4219570474}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3335 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":109,"time":4219570474}
```

```
2016-04-10 00:51:28.4781|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3335 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 109, "time": 4219570474}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3296 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 110, "time"  
: 4219570474}
```

```
2016-04-10 00:51:28.4781|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3296 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 110, "time": 4219570474}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|More data in buff  
er, but no message yet, buffering
```

```
2016-04-10 00:51:28.4781|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|More data in buffer, but no message  
yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3245 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 111, "time"  
: 4219570474}
```

```
2016-04-10 00:51:28.5862|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3245 Enqueueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":111,"time":4219570474}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3327 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":112,"time":4219570474}
```

```
2016-04-10 00:51:28.5891|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3327 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":112,"time":4219570474}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3187 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":113,"time":4219570474}
```

```
2016-04-10 00:51:28.5891|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3187 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":113,"time":4219570474}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3442 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":1,"scnt":114,"time":4219570575}
```

```
2016-04-10 00:51:28.5891|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3442 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":1,"scnt":114,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3258 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":1,"scnt":115,"time":4219570575}
```

```
2016-04-10 00:51:28.5891|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3258 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":1,"scnt":115,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3372 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":1,"scnt":116,"time":4219570575}
```

```
2016-04-10 00:51:28.5891|DEBUG| {Session} |4/10/20
```

```
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3372 Enqueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 116, "time": 4219570575 }
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3205 Enqueing { "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.  
ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 117, "time":  
:4219570575 }
```

```
2016-04-10 00:51:28.6038|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3205 Enqueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 117, "time": 4219570575 }
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|More data in buff  
er, but no message yet, buffering
```

```
2016-04-10 00:51:28.6038|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|More data in buffer, but no message  
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3379 Enqueing { "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.  
ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 118, "time"
```

```
:4219570575}
2016-04-10 00:51:28.8110|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3379 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":118,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3290 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":119,"time"
:4219570575}
```

```
2016-04-10 00:51:28.8110|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3290 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":119,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3450 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":120,"time"
:4219570575}
```

```
2016-04-10 00:51:28.8110|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3450 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":120,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3332 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":121,"time":4219570575}
```

```
2016-04-10 00:51:28.8110|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3332 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":121,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3190 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":122,"time":4219570575}
```

```
2016-04-10 00:51:28.8237|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3190 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":122,"time":4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3235 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":122,"time":4219570575}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 123, "time": 4219570575}
2016-04-10 00:51:28.8237|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3235 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 123, "time": 4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 2470 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 124, "time": 4219570575}
2016-04-10 00:51:28.8237|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 2470 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 124, "time": 4219570575}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3166 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 125, "time": 4219570675}
2016-04-10 00:51:28.8237|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3166 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 125, "time": 4219570675}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3315 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":126,"time":4219570675}
```

```
2016-04-10 00:51:28.8237|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3315 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":126,"time":4219570675}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3243 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":127,"time":4219570675}
```

```
2016-04-10 00:51:28.8383|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3243 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":127,"time":4219570675}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 3197 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":127,"time":4219570675}
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 128, "time": 4219570675}
2016-04-10 00:51:28.8383|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3197 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 128, "time": 4219570675}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3173 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 129, "time": 4219570775}
2016-04-10 00:51:28.8383|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3173 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 129, "time": 4219570775}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3284 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 130, "time": 4219570775}
2016-04-10 00:51:28.8383|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3284 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 130, "time": 4219570775}
```

```
h":0,"ccnt":1,"scnt":130,"time":4219570775}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3289 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":131,"time":4219570775}
```

```
2016-04-10 00:51:28.8383|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3289 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":131,"time":4219570775}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3335 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":132,"time":4219570775}
```

```
2016-04-10 00:51:28.8530|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3335 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":132,"time":4219570775}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3343 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":133,"time":4219570775}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":133,"time":4219570775}
```

```
2016-04-10 00:51:28.8530|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3343 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":133,"time":4219570775}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3153 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":134,"time":4219570775}
```

```
2016-04-10 00:51:28.8530|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3153 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":134,"time":4219570775}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3244 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":135,"time":4219570775}
```

```
2016-04-10 00:51:28.8530|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3244 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 135, "time": 4219570775}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3373 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 136, "time"  
: 4219570775}
```

```
2016-04-10 00:51:28.8530|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3373 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 136, "time": 4219570775}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193  
MZ: 3320 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 137, "time"  
: 4219570775}
```

```
2016-04-10 00:51:28.8696|DEBUG| {Session} |4/10/20  
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3320 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 137, "time": 4219570775}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
```

```
MZ: 3210 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":138,"time":4219570775}
```

```
2016-04-10 00:51:28.8696|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3210 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":138,"time":4219570775}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":139,"time":4219570875}
```

```
2016-04-10 00:51:28.8696|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":139,"time":4219570875}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3283 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":140,"time":4219570875}
```

```
2016-04-10 00:51:28.8696|DEBUG| {Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193 MZ: 3283 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":140,"time":4219570875}
```

```
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":140,"time":4219570875}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|HS: 13 HLEN: 193
MZ: 2411 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":141,"time"
:4219570875}
```

```
2016-04-10 00:51:28.8696|DEBUG| {Session} |4/10/20
16 12:51:28 AM|HS: 13 HLEN: 193 MZ: 2411 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":1,"scnt":141,"time":4219570875}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:28 AM|More data in buff
er, but no message yet, buffering
2016-04-10 00:51:28.8696|DEBUG| {Session} |4/10/20
16 12:51:28 AM|More data in buffer, but no message
yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3210 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":142,"time"
:4219570976}
```

```
2016-04-10 00:51:29.0855|DEBUG| {Session} |4/10/20
```

```
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3210 Enqueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 142, "time": 4219570976 }
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3217 Enqueing { "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.  
ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 143, "time":  
:4219570976 }
```

```
2016-04-10 00:51:29.0885|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3217 Enqueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 143, "time": 4219570976 }
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3206 Enqueing { "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.  
ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 144, "time":  
:4219570976 }
```

```
2016-04-10 00:51:29.0885|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3206 Enqueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 144, "time": 4219570976 }
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3201 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":145,"time":4219570976}
```

```
2016-04-10 00:51:29.0885|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3201 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":145,"time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3317 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":146,"time":4219570976}
```

```
2016-04-10 00:51:29.0885|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3317 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":146,"time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3217 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":147,"time":4219570976}
```

```
2016-04-10 00:51:29.0885|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3217 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":147,"time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3273 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":148,"time":4219570976}
```

```
2016-04-10 00:51:29.1051|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3273 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":148,"time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3299 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":149,"time":4219570976}
```

```
2016-04-10 00:51:29.1051|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3299 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":149,"time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|More data in buff  
er, but no message yet, buffering  
2016-04-10 00:51:29.1051|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|More data in buffer, but no message  
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3291 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":150,"time"  
:4219570976}  
2016-04-10 00:51:29.2140|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3291 Enqueueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":1, "scnt":150, "time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3417 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":1,"scnt":151,"time"  
:4219570976}  
2016-04-10 00:51:29.2140|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3417 Enqueueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":1, "scnt":151, "time":4219570976}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3234 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":152,"time":4219571076}
```

```
2016-04-10 00:51:29.2140|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3234 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":152,"time":4219571076}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3236 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":153,"time":4219571076}
```

```
2016-04-10 00:51:29.2140|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":153,"time":4219571076}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3143 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 154, "time": 4219571076}
```

```
2016-04-10 00:51:29.2140|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3143 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 154, "time": 4219571076}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3319 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 155, "time": 4219571076}
```

```
2016-04-10 00:51:29.2296|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3319 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 155, "time": 4219571076}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3294 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 156, "time": 4219571076}
```

```
2016-04-10 00:51:29.2296|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3294 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "con
```

```
h":0,"ccnt":1,"scnt":156,"time":4219571076}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3198 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":157,"time":4219571076}
```

```
2016-04-10 00:51:29.2296|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3198 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":157,"time":4219571076}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 2441 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":158,"time":4219571076}
```

```
2016-04-10 00:51:29.2296|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 2441 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":158,"time":4219571076}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3226 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":158,"time":4219571076}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":159,"time":4219571176}
```

```
2016-04-10 00:51:29.2296|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3226 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":159,"time":4219571176}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3173 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":160,"time":4219571176}
```

```
2016-04-10 00:51:29.2443|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3173 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":160,"time":4219571176}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3326 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":1,"scnt":161,"time":4219571176}
```

```
2016-04-10 00:51:29.2443|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3326 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 161, "time": 4219571176}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3213 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 1, "scnt": 162, "time"  
: 4219571176}
```

```
2016-04-10 00:51:29.2443|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3213 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 1, "scnt": 162, "time": 4219571176}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 190  
MZ: 604 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targe  
t": "client", "instance": "", "issuer": "1|0|0|057.Serv  
icePlayer.3271156.ServiceMail.25852.7", "version": "  
1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 163, "time": 421  
9571276}
```

```
2016-04-10 00:51:29.2443|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 190 MZ: 604 Enqueueing {  
"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instan  
ce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.S  
erviceMail.25852.7", "version": "1.0.0.057", "conh": 0  
, "ccnt": 2, "scnt": 163, "time": 4219571276}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
```

```
MZ: 3138 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":164,"time":4219571276}
```

```
2016-04-10 00:51:29.2443|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3138 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":164,"time":4219571276}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3301 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":165,"time":4219571276}
```

```
2016-04-10 00:51:29.2590|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3301 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":165,"time":4219571276}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3409 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":166,"time":4219571276}
```

```
2016-04-10 00:51:29.2590|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3409 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":166,"time":4219571276}
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 166, "time": 4219571276}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3354 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 167, "time"  
: 4219571276}
```

```
2016-04-10 00:51:29.2590|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3354 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 167, "time": 4219571276}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3509 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 168, "time"  
: 4219571376}
```

```
2016-04-10 00:51:29.2590|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3509 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 168, "time": 4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:29.2590|DEBUG| {Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3282 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":169,"time":4219571376}
2016-04-10 00:51:29.4727|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3282 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":169,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3252 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":170,"time":4219571376}
2016-04-10 00:51:29.4776|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3252 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":170,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3359 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":171,"time":4219571376}
```

```
2016-04-10 00:51:29.4776|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3359 Enqueueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":171,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3150 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":172,"time":4219571376}
```

```
2016-04-10 00:51:29.4776|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3150 Enqueueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":172,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3223 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":173,"time":4219571376}
```

```
2016-04-10 00:51:29.4776|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3223 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":173,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3457 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":174,"time":4219571376}
```

```
2016-04-10 00:51:29.4776|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3457 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":174,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3162 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":175,"time":4219571376}
```

```
2016-04-10 00:51:29.4776|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3162 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":175,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 2510 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":176,"time"  
:4219571376}
```

```
2016-04-10 00:51:29.4952|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 2510 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":176,"time":4219571376}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3239 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":177,"time"  
:4219571476}
```

```
2016-04-10 00:51:29.4952|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3239 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":177,"time":4219571476}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3389 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":178,"time"
```

```
:4219571476}
2016-04-10 00:51:29.4952|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3389 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":178,"time":4219571476}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3348 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":179,"time"
:4219571577}
```

```
2016-04-10 00:51:29.4952|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3348 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":179,"time":4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3398 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":180,"time"
:4219571577}
```

```
2016-04-10 00:51:29.4952|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3398 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":180,"time":4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3364 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":181,"time":4219571577}
```

```
2016-04-10 00:51:29.5118|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3364 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":181,"time":4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3403 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":182,"time":4219571577}
```

```
2016-04-10 00:51:29.5118|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3403 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":182,"time":4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3219 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":182,"time":4219571577}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 183, "time": 4219571577}
2016-04-10 00:51:29.5118|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3219 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 183, "time": 4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3340 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 184, "time": 4219571577}
2016-04-10 00:51:29.5118|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3340 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 184, "time": 4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3214 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 185, "time": 4219571577}
2016-04-10 00:51:29.5118|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3214 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 185, "time": 4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3238 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":186,"time":4219571577}
```

```
2016-04-10 00:51:29.5265|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3238 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":186,"time":4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3396 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":187,"time":4219571577}
```

```
2016-04-10 00:51:29.5265|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3396 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":187,"time":4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3236 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 188, "time": 4219571577}
2016-04-10 00:51:29.5265|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 188, "time": 4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3332 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 189, "time": 4219571577}
2016-04-10 00:51:29.5265|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3332 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 189, "time": 4219571577}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3192 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 190, "time": 4219571677}
2016-04-10 00:51:29.5265|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3192 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 190, "time": 4219571677}
```

```
h":0,"ccnt":2,"scnt":190,"time":4219571677}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:29.5402|DEBUG| {Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3127 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":191,"time":4219571677}  
2016-04-10 00:51:29.6425|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3127 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":191,"time":4219571677}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:29.6425|DEBUG| {Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3209 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":192,"time":4219571677}
```

```
2016-04-10 00:51:29.8484|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3209 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":192,"time":4219571677}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 2457 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":193,"time":4219571677}
```

```
2016-04-10 00:51:29.8484|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 2457 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":193,"time":4219571677}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3236 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":194,"time":4219571777}
```

```
2016-04-10 00:51:29.8543|DEBUG| {Session} |4/10/20
```

```
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":194,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3323 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":195,"time"
:4219571777}
```

```
2016-04-10 00:51:29.8543|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3323 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":195,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3174 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":196,"time"
:4219571777}
```

```
2016-04-10 00:51:29.8543|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3174 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":196,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3265 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":197,"time":4219571777}
```

```
2016-04-10 00:51:29.8543|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3265 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":197,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3331 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":198,"time":4219571777}
```

```
2016-04-10 00:51:29.8543|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3331 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":198,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3329 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":199,"time":4219571777}
```

```
2016-04-10 00:51:29.8689|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3329 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":199,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3279 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":200,"time":4219571777}
```

```
2016-04-10 00:51:29.8689|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3279 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":200,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3263 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":201,"time":4219571777}
```

```
2016-04-10 00:51:29.8689|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3263 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":201,"time":4219571777}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3283 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":202,"time"  
:4219571877}
```

```
2016-04-10 00:51:29.8689|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3283 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":202,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3250 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":203,"time"  
:4219571877}
```

```
2016-04-10 00:51:29.8689|DEBUG| {Session} |4/10/20  
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3250 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":203,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193  
MZ: 3308 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":204,"time"
```

```
:4219571877}
2016-04-10 00:51:29.8855|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3308 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":204,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":205,"time"
:4219571877}
```

```
2016-04-10 00:51:29.8855|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":205,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3275 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":206,"time"
:4219571877}
```

```
2016-04-10 00:51:29.8855|DEBUG| {Session} |4/10/20
16 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3275 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":206,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3272 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":207,"time":4219571877}
```

```
2016-04-10 00:51:29.8855|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3272 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":207,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3266 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":208,"time":4219571877}
```

```
2016-04-10 00:51:29.8855|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3266 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":208,"time":4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3311 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":208,"time":4219571877}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 209, "time": 4219571877}
```

```
2016-04-10 00:51:29.9002|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3311 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 209, "time": 4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 2472 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 210, "time": 4219571877}
```

```
2016-04-10 00:51:29.9002|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 2472 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 210, "time": 4219571877}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3377 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 211, "time": 4219571977}
```

```
2016-04-10 00:51:29.9002|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3377 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 211, "time": 4219571977}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3312 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":212,"time":4219571977}
```

```
2016-04-10 00:51:29.9002|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3312 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":212,"time":4219571977}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3327 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":213,"time":4219571977}
```

```
2016-04-10 00:51:29.9002|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3327 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":213,"time":4219571977}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193
MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 214, "time": 4219572078}
```

```
2016-04-10 00:51:29.9002|DEBUG| {Session} |4/10/2016 12:51:29 AM|HS: 13 HLEN: 193 MZ: 3307 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 214, "time": 4219572078}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:29.9178|DEBUG| {Session} |4/10/2016 12:51:29 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3194 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 215, "time": 4219572078}
```

```
2016-04-10 00:51:30.0190|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3194 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 215, "time": 4219572078}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
```

```
MZ: 3278 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":216,"time":4219572078}
```

```
2016-04-10 00:51:30.0190|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3278 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":216,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:30.0249|DEBUG| {Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3312 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":217,"time":4219572078}
```

```
2016-04-10 00:51:30.1274|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3312 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":217,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3361 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":218,"time":4219572078}
```

```
2016-04-10 00:51:30.1274|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3361 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":218,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3161 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":219,"time":4219572078}
```

```
2016-04-10 00:51:30.1274|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3161 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":219,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3335 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":220,"time":4219572078}
```

```
2016-04-10 00:51:30.1362|DEBUG| {Session} |4/10/20
```

```
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3335 Enqueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":220,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3325 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":221,"time"
:4219572078}
```

```
2016-04-10 00:51:30.1362|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3325 Enqueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":221,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3384 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":222,"time"
:4219572078}
```

```
2016-04-10 00:51:30.1362|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3384 Enqueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":222,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3395 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":223,"time":4219572078}
```

```
2016-04-10 00:51:30.1362|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3395 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":223,"time":4219572078}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3366 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":224,"time":4219572178}
```

```
2016-04-10 00:51:30.1362|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3366 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":224,"time":4219572178}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3258 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":225,"time":4219572178}
```

```
2016-04-10 00:51:30.1498|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3258 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":225,"time":4219572178}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3148 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":226,"time":4219572178}
```

```
2016-04-10 00:51:30.1498|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3148 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":226,"time":4219572178}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2467 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":227,"time":4219572178}
```

```
2016-04-10 00:51:30.1498|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2467 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":227,"time":4219572178}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3205 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":228,"time"  
:4219572278}
```

```
2016-04-10 00:51:30.1498|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3205 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":2, "scnt":228, "time":4219572278}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3123 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n":"1.0.0.057", "conh":0, "ccnt":2, "scnt":229, "time"  
:4219572278}
```

```
2016-04-10 00:51:30.1498|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3123 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version":"1.0.0.057", "con  
h":0, "ccnt":2, "scnt":229, "time":4219572278}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3260 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n":"1.0.0.057", "conh":0, "ccnt":2, "scnt":230, "time"
```

```
:4219572278}
2016-04-10 00:51:30.1665|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3260 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":230,"time":4219572278}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3297 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":231,"time"
:4219572278}
```

```
2016-04-10 00:51:30.1665|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3297 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":231,"time":4219572278}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3237 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":232,"time"
:4219572278}
```

```
2016-04-10 00:51:30.1665|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3237 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":232,"time":4219572278}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3271 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":233,"time":4219572278}
```

```
2016-04-10 00:51:30.1665|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3271 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":233,"time":4219572278}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3144 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":234,"time":4219572378}
```

```
2016-04-10 00:51:30.1665|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3144 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":234,"time":4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3366 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":234,"time":4219572378}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 235, "time": 4219572378}
```

```
2016-04-10 00:51:30.1811|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3366 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 235, "time": 4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3348 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 236, "time": 4219572378}
```

```
2016-04-10 00:51:30.1811|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3348 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 236, "time": 4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3360 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 237, "time": 4219572378}
```

```
2016-04-10 00:51:30.1811|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3360 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 237, "time": 4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3353 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":238,"time":4219572378}
```

```
2016-04-10 00:51:30.1811|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3353 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":238,"time":4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":239,"time":4219572378}
```

```
2016-04-10 00:51:30.1811|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":239,"time":4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3436 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":239,"time":4219572378}
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 240, "time": 4219572378}
```

```
2016-04-10 00:51:30.1968|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3436 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 240, "time": 4219572378}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:30.1968|DEBUG| {Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3238 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 241, "time": 4219572378}
```

```
2016-04-10 00:51:30.3026|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3238 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 241, "time": 4219572378}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
```

```
MZ: 3423 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":242,"time":4219572378}
```

```
2016-04-10 00:51:30.3026|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3423 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":242,"time":4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3138 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":243,"time":4219572378}
```

```
2016-04-10 00:51:30.3084|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3138 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":243,"time":4219572378}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2405 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":244,"time":4219572378}
```

```
2016-04-10 00:51:30.3084|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2405 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":244,"time":4219572378}
```

```
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":244,"time":4219572378}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3336 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":245,"time"
:4219572579}
```

```
2016-04-10 00:51:30.3084|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3336 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":245,"time":4219572579}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|More data in buff
er, but no message yet, buffering
2016-04-10 00:51:30.3084|DEBUG| {Session} |4/10/20
16 12:51:30 AM|More data in buffer, but no message
yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3280 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":246,"time"
:4219572579}
```

```
2016-04-10 00:51:30.4193|DEBUG| {Session} |4/10/20
```

```
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3280 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":246,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3301 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":247,"time":4219572579}
```

```
2016-04-10 00:51:30.4193|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3301 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":247,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3130 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":248,"time":4219572579}
```

```
2016-04-10 00:51:30.4193|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3130 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":248,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3228 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":249,"time":4219572579}
```

```
2016-04-10 00:51:30.4193|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3228 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":249,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3257 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":250,"time":4219572579}
```

```
2016-04-10 00:51:30.4310|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3257 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":250,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3131 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":251,"time":4219572579}
```

```
2016-04-10 00:51:30.4310|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3131 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":251,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3276 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":252,"time":4219572579}
```

```
2016-04-10 00:51:30.4310|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3276 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":252,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3283 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":253,"time":4219572579}
```

```
2016-04-10 00:51:30.4310|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3283 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":253,"time":4219572579}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3375 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":254,"time":4219572679}
```

```
2016-04-10 00:51:30.4310|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3375 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":254,"time":4219572679}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3223 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":255,"time":4219572679}
```

```
2016-04-10 00:51:30.4466|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3223 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":255,"time":4219572679}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3193 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":256,"time":4219572679}
```

```
:4219572679}
2016-04-10 00:51:30.4466|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3193 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":256,"time":4219572679}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3242 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":257,"time"
:4219572679}
```

```
2016-04-10 00:51:30.4466|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3242 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":257,"time":4219572679}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3198 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":258,"time"
:4219572679}
```

```
2016-04-10 00:51:30.4466|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3198 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":258,"time":4219572679}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3231 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":259,"time":4219572779}
```

```
2016-04-10 00:51:30.4466|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3231 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":259,"time":4219572779}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3125 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":260,"time":4219572779}
```

```
2016-04-10 00:51:30.4466|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3125 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":260,"time":4219572779}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 2677 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":260,"time":4219572779}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 261, "time": 4219572779}
```

```
2016-04-10 00:51:30.4642|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2677 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 261, "time": 4219572779}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3296 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 262, "time": 4219572880}
```

```
2016-04-10 00:51:30.4642|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3296 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 262, "time": 4219572880}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3321 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 263, "time": 4219572880}
```

```
2016-04-10 00:51:30.4642|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3321 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 263, "time": 4219572880}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:30.4642|DEBUG| {Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3127 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":264,"time":4219572880}
2016-04-10 00:51:30.5744|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3127 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":264,"time":4219572880}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3268 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":265,"time":4219572880}
2016-04-10 00:51:30.5744|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3268 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 265, "time": 4219572880}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3206 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 266, "time"  
: 4219572880}
```

```
2016-04-10 00:51:30.5744|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3206 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 266, "time": 4219572880}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3238 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 267, "time"  
: 4219572880}
```

```
2016-04-10 00:51:30.5744|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3238 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 267, "time": 4219572880}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
```

```
MZ: 3319 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":268,"time":4219572880}
```

```
2016-04-10 00:51:30.5744|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3319 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":268,"time":4219572880}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3166 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":269,"time":4219572880}
```

```
2016-04-10 00:51:30.5891|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3166 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":269,"time":4219572880}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":270,"time":4219572880}
```

```
2016-04-10 00:51:30.5891|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":270,"time":4219572880}
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 270, "time": 4219572880}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3294 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 271, "time"  
: 4219572980}
```

```
2016-04-10 00:51:30.5891|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3294 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 271, "time": 4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3278 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 272, "time"  
: 4219572980}
```

```
2016-04-10 00:51:30.5891|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3278 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 272, "time": 4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3290 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":273,"time":4219572980}
```

```
2016-04-10 00:51:30.5891|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3290 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":273,"time":4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3270 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":274,"time":4219572980}
```

```
2016-04-10 00:51:30.6047|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3270 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":274,"time":4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:30.6047|DEBUG| {Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3256 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":275,"time":4219572980}
```

```
2016-04-10 00:51:30.7101|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3256 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":275,"time":4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3367 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":276,"time":4219572980}
```

```
2016-04-10 00:51:30.7130|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3367 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":276,"time":4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:30.7130|DEBUG| {Session} |4/10/2016 12:51:30 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3326 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":277,"time":4219572980}
```

```
2016-04-10 00:51:30.8179|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3326 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":277,"time":4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 2563 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":278,"time":4219572980}
```

```
2016-04-10 00:51:30.8179|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2563 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":278,"time":4219572980}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3122 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":278,"time":4219572980}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 279, "time": 4219573080}
2016-04-10 00:51:30.8247|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3122 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 279, "time": 4219573080}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3333 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 280, "time": 4219573080}
2016-04-10 00:51:30.8247|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3333 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 280, "time": 4219573080}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3330 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 281, "time": 4219573080}
2016-04-10 00:51:30.8247|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3330 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 281, "time": 4219573080}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3207 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":282,"time":4219573080}
```

```
2016-04-10 00:51:30.8247|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3207 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":282,"time":4219573080}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3171 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":283,"time":4219573180}
```

```
2016-04-10 00:51:30.8375|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3171 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":283,"time":4219573180}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3308 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 284, "time": 4219573180}
2016-04-10 00:51:30.8375|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3308 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 284, "time": 4219573180}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3160 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 285, "time": 4219573180}
2016-04-10 00:51:30.8375|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3160 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 285, "time": 4219573180}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3255 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 286, "time": 4219573180}
2016-04-10 00:51:30.8375|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3255 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 286, "time": 4219573180}
```

```
h":0,"ccnt":2,"scnt":286,"time":4219573180}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3139 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":287,"time":4219573180}
```

```
2016-04-10 00:51:30.8375|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3139 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":287,"time":4219573180}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3191 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":288,"time":4219573180}
```

```
2016-04-10 00:51:30.8375|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3191 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":288,"time":4219573180}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3149 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":288,"time":4219573180}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":289,"time":4219573180}
```

```
2016-04-10 00:51:30.8560|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3149 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":289,"time":4219573180}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3329 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":290,"time":4219573180}
```

```
2016-04-10 00:51:30.8560|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3329 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":290,"time":4219573180}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3382 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":291,"time":4219573180}
```

```
2016-04-10 00:51:30.8560|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3382 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 291, "time": 4219573180}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3369 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 292, "time"  
: 4219573180}
```

```
2016-04-10 00:51:30.8560|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3369 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 292, "time": 4219573180}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3227 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 293, "time"  
: 4219573180}
```

```
2016-04-10 00:51:30.8560|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3227 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 293, "time": 4219573180}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
```

```
MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":294,"time":4219573281}
```

```
2016-04-10 00:51:30.8697|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":294,"time":4219573281}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2477 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":295,"time":4219573281}
```

```
2016-04-10 00:51:30.8697|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 2477 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":295,"time":4219573281}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3254 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":296,"time":4219573381}
```

```
2016-04-10 00:51:30.8697|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3254 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":296,"time":4219573381}
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 296, "time": 4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3428 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 297, "time"  
: 4219573381}
```

```
2016-04-10 00:51:30.8697|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3428 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 297, "time": 4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3147 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 298, "time"  
: 4219573381}
```

```
2016-04-10 00:51:30.8697|DEBUG| {Session} |4/10/20  
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3147 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 298, "time": 4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3320 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":299,"time":4219573381}
```

```
2016-04-10 00:51:30.8863|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3320 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":299,"time":4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3367 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":300,"time":4219573381}
```

```
2016-04-10 00:51:30.8863|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3367 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":300,"time":4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193  
MZ: 3290 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":301,"time":4219573381}
```

```
2016-04-10 00:51:30.8863|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3290 Enqueueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":301,"time":4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3368 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":302,"time":4219573381}
```

```
2016-04-10 00:51:30.8863|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3368 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":302,"time":4219573381}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3139 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":303,"time":4219573481}
```

```
2016-04-10 00:51:30.8863|DEBUG| {Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3139 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":303,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3338 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":2,"scnt":304,"time":4219573481}
```

```
2016-04-10 00:51:30.9010|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3338 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":304,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|HS: 13 HLEN: 193
MZ: 3242 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":2,"scnt":305,"time":4219573481}
```

```
2016-04-10 00:51:30.9010|DEBUG| {Session} |4/10/20
16 12:51:30 AM|HS: 13 HLEN: 193 MZ: 3242 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":305,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:30 AM|More data in buff
er, but no message yet, buffering
2016-04-10 00:51:30.9010|DEBUG| {Session} |4/10/20
16 12:51:30 AM|More data in buffer, but no message
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3147 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":306,"time"  
:4219573481}
```

```
2016-04-10 00:51:31.0096|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3147 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":306,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3206 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":307,"time"  
:4219573481}
```

```
2016-04-10 00:51:31.0096|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3206 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":307,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3240 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":308,"time"
```

```
:4219573481}
2016-04-10 00:51:31.0096|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3240 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":308,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3257 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":309,"time"
:4219573481}
```

```
2016-04-10 00:51:31.0096|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3257 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":309,"time":4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|More data in buff
er, but no message yet, buffering
2016-04-10 00:51:31.0096|DEBUG| {Session} |4/10/20
16 12:51:31 AM|More data in buffer, but no message
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3321 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 310, "time": 4219573481}
```

```
2016-04-10 00:51:31.1234|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3321 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 310, "time": 4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3199 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 311, "time": 4219573481}
```

```
2016-04-10 00:51:31.1234|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3199 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 311, "time": 4219573481}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2404 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 312, "time": 4219573481}
```

```
2016-04-10 00:51:31.1234|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2404 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "con
```

```
h":0,"ccnt":2,"scnt":312,"time":4219573481}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3291 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":313,"time":4219573681}
```

```
2016-04-10 00:51:31.1234|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3291 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":313,"time":4219573681}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3207 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":314,"time":4219573682}
```

```
2016-04-10 00:51:31.1351|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3207 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":314,"time":4219573682}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3200 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":314,"time":4219573682}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":315,"time":4219573682}
```

```
2016-04-10 00:51:31.1351|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3200 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":315,"time":4219573682}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3359 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":316,"time":4219573682}
```

```
2016-04-10 00:51:31.1351|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3359 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":316,"time":4219573682}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3230 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":317,"time":4219573682}
```

```
2016-04-10 00:51:31.1351|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3230 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 317, "time": 4219573682}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3126 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 318, "time"  
: 4219573682}
```

```
2016-04-10 00:51:31.1351|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3126 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 318, "time": 4219573682}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3290 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 319, "time"  
: 4219573682}
```

```
2016-04-10 00:51:31.1351|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3290 Enqueueing  
{ "sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 319, "time": 4219573682}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
```

```
MZ: 3409 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":320,"time":4219573682}
```

```
2016-04-10 00:51:31.1517|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3409 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":320,"time":4219573682}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3259 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":321,"time":4219573682}
```

```
2016-04-10 00:51:31.1517|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3259 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":321,"time":4219573682}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3229 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":322,"time":4219573682}
```

```
2016-04-10 00:51:31.1517|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3229 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":322,"time":4219573682}
```

```
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":322,"time":4219573682}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":323,"time"
:4219573782}
```

```
2016-04-10 00:51:31.1517|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3221 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":323,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3239 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":324,"time"
:4219573782}
```

```
2016-04-10 00:51:31.1517|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3239 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":324,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3229 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":325,"time":4219573782}
```

```
2016-04-10 00:51:31.1664|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3229 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":325,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3248 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":326,"time":4219573782}
```

```
2016-04-10 00:51:31.1664|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3248 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":326,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3190 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":327,"time":4219573782}
```

```
2016-04-10 00:51:31.1664|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3190 Enqueueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":327,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3239 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":328,"time":4219573782}
```

```
2016-04-10 00:51:31.1664|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3239 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":328,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2588 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":329,"time":4219573782}
```

```
2016-04-10 00:51:31.1664|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2588 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":329,"time":4219573782}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3134 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":2,"scnt":330,"time":4219573882}
```

```
2016-04-10 00:51:31.1811|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3134 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":330,"time":4219573882}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|More data in buff
er, but no message yet, buffering
```

```
2016-04-10 00:51:31.1811|DEBUG| {Session} |4/10/20
16 12:51:31 AM|More data in buffer, but no message
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3243 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,
"ccnt":2,"scnt":331,"time":4219573882}
```

```
2016-04-10 00:51:31.2851|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3243 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":331,"time":4219573882}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3232 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":332,"time"  
:4219573882}
```

```
2016-04-10 00:51:31.2851|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3232 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":332,"time":4219573882}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3485 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":333,"time"  
:4219573982}
```

```
2016-04-10 00:51:31.2919|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3485 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":333,"time":4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3309 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":334,"time"
```

```
:4219573982}
2016-04-10 00:51:31.2919|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3309 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":334,"time":4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3394 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":335,"time"
:4219573982}
```

```
2016-04-10 00:51:31.2919|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3394 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":335,"time":4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3394 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":336,"time"
:4219573982}
```

```
2016-04-10 00:51:31.2919|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3394 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":336,"time":4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3430 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":337,"time":4219573982}
```

```
2016-04-10 00:51:31.2919|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3430 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":337,"time":4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3445 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":338,"time":4219573982}
```

```
2016-04-10 00:51:31.2919|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3445 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":338,"time":4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3243 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":338,"time":4219573982}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 339, "time": 4219573982}
2016-04-10 00:51:31.3085|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3243 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 339, "time": 4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3140 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 340, "time": 4219573982}
2016-04-10 00:51:31.3085|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3140 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 340, "time": 4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3260 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 341, "time": 4219573982}
2016-04-10 00:51:31.3085|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3260 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 341, "time": 4219573982}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:31.3085|DEBUG| {Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3271 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":342,"time":4219574083}
2016-04-10 00:51:31.4191|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3271 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":342,"time":4219574083}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3166 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":343,"time":4219574083}
2016-04-10 00:51:31.4191|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3166 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 343, "time": 4219574083}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3306 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 344, "time"  
: 4219574083}
```

```
2016-04-10 00:51:31.4191|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3306 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 344, "time": 4219574083}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3330 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 345, "time"  
: 4219574083}
```

```
2016-04-10 00:51:31.4191|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3330 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 345, "time": 4219574083}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
```

```
MZ: 2482 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":346,"time":4219574083}
```

```
2016-04-10 00:51:31.4309|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2482 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":346,"time":4219574083}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3320 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":347,"time":4219574283}
```

```
2016-04-10 00:51:31.4309|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3320 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":347,"time":4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3337 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":348,"time":4219574283}
```

```
2016-04-10 00:51:31.4309|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3337 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":348,"time":4219574283}
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 348, "time": 4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3303 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 349, "time"  
: 4219574283}
```

```
2016-04-10 00:51:31.4309|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3303 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 349, "time": 4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3273 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 350, "time"  
: 4219574283}
```

```
2016-04-10 00:51:31.4309|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3273 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 350, "time": 4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3212 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":351,"time":4219574283}
```

```
2016-04-10 00:51:31.4309|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3212 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":351,"time":4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3278 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":352,"time":4219574283}
```

```
2016-04-10 00:51:31.4494|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3278 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":352,"time":4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3299 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":353,"time":4219574283}
```

```
2016-04-10 00:51:31.4494|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3299 Enqueueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":353,"time":4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3330 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":354,"time":4219574283}
```

```
2016-04-10 00:51:31.4494|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3330 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":354,"time":4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3210 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":355,"time":4219574283}
```

```
2016-04-10 00:51:31.4494|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3210 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":355,"time":4219574283}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3185 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":356,"time":4219574383}
```

```
2016-04-10 00:51:31.4494|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3185 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":356,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3401 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":357,"time":4219574383}
```

```
2016-04-10 00:51:31.4641|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3401 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":357,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3292 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":358,"time":4219574383}
```

```
2016-04-10 00:51:31.4641|DEBUG| {Session} |4/10/20
```

```
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3292 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":358,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3239 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":359,"time":4219574383}
```

```
2016-04-10 00:51:31.4641|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3239 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":359,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":360,"time":4219574383}
```

```
2016-04-10 00:51:31.4641|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":360,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3246 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,  
"scnt":361,"time":4219574383}
```

```
2016-04-10 00:51:31.4641|DEBUG| {Session} |4/10/2016 12:51:31 AM|  
HS: 13 HLEN: 193 MZ: 3246 Enqueueing {"sid":"tHAJFDfbAfFwTBRs",  
"target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.  
3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,  
"ccnt":2,"scnt":361,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3318 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,  
"scnt":362,"time":4219574383}
```

```
2016-04-10 00:51:31.4788|DEBUG| {Session} |4/10/2016 12:51:31 AM|  
HS: 13 HLEN: 193 MZ: 3318 Enqueueing {"sid":"tHAJFDfbAfFwTBRs",  
"target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.  
3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,  
"ccnt":2,"scnt":362,"time":4219574383}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 2492 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,  
"scnt":363,"time":4219574383}
```

```
2016-04-10 00:51:31.4788|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2492 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":363,"time":4219574383}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:31.4788|DEBUG| {Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3215 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":364,"time":4219574584}
```

```
2016-04-10 00:51:31.5872|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3215 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":364,"time":4219574584}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3322 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version"
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 365, "time": 4219574584}
2016-04-10 00:51:31.5872|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3322 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 365, "time": 4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3180 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 366, "time": 4219574584}
2016-04-10 00:51:31.5872|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3180 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 366, "time": 4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3201 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 367, "time": 4219574584}
2016-04-10 00:51:31.5872|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3201 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 367, "time": 4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3371 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":368,"time":4219574584}
```

```
2016-04-10 00:51:31.5872|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3371 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":368,"time":4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3356 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":369,"time":4219574584}
```

```
2016-04-10 00:51:31.5872|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3356 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":369,"time":4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3333 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 370, "time": 4219574584}
```

```
2016-04-10 00:51:31.6038|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3333 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 370, "time": 4219574584}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:31.6038|DEBUG| {Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3227 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 371, "time": 4219574584}
```

```
2016-04-10 00:51:31.7097|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3227 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 371, "time": 4219574584}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
```

```
MZ: 3151 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":372,"time":4219574584}
```

```
2016-04-10 00:51:31.7137|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3151 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":372,"time":4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3264 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":373,"time":4219574584}
```

```
2016-04-10 00:51:31.7137|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3264 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":373,"time":4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3265 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":374,"time":4219574584}
```

```
2016-04-10 00:51:31.7137|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3265 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":374,"time":4219574584}
```

```
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 374, "time": 4219574584}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3250 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 375, "time"  
: 4219574684}
```

```
2016-04-10 00:51:31.7137|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3250 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 375, "time": 4219574684}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3393 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 376, "time"  
: 4219574684}
```

```
2016-04-10 00:51:31.7137|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3393 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 376, "time": 4219574684}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3303 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":377,"time":4219574684}
```

```
2016-04-10 00:51:31.7292|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3303 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":377,"time":4219574684}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3372 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":378,"time":4219574684}
```

```
2016-04-10 00:51:31.7292|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3372 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":378,"time":4219574684}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3115 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":379,"time":4219574684}
```

```
2016-04-10 00:51:31.7292|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3115 Enqueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":379,"time":4219574684}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2440 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":380,"time":4219574684}
```

```
2016-04-10 00:51:31.7292|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2440 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":380,"time":4219574684}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3451 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":381,"time":4219574784}
```

```
2016-04-10 00:51:31.7292|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3451 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":381,"time":4219574784}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3130 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":382,"time":4219574784}
```

```
2016-04-10 00:51:31.7449|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3130 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":382,"time":4219574784}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3219 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":383,"time":4219574784}
```

```
2016-04-10 00:51:31.7449|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3219 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":383,"time":4219574784}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3171 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":384,"time":4219574884}
```

```
2016-04-10 00:51:31.7449|DEBUG| {Session} |4/10/20
```

```
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3171 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":384,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3275 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":385,"time"
:4219574884}
```

```
2016-04-10 00:51:31.7449|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3275 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":385,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3280 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":386,"time"
:4219574884}
```

```
2016-04-10 00:51:31.7449|DEBUG| {Session} |4/10/20
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3280 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":386,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3257 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":387,"time":4219574884}
```

```
2016-04-10 00:51:31.7449|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3257 Enqueueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":387,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3301 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":388,"time":4219574884}
```

```
2016-04-10 00:51:31.7615|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3301 Enqueueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":388,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3250 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":389,"time":4219574884}
```

```
2016-04-10 00:51:31.7615|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3250 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":389,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:31.7615|DEBUG| {Session} |4/10/2016 12:51:31 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3204 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":390,"time":4219574884}
```

```
2016-04-10 00:51:31.8693|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3204 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":390,"time":4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3200 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version"
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 391, "time": 4219574884}
```

```
2016-04-10 00:51:31.8693|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3200 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 391, "time": 4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 392, "time": 4219574884}
```

```
2016-04-10 00:51:31.8693|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 392, "time": 4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 393, "time": 4219574884}
```

```
2016-04-10 00:51:31.8693|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 393, "time": 4219574884}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3360 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":394,"time":4219574985}
```

```
2016-04-10 00:51:31.8840|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3360 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":394,"time":4219574985}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3314 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":395,"time":4219574985}
```

```
2016-04-10 00:51:31.8840|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3314 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":395,"time":4219574985}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
MZ: 3346 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":395,"time":4219574985}
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 396, "time": 4219574985}
2016-04-10 00:51:31.8840|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3346 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 396, "time": 4219574985}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2591 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 397, "time": 4219574985}
2016-04-10 00:51:31.8840|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 2591 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 397, "time": 4219574985}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3361 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 398, "time": 4219575085}
2016-04-10 00:51:31.8996|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3361 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "con
```

```
h":0,"ccnt":2,"scnt":398,"time":4219575085}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3262 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":399,"time":4219575085}
```

```
2016-04-10 00:51:31.8996|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3262 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":399,"time":4219575085}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3149 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":400,"time":4219575085}
```

```
2016-04-10 00:51:31.8996|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3149 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":400,"time":4219575085}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3475 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":400,"time":4219575085}
```

```
et":"client", "instance":""," issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version":"1.0.0.057", "conh":0, "ccnt":2, "scnt":401, "time":4219575085}
```

```
2016-04-10 00:51:31.8996|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3475 Enqueueing {"sid":"tHAJFDfbAfFwTBRs", "target":"client", "instance":""," issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version":"1.0.0.057", "conh":0, "ccnt":2, "scnt":401, "time":4219575085}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs", "target":"client", "instance":""," issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version":"1.0.0.057", "conh":0, "ccnt":2, "scnt":402, "time":4219575085}
```

```
2016-04-10 00:51:31.9153|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs", "target":"client", "instance":""," issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version":"1.0.0.057", "conh":0, "ccnt":2, "scnt":402, "time":4219575085}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3212 Enqueueing {"sid":"tHAJFDfbAfFwTBRs", "target":"client", "instance":""," issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version":"1.0.0.057", "conh":0, "ccnt":2, "scnt":403, "time":4219575185}
```

```
2016-04-10 00:51:31.9153|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3212 Enqueueing {"sid":"tHAJFDfbAfFwTBRs", "target":"client", "instance":""," issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 403, "time": 4219575185}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3300 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 404, "time"  
: 4219575185}
```

```
2016-04-10 00:51:31.9153|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3300 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 404, "time": 4219575185}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193  
MZ: 3384 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 405, "time"  
: 4219575185}
```

```
2016-04-10 00:51:31.9153|DEBUG| {Session} |4/10/20  
16 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3384 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 405, "time": 4219575185}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193
```

```
MZ: 3152 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":406,"time":4219575185}
```

```
2016-04-10 00:51:31.9153|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3152 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":406,"time":4219575185}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3311 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":407,"time":4219575185}
```

```
2016-04-10 00:51:31.9329|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3311 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":407,"time":4219575185}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3250 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":408,"time":4219575185}
```

```
2016-04-10 00:51:31.9329|DEBUG| {Session} |4/10/2016 12:51:31 AM|HS: 13 HLEN: 193 MZ: 3250 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":408,"time":4219575185}
```

```
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":408,"time":4219575185}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:31 AM|More data in buff
er, but no message yet, buffering
2016-04-10 00:51:31.9329|DEBUG| {Session} |4/10/20
16 12:51:31 AM|More data in buffer, but no message
yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3181 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":409,"time"
:4219575185}
2016-04-10 00:51:32.0448|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3181 Enqueue
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":409,"time":4219575185}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3313 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":410,"time"
:4219575185}
2016-04-10 00:51:32.0448|DEBUG| {Session} |4/10/20
```

```
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3313 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":410,"time":4219575185}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3364 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":411,"time":4219575185}
```

```
2016-04-10 00:51:32.0448|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3364 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":411,"time":4219575185}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3195 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":412,"time":4219575185}
```

```
2016-04-10 00:51:32.0448|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3195 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":412,"time":4219575185}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3291 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":413,"time":4219575285}
```

```
2016-04-10 00:51:32.0566|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3291 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":413,"time":4219575285}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 2393 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":414,"time":4219575285}
```

```
2016-04-10 00:51:32.0566|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 2393 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":414,"time":4219575285}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3231 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":415,"time":4219575386}
```

```
2016-04-10 00:51:32.0566|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3231 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":415,"time":4219575386}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3181 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":416,"time":4219575386}
```

```
2016-04-10 00:51:32.0566|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3181 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":416,"time":4219575386}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3335 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":417,"time":4219575386}
```

```
2016-04-10 00:51:32.0566|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3335 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":417,"time":4219575386}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3396 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":418,"time"  
:4219575386}
```

```
2016-04-10 00:51:32.0566|DEBUG| {Session} |4/10/20  
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3396 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":418,"time":4219575386}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3313 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":419,"time"  
:4219575386}
```

```
2016-04-10 00:51:32.0751|DEBUG| {Session} |4/10/20  
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3313 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":419,"time":4219575386}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3170 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":420,"time"
```

```
:4219575386}
2016-04-10 00:51:32.0751|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3170 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":420,"time":4219575386}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3412 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":421,"time"
:4219575486}
```

```
2016-04-10 00:51:32.0751|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3412 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":421,"time":4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3370 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":422,"time"
:4219575486}
```

```
2016-04-10 00:51:32.0751|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3370 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":422,"time":4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3333 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":423,"time":4219575486}
```

```
2016-04-10 00:51:32.0751|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3333 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":423,"time":4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3312 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":424,"time":4219575486}
```

```
2016-04-10 00:51:32.0888|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3312 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":424,"time":4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3161 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":424,"time":4219575486}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 425, "time": 4219575486}
2016-04-10 00:51:32.0888|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3161 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 425, "time": 4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3251 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 426, "time": 4219575486}
2016-04-10 00:51:32.0888|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3251 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 426, "time": 4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3274 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 427, "time": 4219575486}
2016-04-10 00:51:32.0888|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3274 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 427, "time": 4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3179 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":428,"time":4219575486}
```

```
2016-04-10 00:51:32.0888|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3179 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":428,"time":4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3134 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":429,"time":4219575486}
```

```
2016-04-10 00:51:32.1045|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3134 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":429,"time":4219575486}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3401 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 430, "time": 4219575586}
```

```
2016-04-10 00:51:32.2080|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3401 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 430, "time": 4219575586}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 2369 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 431, "time": 4219575586}
```

```
2016-04-10 00:51:32.2080|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 2369 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 431, "time": 4219575586}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:32.2139|DEBUG| {Session} |4/10/2016 12:51:32 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
```

```
MZ: 3189 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":432,"time":4219575686}
```

```
2016-04-10 00:51:32.3151|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3189 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":432,"time":4219575686}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3363 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":433,"time":4219575686}
```

```
2016-04-10 00:51:32.3151|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3363 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":433,"time":4219575686}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:32.3151|DEBUG| {Session} |4/10/2016 12:51:32 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3235 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":434,"time":4219575787}
```

```
2016-04-10 00:51:32.4220|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3235 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":434,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3173 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":435,"time":4219575787}
```

```
2016-04-10 00:51:32.4220|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3173 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":435,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3245 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":436,"time":4219575787}
```

```
2016-04-10 00:51:32.4220|DEBUG| {Session} |4/10/20
```

```
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3245 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":436,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3248 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":437,"time"
:4219575787}
```

```
2016-04-10 00:51:32.4327|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3248 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":437,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":438,"time"
:4219575787}
```

```
2016-04-10 00:51:32.4327|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":438,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3284 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":439,"time":4219575787}
```

```
2016-04-10 00:51:32.4327|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3284 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":439,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3199 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":440,"time":4219575787}
```

```
2016-04-10 00:51:32.4327|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3199 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":440,"time":4219575787}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3356 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":441,"time":4219575887}
```

```
2016-04-10 00:51:32.4327|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3356 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":441,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":442,"time":4219575887}
```

```
2016-04-10 00:51:32.4474|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":442,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3276 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":443,"time":4219575887}
```

```
2016-04-10 00:51:32.4474|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3276 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":443,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3306 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":444,"time"  
:4219575887}
```

```
2016-04-10 00:51:32.4474|DEBUG| {Session} |4/10/20  
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3306 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":444,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3294 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":445,"time"  
:4219575887}
```

```
2016-04-10 00:51:32.4474|DEBUG| {Session} |4/10/20  
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3294 Enqueing  
{ "sid":"tHAJFDfbAfFwTBRs","target":"client","insta  
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057","con  
h":0,"ccnt":2,"scnt":445,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3331 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ  
et":"client","instance":"","issuer":"1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0","versio  
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":446,"time"
```

```
:4219575887}
2016-04-10 00:51:32.4474|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3331 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":446,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|More data in buff
er, but no message yet, buffering
2016-04-10 00:51:32.4474|DEBUG| {Session} |4/10/20
16 12:51:32 AM|More data in buffer, but no message
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3351 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":447,"time"
:4219575887}
2016-04-10 00:51:32.5631|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3351 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":447,"time":4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 2408 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 448, "time": 4219575887}
2016-04-10 00:51:32.5631|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 2408 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 448, "time": 4219575887}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3290 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 449, "time": 4219576087}
2016-04-10 00:51:32.6693|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3290 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 449, "time": 4219576087}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3161 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 450, "time": 4219576087}
2016-04-10 00:51:32.6693|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3161 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 450, "time": 4219576087}
```

```
h":0,"ccnt":2,"scnt":450,"time":4219576087}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3229 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":451,"time":4219576087}
```

```
2016-04-10 00:51:32.6693|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3229 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":451,"time":4219576087}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3236 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":452,"time":4219576087}
```

```
2016-04-10 00:51:32.6693|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3236 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":452,"time":4219576087}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3325 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":452,"time":4219576087}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":453,"time":4219576087}
```

```
2016-04-10 00:51:32.6810|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3325 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":453,"time":4219576087}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3177 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":454,"time":4219576087}
```

```
2016-04-10 00:51:32.6810|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3177 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":454,"time":4219576087}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3260 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":455,"time":4219576087}
```

```
2016-04-10 00:51:32.6810|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3260 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 455, "time": 4219576087}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3270 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 456, "time"  
: 4219576087}
```

```
2016-04-10 00:51:32.6810|DEBUG| {Session} |4/10/20  
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3270 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 456, "time": 4219576087}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3160 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 457, "time"  
: 4219576087}
```

```
2016-04-10 00:51:32.6810|DEBUG| {Session} |4/10/20  
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3160 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 457, "time": 4219576087}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
```

```
MZ: 3341 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":458,"time":4219576087}
```

```
2016-04-10 00:51:32.6810|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3341 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":458,"time":4219576087}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3322 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":459,"time":4219576087}
```

```
2016-04-10 00:51:32.6986|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3322 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":459,"time":4219576087}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3231 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":460,"time":4219576188}
```

```
2016-04-10 00:51:32.8016|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3231 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":460,"time":4219576188}
```

```
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":460,"time":4219576188}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3243 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":461,"time"
:4219576188}
```

```
2016-04-10 00:51:32.8016|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3243 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":461,"time":4219576188}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3147 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issu er":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":462,"time"
:4219576188}
```

```
2016-04-10 00:51:32.8074|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3147 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issu er":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":462,"time":4219576188}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":463,"time":4219576188}
```

```
2016-04-10 00:51:32.8074|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":463,"time":4219576188}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3234 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":464,"time":4219576188}
```

```
2016-04-10 00:51:32.8074|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3234 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":464,"time":4219576188}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 2399 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":465,"time":4219576188}
```

```
2016-04-10 00:51:32.8074|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 2399 Enqueueing
```

```
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":465,"time":4219576188}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3162 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":466,"time":4219576288}
```

```
2016-04-10 00:51:32.8074|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3162 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":466,"time":4219576288}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3362 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":467,"time":4219576388}
```

```
2016-04-10 00:51:32.9220|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3362 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":467,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3391 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":468,"time":4219576388}
```

```
2016-04-10 00:51:32.9220|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3391 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":468,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3397 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":469,"time":4219576388}
```

```
2016-04-10 00:51:32.9220|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3397 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":469,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3314 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":470,"time":4219576388}
```

```
2016-04-10 00:51:32.9308|DEBUG| {Session} |4/10/20
```

```
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3314 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":470,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3361 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":471,"time"
:4219576388}
```

```
2016-04-10 00:51:32.9308|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3361 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":471,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193
MZ: 3410 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":472,"time"
:4219576388}
```

```
2016-04-10 00:51:32.9308|DEBUG| {Session} |4/10/20
16 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3410 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":472,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3430 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":473,"time":4219576388}
```

```
2016-04-10 00:51:32.9308|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3430 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":473,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3377 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":474,"time":4219576388}
```

```
2016-04-10 00:51:32.9308|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3377 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":474,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193  
MZ: 3470 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":475,"time":4219576388}
```

```
2016-04-10 00:51:32.9308|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3470 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":475,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3313 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":476,"time":4219576388}
```

```
2016-04-10 00:51:32.9484|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3313 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":476,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3245 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":477,"time":4219576388}
```

```
2016-04-10 00:51:32.9484|DEBUG| {Session} |4/10/2016 12:51:32 AM|HS: 13 HLEN: 193 MZ: 3245 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":477,"time":4219576388}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3146 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":478,"time":4219576488}
```

```
2016-04-10 00:51:33.0552|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3146 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":478,"time":4219576488}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3224 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":479,"time":4219576488}
```

```
2016-04-10 00:51:33.0581|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3224 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":479,"time":4219576488}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3231 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":480,"time":4219576488}
```

```
:4219576488}
2016-04-10 00:51:33.0581|DEBUG| {Session} |4/10/20
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3231 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":480,"time":4219576488}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3301 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":481,"time"
:4219576488}
```

```
2016-04-10 00:51:33.0581|DEBUG| {Session} |4/10/20
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3301 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":481,"time":4219576488}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 2469 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio
n":"1.0.0.057","conh":0,"ccnt":2,"scnt":482,"time"
:4219576488}
```

```
2016-04-10 00:51:33.0581|DEBUG| {Session} |4/10/20
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 2469 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","con
h":0,"ccnt":2,"scnt":482,"time":4219576488}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3244 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":483,"time":4219576588}
```

```
2016-04-10 00:51:33.1706|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3244 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":483,"time":4219576588}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3245 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":484,"time":4219576689}
```

```
2016-04-10 00:51:33.2739|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3245 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":484,"time":4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3363 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":484,"time":4219576689}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 485, "time": 4219576689}
2016-04-10 00:51:33.2778|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3363 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 485, "time": 4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3337 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 486, "time": 4219576689}
2016-04-10 00:51:33.2778|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3337 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 486, "time": 4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3187 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 487, "time": 4219576689}
2016-04-10 00:51:33.2778|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3187 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 487, "time": 4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3251 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":488,"time":4219576689}
```

```
2016-04-10 00:51:33.2778|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3251 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":488,"time":4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3292 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":489,"time":4219576689}
```

```
2016-04-10 00:51:33.2778|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3292 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":489,"time":4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 490, "time": 4219576689}
2016-04-10 00:51:33.2924|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3247 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 490, "time": 4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3337 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 491, "time": 4219576689}
2016-04-10 00:51:33.2924|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3337 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 491, "time": 4219576689}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3312 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 492, "time": 4219576689}
2016-04-10 00:51:33.2924|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3312 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 492, "time": 4219576689}
```

```
h":0,"ccnt":2,"scnt":492,"time":4219576689}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3232 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":493,"time":4219576689}
```

```
2016-04-10 00:51:33.2924|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3232 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":493,"time":4219576689}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3329 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":494,"time":4219576789}
```

```
2016-04-10 00:51:33.4065|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3329 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":494,"time":4219576789}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3239 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":494,"time":4219576789}
```

```
et":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":495,"time":4219576789}
```

```
2016-04-10 00:51:33.4065|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3239 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":495,"time":4219576789}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3292 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":496,"time":4219576789}
```

```
2016-04-10 00:51:33.4065|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3292 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":496,"time":4219576789}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":497,"time":4219576789}
```

```
2016-04-10 00:51:33.4172|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3221 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
```

```
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 497, "time": 4219576789}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3283 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 498, "time"  
: 4219576789}
```

```
2016-04-10 00:51:33.4172|DEBUG| {Session} |4/10/20  
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3283 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 498, "time": 4219576789}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 2419 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "targ  
et": "client", "instance": "", "issuer": "1|0|0|057.Ser  
vicePlayer.3271156.ServiceProfile.25845.0", "versio  
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 499, "time"  
: 4219576789}
```

```
2016-04-10 00:51:33.4172|DEBUG| {Session} |4/10/20  
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 2419 Enqueueing  
{"sid": "tHAJFDfbAfFwTBRs", "target": "client", "insta  
nce": "", "issuer": "1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0", "version": "1.0.0.057", "con  
h": 0, "ccnt": 2, "scnt": 499, "time": 4219576789}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:33 AM|More data in buff
```

er, but no message yet, buffering
2016-04-10 00:51:33.4172|DEBUG| {Session} |4/10/2016 12:51:33 AM|More data in buffer, but no message yet, buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3212 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":500,"time":4219576889}
```

```
2016-04-10 00:51:33.5290|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3212 Enqueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":500,"time":4219576889}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3208 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":501,"time":4219576889}
```

```
2016-04-10 00:51:33.5290|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3208 Enqueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":501,"time":4219576889}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3339 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":502,"time":4219576989}
```

```
2016-04-10 00:51:33.5290|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3339 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":502,"time":4219576989}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3259 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":503,"time":4219576990}
```

```
2016-04-10 00:51:33.5290|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3259 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":503,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3301 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":504,"time":4219576990}
```

```
2016-04-10 00:51:33.5407|DEBUG| {Session} |4/10/20
```

```
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3301 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":504,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3307 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.
ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":505,"time"
:4219576990}
```

```
2016-04-10 00:51:33.5407|DEBUG| {Session} |4/10/20
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3307 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":505,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3263 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.
ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":506,"time"
:4219576990}
```

```
2016-04-10 00:51:33.5407|DEBUG| {Session} |4/10/20
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3263 Enqueueing
{"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.
ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":506,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3424 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":507,"time":4219576990}
```

```
2016-04-10 00:51:33.5407|DEBUG| {Session} |4/10/20  
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3424 Enqueueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":507,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|More data in buff  
er, but no message yet, buffering
```

```
2016-04-10 00:51:33.5407|DEBUG| {Session} |4/10/20  
16 12:51:33 AM|More data in buffer, but no message  
yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193  
MZ: 3238 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":508,"time":4219576990}
```

```
2016-04-10 00:51:33.6544|DEBUG| {Session} |4/10/20  
16 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3238 Enqueueing  
{"sid":"tHAJFDfbAfFwTBRs","target":"client",  
"instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.  
ServiceProfile.25845.0","version":"1.0.0.057",  
"conh":0,"ccnt":2,"scnt":508,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3304 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":509,"time":4219576990}
```

```
2016-04-10 00:51:33.6544|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3304 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":509,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 3256 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":510,"time":4219576990}
```

```
2016-04-10 00:51:33.6544|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 3256 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":510,"time":4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193
MZ: 1154 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":510,"time":4219576990}
```

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 511, "time": 4219576990}
2016-04-10 00:51:33.6662|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 1154 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 511, "time": 4219576990}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 8329 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 512, "time": 4219577290}
2016-04-10 00:51:33.8707|DEBUG| {Session} |4/10/2016 12:51:33 AM|HS: 13 HLEN: 193 MZ: 8329 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 512, "time": 4219577290}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193 MZ: 8360 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 513, "time": 4219577490}
2016-04-10 00:51:34.0751|DEBUG| {Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193 MZ: 8360 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 513, "time": 4219577490}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193
MZ: 8381 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":514,"time":4219577691}
```

```
2016-04-10 00:51:34.2810|DEBUG| {Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193 MZ: 8381 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":514,"time":4219577691}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193
MZ: 8380 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":515,"time":4219577891}
```

```
2016-04-10 00:51:34.4851|DEBUG| {Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193 MZ: 8380 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":515,"time":4219577891}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193
MZ: 8338 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.Ser
```

```
vicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 516, "time": 4219578091}
2016-04-10 00:51:34.6897|DEBUG| {Session} |4/10/2016 12:51:34 AM|HS: 13 HLEN: 193 MZ: 8338 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 516, "time": 4219578091}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:35 AM|HS: 13 HLEN: 193 MZ: 13285 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 517, "time": 4219578993}
2016-04-10 00:51:35.5982|DEBUG| {Session} |4/10/2016 12:51:35 AM|HS: 13 HLEN: 193 MZ: 13285 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 517, "time": 4219578993}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:35 AM|HS: 13 HLEN: 193 MZ: 20651 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 518, "time": 4219579093}
2016-04-10 00:51:35.7017|DEBUG| {Session} |4/10/2016 12:51:35 AM|HS: 13 HLEN: 193 MZ: 20651 Enqueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "co
```

```
nh":0,"ccnt":2,"scnt":518,"time":4219579093}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:35 AM|More data in buffer, but no message yet, buffering  
2016-04-10 00:51:35.7017|DEBUG| {Session} |4/10/2016 12:51:35 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:35 AM|No message yet buffering  
2016-04-10 00:51:35.9077|DEBUG| {Session} |4/10/2016 12:51:35 AM|No message yet buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193 MZ: 19748 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":519,"time":4219579193}  
2016-04-10 00:51:36.0096|DEBUG| {Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193 MZ: 19748 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":519,"time":4219579193}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193
MZ: 763 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":520,"time":4219579193}
```

```
2016-04-10 00:51:36.0096|DEBUG| {Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193 MZ: 763 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":520,"time":4219579193}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:36 AM|More data in buffer, but no message yet, buffering
```

```
2016-04-10 00:51:36.0096|DEBUG| {Session} |4/10/2016 12:51:36 AM|More data in buffer, but no message yet, buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:36 AM|No message yet buffering
```

```
2016-04-10 00:51:36.2174|DEBUG| {Session} |4/10/2016 12:51:36 AM|No message yet buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:36 AM|No message yet buffering
```

```
2016-04-10 00:51:36.3185|DEBUG| {Session} |4/10/2016 12:51:36 AM|No message yet buffering
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
```

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:36 AM|No message yet bu
ffering

2016-04-10 00:51:36.4200|DEBUG| {Session} |4/10/201
6 12:51:36 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:36 AM|No message yet bu
ffering

2016-04-10 00:51:36.5209|DEBUG| {Session} |4/10/201
6 12:51:36 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193
MZ: 100268 Enqueing {"sid":"tHAJFDfbAfFwTBRs","ta
rget":"client","instance":"","issuer":"1|0|0|057.S
ervicePlayer.3271156.ServiceProfile.25845.0","vers
ion":"1.0.0.057","conh":0,"ccnt":2,"scnt":521,"tim
e":4219579493}

2016-04-10 00:51:36.6219|DEBUG| {Session} |4/10/20
16 12:51:36 AM|HS: 13 HLEN: 193 MZ: 100268 Enquein
g {"sid":"tHAJFDfbAfFwTBRs","target":"client","ins
tance":"","issuer":"1|0|0|057.ServicePlayer.327115
6.ServiceProfile.25845.0","version":"1.0.0.057","c
onh":0,"ccnt":2,"scnt":521,"time":4219579493}

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193
MZ: 1341 Enqueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceProfile.25845.0","versio

```
n": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 522, "time": 4219579493}
2016-04-10 00:51:36.6219|DEBUG| {Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193 MZ: 1341 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 522, "time": 4219579493}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193 MZ: 961 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 523, "time": 4219579494}
```

```
2016-04-10 00:51:36.6219|DEBUG| {Session} |4/10/2016 12:51:36 AM|HS: 13 HLEN: 193 MZ: 961 Enqueueing {"sid": "tHAJFDfbAfFwTBRs", "target": "client", "instance": "", "issuer": "1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0", "version": "1.0.0.057", "conh": 0, "ccnt": 2, "scnt": 523, "time": 4219579494}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:36 AM|More data in buffer, but no message yet, buffering
2016-04-10 00:51:36.6219|DEBUG| {Session} |4/10/2016 12:51:36 AM|More data in buffer, but no message yet, buffering
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:36 AM|No message yet buffering
```

2016-04-10 00:51:36.7331|DEBUG| {Session} |4/10/2016 12:51:36 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:36 AM|No message yet buffering

2016-04-10 00:51:36.8351|DEBUG| {Session} |4/10/2016 12:51:36 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:36 AM|No message yet buffering

2016-04-10 00:51:36.9362|DEBUG| {Session} |4/10/2016 12:51:36 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:37 AM|No message yet buffering

2016-04-10 00:51:37.0374|DEBUG| {Session} |4/10/2016 12:51:37 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:37 AM|No message yet buffering

2016-04-10 00:51:37.1393|DEBUG| {Session} |4/10/2016 12:51:37 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:37 AM|No message yet buffering

2016-04-10 00:51:37.2414|DEBUG| {Session} |4/10/2016 12:51:37 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:37 AM|No message yet buffering

2016-04-10 00:51:37.3432|DEBUG| {Session} |4/10/2016 12:51:37 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:37 AM|No message yet buffering

2016-04-10 00:51:37.4452|DEBUG| {Session} |4/10/2016 12:51:37 AM|No message yet buffering

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:37 AM|HS: 13 HLEN: 193 MZ: 190928 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":524,"time":4219579794}

2016-04-10 00:51:37.5462|DEBUG| {Session} |4/10/2016 12:51:37 AM|HS: 13 HLEN: 193 MZ: 190928 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":"1.0.0.057","conh":0,"ccnt":2,"scnt":524,"time":4219579794}

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:37 AM|HS: 13 HLEN: 193  
MZ: 763 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":  
"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceProfile.25845.0","version":  
"1.0.0.057","conh":0,"ccnt":2,"scnt":525,"time":  
4219579894}
```

```
2016-04-10 00:51:37.5462|DEBUG| {Session} |4/10/20  
16 12:51:37 AM|HS: 13 HLEN: 193 MZ: 763 Enqueing {  
"sid":"tHAJFDfbAfFwTBRs","target":"client","instan  
ce":"","issuer":"1|0|0|057.ServicePlayer.3271156.S  
erviceProfile.25845.0","version":"1.0.0.057","conh  
":0,"ccnt":2,"scnt":525,"time":4219579894}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|Pat  
ching deck cards Took: 366ms  
2016-04-10 00:51:40.6194|DEBUG|Game.Client.PlayerP  
rofile|4/10/2016 12:51:40 AM|Patching deck cards  
Took: 366ms
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|Fin  
ding Took: 362ms  
2016-04-10 00:51:40.6194|DEBUG|Game.Client.PlayerP  
rofile|4/10/2016 12:51:40 AM|Finding  
Took: 362ms
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|Pl  
ayerProfile: user experience: 0 gold: 60386
```

2016-04-10 00:51:40.6194|INFO|Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|PlayerProfile: user experience: 0 gold: 60386

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|LoadCardsFromBits - Number of cards: 30667

2016-04-10 00:51:40.7171|INFO|Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|LoadCardsFromBits - Number of cards: 30667

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|PlayerProfile: GetPlayerDecksResponse - Number of decks: 36

2016-04-10 00:51:40.8022|INFO|Game.Client.PlayerProfile|4/10/2016 12:51:40 AM|PlayerProfile: GetPlayerDecksResponse - Number of decks: 36

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:40 AM|Asking to join room general

2016-04-10 00:51:40.8139|DEBUG| {ClientConn} |4/10/2016 12:51:40 AM|Asking to join room general

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:40 AM|Queuing for SEND -> {"target": "Session", "instance": "chat", "reqid": 8, "ccnt": 3, "scnt": 525, "time": 1460213500, "sid": "tHAJFDfbAfFwTBRs", "version": "1.0.0.057"}

```
2016-04-10 00:51:40.8139|DEBUG| {Session} |4/10/2016 12:51:40 AM|Queuing for SEND -> {"target":"Session","instance":"chat","reqid":8,"ccnt":3,"scnt":525,"time":1460213500,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.
```

```
2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.
```

```
2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.
```

```
2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.In
```

ventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.

2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.

2016-04-10 00:51:40.8217|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-

4284-be56-cc74e4fd0a15 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

ateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 1a14b722-fd98-4578-8509-7f791b4669f4 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.

2016-04-10 00:51:40.8374|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 04f757c2-f1a9-482d-a2b8-23bdd5f2dbd5 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.

2016-04-10 00:51:40.8540|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData e0f761bc-987f-4284-be56-cc74e4fd0a15 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

2016-04-10 00:51:40.8540|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 3df072c4-6ec2-43ad-a4cb-df729974cf48 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

2016-04-10 00:51:40.8540|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:40 AM|Reckoning.Game.InventoryItemData 71eb5577-5dc8-449b-94e7-e7f71924ca96 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

{Session} |4/10/2016 12:51:41 AM|HS: 13 HLEN: 144 MZ: 243 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":3,"scnt":526,"time":4219584701}

2016-04-10 00:51:41.2206|DEBUG| {Session} |4/10/2016 12:51:41 AM|HS: 13 HLEN: 144 MZ: 243 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":3,"scnt":526,"time":4219584701}

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:41 AM|Saw chat join R[N:general F:], U:SeriousBsnsGames, F:

2016-04-10 00:51:41.2206|DEBUG| {ClientConn} |4/10/2016 12:51:41 AM|Saw chat join R[N:general F:], U:SeriousBsnsGames, F:

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.GameStateManager|4/10/2016 12:51:41 AM|Transitioning to game state LandingPage (CanFire)

2016-04-10 00:51:41.8902|INFO|Reckoning.Game.GameStateManager|4/10/2016 12:51:41 AM|Transitioning to game state LandingPage (CanFire)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GameStateConstants|4/10/2016 12:51:41 AM|Transitioning to game state LandingPage, with level l_landing_us (reload:False - prev:login_dialog)

2016-04-10 00:51:41.9029|INFO|GameStateConstants|4/10/2016 12:51:41 AM|Transitioning to game state LandingPage, with level l_landing_us (reload:False - prev:login_dialog)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Unloading 1 Unused Serialized files (Serialized files now loaded: 1)

Unloading 0 unused Assets to reduce memory usage. Loaded Objects now: 24524.

Total: 203.830933 ms (FindLiveObjects: 1.318829 ms CreateObjectMapping: 1.285045 ms MarkObjects: 201.156494 ms DeleteObjects: 0.069704 ms)

Unloading 7 Unused Serialized files (Serialized files now loaded: 1)

UnloadTime: 11.543175 ms

Unloading 46 unused Assets to reduce memory usage. Loaded Objects now: 22711.

Total: 186.357742 ms (FindLiveObjects: 0.885206 ms CreateObjectMapping: 1.258104 ms MarkObjects: 184.045502 ms DeleteObjects: 0.168060 ms)

```
{ClientConn} |4/10/2016 12:51:42 AM|Asking to join  
room neophytesquarters  
2016-04-10 00:51:42.7407|DEBUG| {ClientConn} |4/10  
/2016 12:51:42 AM|Asking to join room neophytesqua  
rters
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:42 AM|Queuing for SEND  
-> {"target":"Session","instance":"chat","reqid":  
10,"ccnt":4,"scnt":526,"time":1460213502,"sid":"tH  
AJFDfbAfFwTBRs","version":"1.0.0.057"}  
2016-04-10 00:51:42.7407|DEBUG| {Session} |4/10/20  
16 12:51:42 AM|Queuing for SEND -> {"target":"Sess  
ion","instance":"chat","reqid":10,"ccnt":4,"scnt":  
526,"time":1460213502,"sid":"tHAJFDfbAfFwTBRs","ve  
rsion":"1.0.0.057"}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
UINeophytesQuarters|4/10/2016 12:51:42 AM|Sending o  
ut session info request  
2016-04-10 00:51:42.7476|INFO|UINeophytesQuarters|  
4/10/2016 12:51:42 AM|Sending out session info req  
uest
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:42 AM|Queuing for SEND  
-> {"target":"ServiceTournaments","instance":"242  
","reqid":12,"ccnt":5,"scnt":526,"time":1460213502  
,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}  
2016-04-10 00:51:42.7476|DEBUG| {Session} |4/10/20  
16 12:51:42 AM|Queuing for SEND -> {"target":"Serv  
iceTournaments","instance":"242","reqid":12,"ccnt"
```

```
:5,"scnt":526,"time":1460213502,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:42 AM|Queuing for SEND  
-> {"target":"ServiceLoadBalancer","instance":"254","reqid":14,"ccnt":6,"scnt":526,"time":1460213502,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}  
2016-04-10 00:51:42.7476|DEBUG| {Session} |4/10/2016 12:51:42 AM|Queuing for SEND -> {"target":"ServiceLoadBalancer","instance":"254","reqid":14,"ccnt":6,"scnt":526,"time":1460213502,"sid":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
UIGameMenu|4/10/2016 12:51:42 AM|Failed to find the Chat Log!  
2016-04-10 00:51:42.7759|INFO|UIGameMenu|4/10/2016 12:51:42 AM|Failed to find the Chat Log!
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
UIGameMenu|4/10/2016 12:51:42 AM|Failed to find the Trade dialog!  
2016-04-10 00:51:42.7759|INFO|UIGameMenu|4/10/2016 12:51:42 AM|Failed to find the Trade dialog!
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)
```

```
UIGameMenu|4/10/2016 12:51:42 AM|Failed to find the Mail dialog!  
2016-04-10 00:51:42.7759|INFO|UIGameMenu|4/10/2016
```

12:51:42 AM|Failed to find the Mail dialog!

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:43 AM|HS: 13 HLEN: 144
MZ: 296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":4,"scnt":527,"time":4219586806}
```

```
2016-04-10 00:51:43.3613|DEBUG| {Session} |4/10/2016 12:51:43 AM|HS: 13 HLEN: 144 MZ: 296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":4,"scnt":527,"time":4219586806}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:43 AM|HS: 13 HLEN: 144
MZ: 253 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":4,"scnt":528,"time":4219586806}
```

```
2016-04-10 00:51:43.3613|DEBUG| {Session} |4/10/2016 12:51:43 AM|HS: 13 HLEN: 144 MZ: 253 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":4,"scnt":528,"time":4219586806}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:43 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:51
```

```
2016-04-10 00:51:43.3691|DEBUG| {ClientConn} |4/10/2016 12:51:43 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:51
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:43 AM|Saw chat join R[N:neophytesquarters F:], U:SeriousBsnsGames, F:
```

```
2016-04-10 00:51:43.3691|DEBUG| {ClientConn} |4/10/2016 12:51:43 AM|Saw chat join R[N:neophytesquarters F:], U:SeriousBsnsGames, F:
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:43 AM|HS: 13 HLEN: 199 MZ: 615 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceLoadBalancer.25854.15","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":529,"time":4219587006}
```

```
2016-04-10 00:51:43.5678|DEBUG| {Session} |4/10/2016 12:51:43 AM|HS: 13 HLEN: 199 MZ: 615 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"client","instance":"","issuer":"1|0|0|057.ServicePlayer.3271156.ServiceLoadBalancer.25854.15","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":529,"time":4219587006}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:44 AM|HS: 13 HLEN: 144 MZ: 417 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":530,"time":4219587907}
```

```
2016-04-10 00:51:44.5076|DEBUG| {Session} |4/10/2016 12:51:44 AM|HS: 13 HLEN: 144 MZ: 417 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":530,"time":4219587907}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:44 AM|HS: 13 HLEN: 144  
MZ: 293 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":531,"time":4219588208}
```

```
2016-04-10 00:51:44.7677|DEBUG| {Session} |4/10/2016 12:51:44 AM|HS: 13 HLEN: 144 MZ: 293 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":531,"time":4219588208}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:44 AM|Saw chat R[N:general F:], U:whitemoon, F:, T:Lol just found a man who wanted to trade some stupid uncommon shard for my chloro. And he was saying that "but this is uncommon too". XD I:I_NecroticMageMale_Anger
```

```
2016-04-10 00:51:44.7921|DEBUG| {ClientConn} |4/10/2016 12:51:44 AM|Saw chat R[N:general F:], U:whitemoon, F:, T:Lol just found a man who wanted to trade some stupid uncommon shard for my chloro. And he was saying that "but this is uncommon too". XD I:I_NecroticMageMale_Anger
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:44 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:48
```

```
2016-04-10 00:51:44.8997|DEBUG| {ClientConn} |4/10/2016 12:51:44 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:48
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:46 AM|HS: 13 HLEN: 144
MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":532,"time":4219589610}
```

```
2016-04-10 00:51:46.2048|DEBUG| {Session} |4/10/2016 12:51:46 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":532,"time":4219589610}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:46 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

```
2016-04-10 00:51:46.2048|DEBUG| {ClientConn} |4/10/2016 12:51:46 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:47 AM|HS: 13 HLEN: 144
MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":533,"time":4219590711}
```

```
2016-04-10 00:51:47.3106|DEBUG| {Session} |4/10/2016 12:51:47 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":533,"time":4219590711}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:47 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
2016-04-10 00:51:47.3106|DEBUG| {ClientConn} |4/10/2016 12:51:47 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:47 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":534,"time":4219590811}
2016-04-10 00:51:47.4143|DEBUG| {Session} |4/10/2016 12:51:47 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":534,"time":4219590811}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:47 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
2016-04-10 00:51:47.4182|DEBUG| {ClientConn} |4/10/2016 12:51:47 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:47 AM|HS: 13 HLEN: 144 MZ: 243 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":535,"time":4219591012}
```

```
2016-04-10 00:51:47.6175|DEBUG| {Session} |4/10/2016 12:51:47 AM|HS: 13 HLEN: 144 MZ: 243 Enqueueing { "sid":"tHAJFDfbAfFwTBRs", "target":"chat", "instance":"", "issuer":"Session", "version":"1.0.0.057", "conh":0, "ccnt":6, "scnt":535, "time":4219591012}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:47 AM|Saw chat join R[N:neophytesquarters F:], U:Jenner, F:  
2016-04-10 00:51:47.6204|DEBUG| {ClientConn} |4/10/2016 12:51:47 AM|Saw chat join R[N:neophytesquarters F:], U:Jenner, F:
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:48 AM|HS: 13 HLEN: 144 MZ: 300 Enqueueing { "sid":"tHAJFDfbAfFwTBRs", "target":"chat", "instance":"", "issuer":"Session", "version":"1.0.0.057", "conh":0, "ccnt":6, "scnt":536, "time":4219591613}
```

```
2016-04-10 00:51:48.1224|DEBUG| {Session} |4/10/2016 12:51:48 AM|HS: 13 HLEN: 144 MZ: 300 Enqueueing { "sid":"tHAJFDfbAfFwTBRs", "target":"chat", "instance":"", "issuer":"Session", "version":"1.0.0.057", "conh":0, "ccnt":6, "scnt":536, "time":4219591613}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:48 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing { "sid":"tHAJFDfbAfFwTBRs", "target":"chat", "instance":"", "issuer":"Session", "version":"1.0.0.057", "conh":0, "ccnt":6, "scnt":537, "time":4219591613}
```

```
2016-04-10 00:51:48.1224|DEBUG| {Session} |4/10/2016 12:51:48 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {
```

```
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance
":"","issuer":"Session","version":"1.0.0.057","con
h":0,"ccnt":6,"scnt":537,"time":4219591613}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:48 AM|Saw data R[N:n
eophytesquarters F:], S:gs, F:, DLEN:55
2016-04-10 00:51:48.1224|DEBUG| {ClientConn} |4/10
/2016 12:51:48 AM|Saw data R[N:neophytesquarters F
:], S:gs, F:, DLEN:55
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:48 AM|Saw data R[N:n
eophytesquarters F:], S:gs, F:, DLEN:10
2016-04-10 00:51:48.1224|DEBUG| {ClientConn} |4/10
/2016 12:51:48 AM|Saw data R[N:neophytesquarters F
:], S:gs, F:, DLEN:10
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:48 AM|HS: 13 HLEN: 144
MZ: 246 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targe
t":"chat","instance":"","issuer":"Session","versio
n":"1.0.0.057","conh":0,"ccnt":6,"scnt":538,"time"
:4219592314}
2016-04-10 00:51:48.8310|DEBUG| {Session} |4/10/20
16 12:51:48 AM|HS: 13 HLEN: 144 MZ: 246 Enqueueing {
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance
":"","issuer":"Session","version":"1.0.0.057","con
h":0,"ccnt":6,"scnt":538,"time":4219592314}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:48 AM|Saw chat join  
R[N:neophytesquarters F:], U:Thirdmoon, F:  
2016-04-10 00:51:48.8310|DEBUG| {ClientConn} |4/10  
/2016 12:51:48 AM|Saw chat join R[N:neophytesquart  
ers F:], U:Thirdmoon, F:
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:49 AM|HS: 13 HLEN: 144  
MZ: 298 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targe  
t":"chat","instance":"","issuer":"Session","versio  
n":"1.0.0.057","conh":0,"ccnt":6,"scnt":539,"time"  
:4219592514}  
2016-04-10 00:51:49.0344|DEBUG| {Session} |4/10/20  
16 12:51:49 AM|HS: 13 HLEN: 144 MZ: 298 Enqueueing {  
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance  
":"","issuer":"Session","version":"1.0.0.057","con  
h":0,"ccnt":6,"scnt":539,"time":4219592514}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:49 AM|Saw data R[N:n  
eophytesquarters F:], S:gs, F:, DLEN:53  
2016-04-10 00:51:49.0344|DEBUG| {ClientConn} |4/10  
/2016 12:51:49 AM|Saw data R[N:neophytesquarters F  
:], S:gs, F:, DLEN:53
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:49 AM|HS: 13 HLEN: 144  
MZ: 296 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targe  
t":"chat","instance":"","issuer":"Session","versio  
n":"1.0.0.057","conh":0,"ccnt":6,"scnt":540,"time"  
:4219593021}  
2016-04-10 00:51:49.5399|DEBUG| {Session} |4/10/20
```

```
16 12:51:49 AM|HS: 13 HLEN: 144 MZ: 296 Enqueueing {
"sid":"tHAJFDfbAffWTBRs","target":"chat","instance
":"","issuer":"Session","version":"1.0.0.057","con
h":0,"ccnt":6,"scnt":540,"time":4219593021}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:49 AM|Saw data R[N:n
eophytesquarters F:], S:gs, F:, DLEN:51
2016-04-10 00:51:49.5418|DEBUG| {ClientConn} |4/10
/2016 12:51:49 AM|Saw data R[N:neophytesquarters F
:], S:gs, F:, DLEN:51
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:49
AM|Reckoning.Game.CardSetTemplate 00000000-0000-00
00-0000-000000000000 not found in TemplateManager.
2016-04-10 00:51:49.5829|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:49 AM|Reckoning.Game.Ca
rdSetTemplate 00000000-0000-0000-0000-0000-000000000000
not found in TemplateManager.
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)
```

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:49
AM|Reckoning.Game.CardSetTemplate 00000000-0000-00
```

00-0000-00000000000000 not found in TemplateManager.
2016-04-10 00:51:49.7100|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:49 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000
not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

{Session} |4/10/2016 12:51:49 AM|HS: 13 HLEN: 144 MZ: 255 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":541,"time":4219593221} GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

2016-04-10 00:51:49.7432|DEBUG| {Session} |4/10/20
16 12:51:49 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance
":"","issuer":"Session","version":"1.0.0.057","con
h":0,"ccnt":6,"scnt":541,"time":4219593221}

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:49 AM|Saw data R[N:
neophytesquarters F:], S:gs, F:, DLEN:10 GetContex
t without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

2016-04-10 00:51:49.7432|DEBUG| {ClientConn} |4/10
/2016 12:51:49 AM|Saw data R[N:neophytesquarters F
:], S:gs, F:, DLEN:10

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db5-dfee37deaa2d)
2016-04-10 00:51:49.8077|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db5-dfee37deaa2d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Count Davian (42b8d023-c7f7-4520-8b4b-87892cc5b29d)
2016-04-10 00:51:49.8077|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Count Davian (42b8d023-c7f7-4520-8b4b-87892cc5b29d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Feste (f0197843-4b11-4668-9dbb-b3b4befa3d20)
2016-04-10 00:51:49.8077|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Feste (f0197843-4b11-4668-9dbb-b3b4befa3d20)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Gax, the Sly Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea)
2016-04-10 00:51:49.8253|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Gax, the Sly Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea)
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Gordon Boomcussion (15a4b28b-d5cb-42da-9f67-83acd5f3c410)
2016-04-10 00:51:49.8253|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Gordon Boomcussion (15a4b28b-d5cb-42da-9f67-83acd5f3c410)
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Lillyth (7d51f10b-243b-43a1-b715-4997883b4a8d)

2016-04-10 00:51:49.8253|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Lillyth (7d51f10b-243b-43a1-b715-4997883b4a8d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Naryip (35411ec5-7bb2-44a1-bae4-303939fef576)

2016-04-10 00:51:49.8400|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Naryip (35411ec5-7bb2-44a1-bae4-303939fef576)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Portensio of Avon (5f25573a-6133-46b7-balc-ce959ced65d3)
2016-04-10 00:51:49.8400|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Portensio of Avon (5f25573a-6133-46b7-balc-ce959ced65d3)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Puck, the Dreambringer (1f391b93-612a-423d-b08c-a89887f416c3)
2016-04-10 00:51:49.8400|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Puck, the Dreambringer (1f391b93-612a-423d-b08c-a89887f416c3)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Rifkun Bonespike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)
2016-04-10 00:51:49.8537|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Rifkun Bonespike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Slamvolt (5c1e8b3a-3459-449a-8086-588059a8405e)
2016-04-10 00:51:49.8537|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Slamvolt (5c1e8b3a-3459-449a-8086-588059a8405e)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Spirit of the Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677)

2016-04-10 00:51:49.8537|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Spirit of the Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Tafford the Tireless (93eaea5d-6149-4da9-954a-0b5888d14d30)

2016-04-10 00:51:49.8713|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Tafford the Tireless (93eaea5d-6149-4da9-954a-0b5888d14d30)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: The Dingler King (778784d4-3070-405a-ace0-a4286713b865)
2016-04-10 00:51:49.8713|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: The Dingler King (778784d4-3070-405a-ace0-a4286713b865)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: The Transcended (c3ce9efc-b2ec-4948-81ab-410174c87570)
2016-04-10 00:51:49.8713|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: The Transcended (c3ce9efc-b2ec-4948-81ab-410174c87570)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Mother Dawnbreeze (f1127e7a-40ba-4544-be7e-df762a385918)
2016-04-10 00:51:49.8849|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Mother Dawnbreeze (f1127e7a-40ba-4544-be7e-df762a385918)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Shaylusia (98c69a3e-40d2-4063-af4b-cacel9a44a8d)
2016-04-10 00:51:49.8849|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Shaylusia (98c69a3e-40d2-4063-af4b-cacel9a44a8d)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Xorak, the Flamehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)
2016-04-10 00:51:49.8849|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Xorak, the Flamehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-94b7fe680c21)
2016-04-10 00:51:49.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-94b7fe680c21)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Rakshani the Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe) 2016-04-10 00:51:49.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Rakshani the Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Scabtongue (bbclc4ee-11cb-4e14-9b67-ec09bd559939) 2016-04-10 00:51:49.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:49 AM|Mercenary ChampionTemplate not found: Scabtongue (bbclc4ee-11cb-4e14-9b67-ec09bd559939)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,

you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:49 AM|HS: 13 HLEN: 144  
MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":542,"time":4219593421}  
2016-04-10 00:51:49.9475|DEBUG| {Session} |4/10/2016 12:51:49 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":542,"time":4219593421}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,

you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:49 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10  
2016-04-10 00:51:49.9475|DEBUG| {ClientConn} |4/10/2016 12:51:49 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:49 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:49.9876|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:49 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:49 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:49.9983|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:49 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.0267|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.0267|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000

not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db5-dfee37deaa2d)
2016-04-10 00:51:50.1029|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db5-dfee37deaa2d)

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Count Davian
(42b8d023-c7f7-4520-8b4b-87892cc5b29d)
2016-04-10 00:51:50.1029|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Count Davian (42b8d023-c7f7-4520-
8b4b-87892cc5b29d)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Feste (f01978
43-4b11-4668-9dbb-b3b4befa3d20)
2016-04-10 00:51:50.1029|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Feste (f0197843-4b11-4668-9dbb-b3
b4befa3d20)

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Gax, the Sly
Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea)
2016-04-10 00:51:50.1186|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Gax, the Sly Roller (2a9354c0-a51
a-4ea2-9485-fbc219abeeea)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Gordon Boomcu
ssion (15a4b28b-d5cb-42da-9f67-83acd5f3c410)
2016-04-10 00:51:50.1186|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Gordon Boomcussion (15a4b28b-d5cb
-42da-9f67-83acd5f3c410)

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Lillyth (7d51
f10b-243b-43a1-b715-4997883b4a8d)
2016-04-10 00:51:50.1186|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Lillyth (7d51f10b-243b-43a1-b715-
4997883b4a8d)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Naryip (35411
ec5-7bb2-44a1-bae4-303939fef576)
2016-04-10 00:51:50.1186|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Naryip (35411ec5-7bb2-44a1-bae4-3
03939fef576)

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Portensio of
Avon (5f25573a-6133-46b7-balc-ce959ced65d3)
2016-04-10 00:51:50.1352|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Portensio of Avon (5f25573a-6133-
46b7-balc-ce959ced65d3)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Puck, the Dre
ambringer (1f391b93-612a-423d-b08c-a89887f416c3)
2016-04-10 00:51:50.1352|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Puck, the Dreambringer (1f391b93-
612a-423d-b08c-a89887f416c3)

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Rifkun Bonesp
ike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)
2016-04-10 00:51:50.1352|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Rifkun Bonespike (3c95b06d-2ad3-4
6c7-8ae7-5372e557b40f)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Slamvolt (5c1
e8b3a-3459-449a-8086-588059a8405e)
2016-04-10 00:51:50.1352|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Slamvolt (5c1e8b3a-3459-449a-8086
-588059a8405e)

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Spirit of the
Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677
)
2016-04-10 00:51:50.1538|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Spirit of the Triumverate (cfec6b
fc-ba64-4fb9-8a89-983a169cf677)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Tafford the T
ireless (93eaea5d-6149-4da9-954a-0b5888d14d30)
2016-04-10 00:51:50.1538|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Tafford the Tireless (93eaea5d-61
49-4da9-954a-0b5888d14d30)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Dingler King (778784d4-3070-405a-ace0-a4286713b865)
2016-04-10 00:51:50.1538|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Dingler King (778784d4-3070-405a-ace0-a4286713b865)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Transcended (c3ce9efc-b2ec-4948-81ab-410174c87570)
2016-04-10 00:51:50.1675|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Transcended (c3ce9efc-b2ec-4948-81ab-410174c87570)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Mother Dawnbreeze (f1127e7a-40ba-4544-be7e-df762a385918)
2016-04-10 00:51:50.1675|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Mother Dawnbreeze (f1127e7a-40ba-4544-be7e-df762a385918)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Shaylusia (98c69a3e-40d2-4063-af4b-cacel9a44a8d)
2016-04-10 00:51:50.1675|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Shaylusia (98c69a3e-40d2-4063-af4b-cacel9a44a8d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Xorak, the Flamehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)
2016-04-10 00:51:50.1675|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Xorak, the Flamehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-94b7fe680c21)
2016-04-10 00:51:50.1831|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-94b7fe680c21)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rakshani the Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe) 2016-04-10 00:51:50.1831|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rakshani the Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Scabtongue (bbclc4ee-11cb-4e14-9b67-ec09bd559939) 2016-04-10 00:51:50.1831|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Scabtongue (bbclc4ee-11cb-4e14-9b67-ec09bd559939)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.2535|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.Ca

rdSetTemplate 00000000-0000-0000-0000-000000000000
not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.2613|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.2858|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.4725|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:50 AM|HS: 13 HLEN: 144  
MZ: 241 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":543,"time":4219594022}
```

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
2016-04-10 00:51:50.5536|DEBUG| {Session} |4/10/20  
16 12:51:50 AM|HS: 13 HLEN: 144 MZ: 241 Enqueing {  
"sid":"tHAJFDfbAfFwTBRs", "target":"chat", "instance  
:""}, "issuer":"Session", "version":"1.0.0.057", "con  
h":0, "ccnt":6, "scnt":543, "time":4219594022}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:50 AM|Saw chat join  
R[N:neophytesquarters F:], U:Yozh, F:  
2016-04-10 00:51:50.5565|DEBUG| {ClientConn} |4/10  
/2016 12:51:50 AM|Saw chat join R[N:neophytesquart  
ers F:], U:Yozh, F:
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,

you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

`GetContext` without arguments is deprecated,
you should use `GetContext(Path)` instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db5-dfee37deaa2d)

2016-04-10 00:51:50.5565|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db5-dfee37deaa2d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Count Davian (42b8d023-c7f7-4520-8b4b-87892cc5b29d)

2016-04-10 00:51:50.5761|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Count Davian (42b8d023-c7f7-4520-8b4b-87892cc5b29d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Feste (f0197843-4b11-4668-9dbb-b3b4befa3d20)
2016-04-10 00:51:50.5761|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Feste (f0197843-4b11-4668-9dbb-b3b4befa3d20)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gax, the Sly Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea)
2016-04-10 00:51:50.5761|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gax, the Sly Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gordon Boomcussion (15a4b28b-d5cb-42da-9f67-83acd5f3c410)
2016-04-10 00:51:50.5917|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gordon Boomcussion (15a4b28b-d5cb-42da-9f67-83acd5f3c410)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Lillyth (7d51f10b-243b-43a1-b715-4997883b4a8d)
2016-04-10 00:51:50.5917|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Lillyth (7d51f10b-243b-43a1-b715-4997883b4a8d)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Naryip (35411ec5-7bb2-44a1-bae4-303939fef576)

2016-04-10 00:51:50.5917|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Naryip (35411ec5-7bb2-44a1-bae4-303939fef576)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Portensio of Avon (5f25573a-6133-46b7-balc-ce959ced65d3)

2016-04-10 00:51:50.6064|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Portensio of Avon (5f25573a-6133-46b7-balc-ce959ced65d3)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Puck, the Dreambringer (1f391b93-612a-423d-b08c-a89887f416c3)
2016-04-10 00:51:50.6064|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Puck, the Dreambringer (1f391b93-612a-423d-b08c-a89887f416c3)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rifkun Bonespike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)
2016-04-10 00:51:50.6064|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rifkun Bonespike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Slamvolt (5c1e8b3a-3459-449a-8086-588059a8405e)

2016-04-10 00:51:50.6220|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Slamvolt (5c1e8b3a-3459-449a-8086-588059a8405e)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Spirit of the Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677)

2016-04-10 00:51:50.6220|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Spirit of the Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Tafford the T
ireless (93eaea5d-6149-4da9-954a-0b5888d14d30)
2016-04-10 00:51:50.6220|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Tafford the Tireless (93eaea5d-61
49-4da9-954a-0b5888d14d30)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: The Dingler K
ing (778784d4-3070-405a-ace0-a4286713b865)
2016-04-10 00:51:50.6377|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: The Dingler King (778784d4-3070-4
05a-ace0-a4286713b865)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: The Transcend
ed (c3ce9efc-b2ec-4948-81ab-410174c87570)
2016-04-10 00:51:50.6377|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: The Transcended (c3ce9efc-b2ec-49
48-81ab-410174c87570)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Mother Dawnbr
eeze (f1127e7a-40ba-4544-be7e-df762a385918)
2016-04-10 00:51:50.6377|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Mother Dawnbreeze (f1127e7a-40ba-
4544-be7e-df762a385918)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Shaylusia (98
c69a3e-40d2-4063-af4b-cace19a44a8d)
2016-04-10 00:51:50.6523|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Shaylusia (98c69a3e-40d2-4063-af4
b-cace19a44a8d)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Xorak, the Fl
amehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)
2016-04-10 00:51:50.6523|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Xorak, the Flamehand (6e36c8e5-ce
08-4b9b-b324-af3ba0f49b94)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Ashahsa (4226
e776-d9f8-4b86-9b2b-94b7fe680c21)
2016-04-10 00:51:50.6523|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-
94b7fe680c21)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Rakshani the
Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe)
2016-04-10 00:51:50.6680|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Rakshani the Spiteblade (2854c82f
-7a41-4318-ac0e-ee7bc74db0fe)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Scabtongue (b
bcl1c4ee-11cb-4e14-9b67-ec09bd559939)
2016-04-10 00:51:50.6680|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Scabtongue (bbcl1c4ee-11cb-4e14-9b
67-ec09bd559939)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:50.7609|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:50 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50
AM|Reckoning.Game.CardSetTemplate 00000000-0000-00
00-0000-000000000000 not found in TemplateManager.
2016-04-10 00:51:50.7609|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:50 AM|Reckoning.Game.Ca
rdSetTemplate 00000000-0000-0000-0000-000000000000
not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context sco
pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50
AM|Reckoning.Game.CardSetTemplate 00000000-0000-00
00-0000-000000000000 not found in TemplateManager.
2016-04-10 00:51:50.7990|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:50 AM|Reckoning.Game.Ca
rdSetTemplate 00000000-0000-0000-0000-000000000000
not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:50
AM|Reckoning.Game.CardSetTemplate 00000000-0000-00
00-0000-000000000000 not found in TemplateManager.
2016-04-10 00:51:50.8068|WARN|Reckoning.Game.Templ
ateManager|4/10/2016 12:51:50 AM|Reckoning.Game.Ca
rdSetTemplate 00000000-0000-0000-0000-000000000000
not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

pe modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope
modifiers.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|M
ercenary ChampionTemplate not found: Brosi-Buk (6a
1ad8dc-1d57-48cb-8db5-dfee37deaa2d)
2016-04-10 00:51:50.8840|WARN|NguiGoInventoryIconB
inding|4/10/2016 12:51:50 AM|Mercenary ChampionTem
plate not found: Brosi-Buk (6a1ad8dc-1d57-48cb-8db
5-dfee37deaa2d)

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Count Davian (42b8d023-c7f7-4520-8b4b-87892cc5b29d)
2016-04-10 00:51:50.8840|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Count Davian (42b8d023-c7f7-4520-8b4b-87892cc5b29d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Feste (f0197843-4b11-4668-9dbb-b3b4befa3d20)
2016-04-10 00:51:50.8840|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Feste (f0197843-4b11-4668-9dbb-b3b4befa3d20)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gax, the Sly Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea) 2016-04-10 00:51:50.8840|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gax, the Sly Roller (2a9354c0-a51a-4ea2-9485-fbc219abeeea)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gordon Boomcussion (15a4b28b-d5cb-42da-9f67-83acd5f3c410) 2016-04-10 00:51:50.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Gordon Boomcussion (15a4b28b-d5cb-42da-9f67-83acd5f3c410)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Lillyth (7d51f10b-243b-43a1-b715-4997883b4a8d)
2016-04-10 00:51:50.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Lillyth (7d51f10b-243b-43a1-b715-4997883b4a8d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Naryip (35411ec5-7bb2-44a1-bae4-303939fef576)
2016-04-10 00:51:50.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Naryip (35411ec5-7bb2-44a1-bae4-303939fef576)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Portensio of Avon (5f25573a-6133-46b7-balc-ce959ced65d3) 2016-04-10 00:51:50.9006|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Portensio of Avon (5f25573a-6133-46b7-balc-ce959ced65d3)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Puck, the Dreambringer (1f391b93-612a-423d-b08c-a89887f416c3) 2016-04-10 00:51:50.9182|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Puck, the Dreambringer (1f391b93-612a-423d-b08c-a89887f416c3)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rifkun Bonespike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)
2016-04-10 00:51:50.9182|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rifkun Bonespike (3c95b06d-2ad3-46c7-8ae7-5372e557b40f)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Slamvolt (5c1e8b3a-3459-449a-8086-588059a8405e)
2016-04-10 00:51:50.9182|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Slamvolt (5c1e8b3a-3459-449a-8086-588059a8405e)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Spirit of the Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677)
2016-04-10 00:51:50.9329|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Spirit of the Triumverate (cfec6bfc-ba64-4fb9-8a89-983a169cf677)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Tafford the Tireless (93eaea5d-6149-4da9-954a-0b5888d14d30)
2016-04-10 00:51:50.9329|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Tafford the Tireless (93eaea5d-6149-4da9-954a-0b5888d14d30)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Dingler King (778784d4-3070-405a-ace0-a4286713b865)
2016-04-10 00:51:50.9329|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Dingler King (778784d4-3070-405a-ace0-a4286713b865)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Transcended (c3ce9efc-b2ec-4948-81ab-410174c87570)
2016-04-10 00:51:50.9329|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: The Transcended (c3ce9efc-b2ec-4948-81ab-410174c87570)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Mother Dawnbreeze (f1127e7a-40ba-4544-be7e-df762a385918)
2016-04-10 00:51:50.9495|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Mother Dawnbreeze (f1127e7a-40ba-4544-be7e-df762a385918)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Shaylusia (98c69a3e-40d2-4063-af4b-cacel9a44a8d)
2016-04-10 00:51:50.9495|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Shaylusia (98c69a3e-40d2-4063-af4b-cacel9a44a8d)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Xorak, the Flamehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)
2016-04-10 00:51:50.9495|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Xorak, the Flamehand (6e36c8e5-ce08-4b9b-b324-af3ba0f49b94)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-94b7fe680c21)
2016-04-10 00:51:50.9642|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Ashahsa (4226e776-d9f8-4b86-9b2b-94b7fe680c21)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rakshani the Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe) 2016-04-10 00:51:50.9642|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Rakshani the Spiteblade (2854c82f-7a41-4318-ac0e-ee7bc74db0fe)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Scabtongue (bb1c4ee-11cb-4e14-9b67-ec09bd559939) 2016-04-10 00:51:50.9642|WARN|NguiGoInventoryIconBinding|4/10/2016 12:51:50 AM|Mercenary ChampionTemplate not found: Scabtongue (bb1c4ee-11cb-4e14-9b67-ec09bd559939)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead,

otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:51 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:51.0356|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:51 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:51 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager. 2016-04-10 00:51:51.0444|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:51 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GetContext without arguments is deprecated,
you should use GetContext(Path) instead,
otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

GetContext without arguments is deprecated, you should use GetContext(Path) instead, otherwise your binding will not support context scope modifiers.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Reckoning.Game.TemplateManager|4/10/2016 12:51:51 AM|Reckoning.Game.CardSetTemplate 00000000-0000-00

00-0000-000000000000 not found in TemplateManager.
2016-04-10 00:51:51.0688|WARN|Reckoning.Game.TemplateManager|4/10/2016 12:51:51 AM|Reckoning.Game.CardSetTemplate 00000000-0000-0000-0000-000000000000 not found in TemplateManager.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Inefficient old UIAnchor with runOnlyOnce set to false could be fighting with widget anchors.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

{Session} |4/10/2016 12:51:51 AM|HS: 13 HLEN: 144 MZ: 298 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":544,"time":4219594924}

2016-04-10 00:51:51.4628|DEBUG| {Session} |4/10/2016 12:51:51 AM|HS: 13 HLEN: 144 MZ: 298 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":544,"time":4219594924}

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:51 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:53
2016-04-10 00:51:51.4628|DEBUG| {ClientConn} |4/10/2016 12:51:51 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:53

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:52 AM|HS: 13 HLEN: 144  
MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":545,"time":4219595624}
```

```
2016-04-10 00:51:52.1689|DEBUG| {Session} |4/10/2016 12:51:52 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":545,"time":4219595624}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:52 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

```
2016-04-10 00:51:52.1689|DEBUG| {ClientConn} |4/10/2016 12:51:52 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:53 AM|HS: 13 HLEN: 144  
MZ: 294 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":546,"time":4219596526}
```

```
2016-04-10 00:51:53.0756|DEBUG| {Session} |4/10/2016 12:51:53 AM|HS: 13 HLEN: 144 MZ: 294 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":546,"time":4219596526}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:53 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:49
```

2016-04-10 00:51:53.0756|DEBUG| {ClientConn} |4/10/2016 12:51:53 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:49

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:53 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":547,"time":4219597327}

2016-04-10 00:51:53.8808|DEBUG| {Session} |4/10/2016 12:51:53 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":547,"time":4219597327}

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{ClientConn} |4/10/2016 12:51:53 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10

2016-04-10 00:51:53.8808|DEBUG| {ClientConn} |4/10/2016 12:51:53 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

{Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 242 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":548,"time":4219597527}

2016-04-10 00:51:54.0839|DEBUG| {Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 242 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","con

```
h":0,"ccnt":6,"scnt":548,"time":4219597527}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{ClientConn} |4/10/2016 12:51:54 AM|Saw room leave R[N:neophytesquarters F:], U:Yozh, F: 2016-04-10 00:51:54.0878|DEBUG| {ClientConn} |4/10/2016 12:51:54 AM|Saw room leave R[N:neophytesquarters F:], U:Yozh, F:
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":549,"time":4219598128} 2016-04-10 00:51:54.6886|DEBUG| {Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":549,"time":4219598128}
```

```
(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)
```

```
{Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 293 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":550,"time":4219598128} 2016-04-10 00:51:54.6886|DEBUG| {Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 293 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":550,"time":4219598128}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:54 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
2016-04-10 00:51:54.6886|DEBUG| {ClientConn} |4/10/2016 12:51:54 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:54 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:48
2016-04-10 00:51:54.6886|DEBUG| {ClientConn} |4/10/2016 12:51:54 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:48
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 255 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":551,"time":4219598328}
2016-04-10 00:51:54.8935|DEBUG| {Session} |4/10/2016 12:51:54 AM|HS: 13 HLEN: 144 MZ: 255 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":551,"time":4219598328}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:54 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
2016-04-10 00:51:54.8935|DEBUG| {ClientConn} |4/10
```

/2016 12:51:54 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:55 AM|HS: 13 HLEN: 144
MZ: 247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":552,"time":4219598529}
```

```
2016-04-10 00:51:55.0970|DEBUG| {Session} |4/10/2016 12:51:55 AM|HS: 13 HLEN: 144 MZ: 247 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":552,"time":4219598529}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:55 AM|Saw room leave R[N:neophytesquarters F:], U:Thirddmoon, F:
2016-04-10 00:51:55.0970|DEBUG| {ClientConn} |4/10/2016 12:51:55 AM|Saw room leave R[N:neophytesquarters F:], U:Thirddmoon, F:
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:51:55 AM|HS: 13 HLEN: 144
MZ: 246 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":553,"time":4219598830}
```

```
2016-04-10 00:51:55.3992|DEBUG| {Session} |4/10/2016 12:51:55 AM|HS: 13 HLEN: 144 MZ: 246 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":553,"time":4219598830}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:55 AM|Saw chat join R[N:neophytesquarters F:], U:Aimstrike, F: 2016-04-10 00:51:55.4011|DEBUG| {ClientConn} |4/10/2016 12:51:55 AM|Saw chat join R[N:neophytesquarters F:], U:Aimstrike, F:
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
Reckoning.Game.GameStateManager|4/10/2016 12:51:55 AM|Transitioning to game state PackOpening (CanFire) 2016-04-10 00:51:55.8116|INFO|Reckoning.Game.GameStateManager|4/10/2016 12:51:55 AM|Transitioning to game state PackOpening (CanFire)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
GameStateConstants|4/10/2016 12:51:55 AM|Transitioning to game state PackOpening, with level PackOpening (reload:False - prev:l_landing_us) 2016-04-10 00:51:55.8116|INFO|GameStateConstants|4/10/2016 12:51:55 AM|Transitioning to game state PackOpening, with level PackOpening (reload:False - prev:l_landing_us)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Unloading 2 Unused Serialized files (Serialized files now loaded: 2)

Unloading 7 unused Assets to reduce memory usage. L

oaded Objects now: 30004.
Total: 221.372131 ms (FindLiveObjects: 3.468127 ms
CreateObjectMapping: 1.611332 ms MarkObjects: 216
.166504 ms DeleteObjects: 0.123159 ms)

The referenced script on this Behaviour is missing!

(Filename: Line: 1649)

Unloading 12 Unused Serialized files (Serialized fi
les now loaded: 2)
{ClientConn} |4/10/2016 12:51:56 AM|Asking to leav
e room neophytesquarters
2016-04-10 00:51:56.4754|DEBUG| {ClientConn} |4/10
/2016 12:51:56 AM|Asking to leave room neophytesqu
arters

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{Session} |4/10/2016 12:51:56 AM|Queuing for SEND
-> {"target":"Session","instance":"chat","reqid":
16,"ccnt":7,"scnt":553,"time":1460213516,"sid":"tH
AJFDfbAfFwTBRs","version":"1.0.0.057"}
2016-04-10 00:51:56.4754|DEBUG| {Session} |4/10/20
16 12:51:56 AM|Queuing for SEND -> {"target":"Sess
ion","instance":"chat","reqid":16,"ccnt":7,"scnt":
553,"time":1460213516,"sid":"tHAJFDfbAfFwTBRs","ve
rsion":"1.0.0.057"}

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

UnloadTime: 21.776501 ms
MasterAudio could not find sound: Aud_FX_WheelsofF
ate. If your Scene just changed, this could happen
when an OnDisable or OnInvisible event sound happ
ened to a per-scene sound, which is expected.

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

MasterAudio could not find sound: Aud_FX_Pack_Opening_Card_Fan. If your Scene just changed, this could happen when an OnDisable or OnInvisible event sound happened to a per-scene sound, which is expected. Triggered by prefab: AUD_CardFlip_Normal

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:51:56 AM|HS: 13 HLEN: 144  
MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":554,"time":4219600032}
```

```
2016-04-10 00:51:56.6690|DEBUG| {Session} |4/10/2016 12:51:56 AM|HS: 13 HLEN: 144 MZ: 255 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":6,"scnt":554,"time":4219600032}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:56 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

```
2016-04-10 00:51:56.6690|DEBUG| {ClientConn} |4/10/2016 12:51:56 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:10
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Unloading 122 unused Assets to reduce memory usage.
Loaded Objects now: 24597.

Total: 193.701523 ms (FindLiveObjects: 0.987411 ms
CreateObjectMapping: 1.199091 ms MarkObjects: 191
.062149 ms DeleteObjects: 0.451155 ms)

UIPackListViewModel|4/10/2016 12:51:56 AM|Found 42
00 inventory items while looking for card packs.
2016-04-10 00:51:56.9550|INFO|UIPackListViewModel|
4/10/2016 12:51:56 AM|Found 4200 inventory items w
hile looking for card packs.

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:56 AM|HS: 13 HLEN: 144  
MZ: 302 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targe  
t":"chat","instance":"","issuer":"Session","versio  
n":"1.0.0.057","conh":0,"ccnt":6,"scnt":555,"time"  
:4219600237}
```

```
2016-04-10 00:51:56.9550|DEBUG| {Session} |4/10/20  
16 12:51:56 AM|HS: 13 HLEN: 144 MZ: 302 Enqueueing {  
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance  
":"","issuer":"Session","version":"1.0.0.057","con  
h":0,"ccnt":6,"scnt":555,"time":4219600237}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:51:56 AM|HS: 13 HLEN: 144  
MZ: 254 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targe  
t":"chat","instance":"","issuer":"Session","versio  
n":"1.0.0.057","conh":0,"ccnt":7,"scnt":556,"time"  
:4219600337}
```

```
2016-04-10 00:51:56.9550|DEBUG| {Session} |4/10/20  
16 12:51:56 AM|HS: 13 HLEN: 144 MZ: 254 Enqueueing {  
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance  
":"","issuer":"Session","version":"1.0.0.057","con  
h":0,"ccnt":7,"scnt":556,"time":4219600337}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen

.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:56 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:57
2016-04-10 00:51:56.9628|DEBUG| {ClientConn} |4/10/2016 12:51:56 AM|Saw data R[N:neophytesquarters F:], S:gs, F:, DLEN:57
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:51:56 AM|Saw room leave R[N:neophytesquarters F:], U:SeriousBsnsGames, F:
2016-04-10 00:51:56.9628|DEBUG| {ClientConn} |4/10/2016 12:51:56 AM|Saw room leave R[N:neophytesquarters F:], U:SeriousBsnsGames, F:
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Objects that holds a reference to Icons/ : 0
Unloading AssetBundle: Icons/

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:52:00 AM|HS: 13 HLEN: 144 MZ: 328 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":7,"scnt":557,"time":4219603541}
2016-04-10 00:52:00.0783|DEBUG| {Session} |4/10/2016 12:52:00 AM|HS: 13 HLEN: 144 MZ: 328 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance":"","issuer":"Session","version":"1.0.0.057","conh":0,"ccnt":7,"scnt":557,"time":4219603541}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

{ClientConn} |4/10/2016 12:52:00 AM|Saw chat R[N:
general F:], U:whitemoon, F:, T:Next time it will
be Trial of faith for ragefire? I:I_NecroticMageMa
le_Anger

2016-04-10 00:52:00.0783|DEBUG| {ClientConn} |4/10
/2016 12:52:00 AM|Saw chat R[N:general F:], U:whit
emoon, F:, T:Next time it will be Trial of faith f
or ragefire? I:I_NecroticMageMale_Anger

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

AuthenticationSDK.Authenticator|4/10/2016 12:52:04
AM|Issuing ping https://de.hex.gameforge.com/publ
icapi/account/7780/keepalive

2016-04-10 00:52:04.2289|DEBUG|AuthenticationSDK.A
uthenticator|4/10/2016 12:52:04 AM|Issuing ping ht
tps://de.hex.gameforge.com/publicapi/account/7780/
keepalive

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

AuthenticationSDK.Authenticator|4/10/2016 12:52:05
AM|Ping success

2016-04-10 00:52:05.5870|DEBUG|AuthenticationSDK.A
uthenticator|4/10/2016 12:52:05 AM|Ping success

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Reckoning.Game.GameStateManager|4/10/2016 12:52:08
AM|Transitioning to game state LandingPage (CanFi
re)

2016-04-10 00:52:08.5830|INFO|Reckoning.Game.GameS
tateManager|4/10/2016 12:52:08 AM|Transitioning to

game state LandingPage (CanFire)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

GameStateConstants|4/10/2016 12:52:08 AM|Transitioning to game state LandingPage, with level l_landing_us (reload:False - prev:PackOpening)
2016-04-10 00:52:08.5830|INFO|GameStateConstants|4/10/2016 12:52:08 AM|Transitioning to game state LandingPage, with level l_landing_us (reload:False - prev:PackOpening)

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

Unloading 2 Unused Serialized files (Serialized files now loaded: 2)

Unloading 10 unused Assets to reduce memory usage. Loaded Objects now: 30773.

Total: 213.846588 ms (FindLiveObjects: 2.908351 ms CreateObjectMapping: 3.022958 ms MarkObjects: 207.813080 ms DeleteObjects: 0.100922 ms)

Unloading 7 Unused Serialized files (Serialized files now loaded: 2)

UnloadTime: 16.637602 ms

Unloading 669 unused Assets to reduce memory usage. Loaded Objects now: 23095.

Total: 193.227707 ms (FindLiveObjects: 0.928397 ms CreateObjectMapping: 1.385967 ms MarkObjects: 189.219040 ms DeleteObjects: 1.692582 ms)

{ClientConn} |4/10/2016 12:52:09 AM|Asking to join room neophytesquarters
2016-04-10 00:52:09.4206|DEBUG| {ClientConn} |4/10/2016 12:52:09 AM|Asking to join room neophytesquarters

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
{Session} |4/10/2016 12:52:09 AM|Queuing for SEND  
-> {"target":"Session","instance":"chat","reqid":  
18,"ccnt":8,"scnt":557,"time":1460213529,"sid":"tH  
AJFDfbAfFwTBRs","version":"1.0.0.057"}  
2016-04-10 00:52:09.4206|DEBUG| {Session} |4/10/20  
16 12:52:09 AM|Queuing for SEND -> {"target":"Sess  
ion","instance":"chat","reqid":18,"ccnt":8,"scnt":  
557,"time":1460213529,"sid":"tHAJFDfbAfFwTBRs","ve  
rsion":"1.0.0.057"}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
UINeophytesQuarters|4/10/2016 12:52:09 AM|Sending o  
ut session info request  
2016-04-10 00:52:09.4206|INFO|UINeophytesQuarters|  
4/10/2016 12:52:09 AM|Sending out session info req  
uest
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

```
GameStateConstants|4/10/2016 12:52:09 AM|Transitio  
ning to game state PremiumStore, with level l_prem  
ium_store_us (reload:False - prev:l_landing_us)  
2016-04-10 00:52:09.4206|INFO|GameStateConstants|4  
/10/2016 12:52:09 AM|Transitioning to game state P  
remiumStore, with level l_premium_store_us (reload  
:False - prev:l_landing_us)
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Unloading 0 Unused Serialized files (Serialized fil

es now loaded: 2)

UIGameMenu|4/10/2016 12:52:09 AM|Failed to find the Chat Log!

2016-04-10 00:52:09.4421|INFO|UIGameMenu|4/10/2016 12:52:09 AM|Failed to find the Chat Log!

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

UIGameMenu|4/10/2016 12:52:09 AM|Failed to find the Trade dialog!

2016-04-10 00:52:09.4421|INFO|UIGameMenu|4/10/2016 12:52:09 AM|Failed to find the Trade dialog!

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

UIGameMenu|4/10/2016 12:52:09 AM|Failed to find the Mail dialog!

2016-04-10 00:52:09.4421|INFO|UIGameMenu|4/10/2016 12:52:09 AM|Failed to find the Mail dialog!

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Objects that holds a reference to Icons/ : 0
Unloading AssetBundle: Icons/

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.gen.cpp Line: 64)

Unloading 37 unused Assets to reduce memory usage.
Loaded Objects now: 25440.

Total: 202.988495 ms (FindLiveObjects: 1.188400 ms
CreateObjectMapping: 1.828571 ms MarkObjects: 199.850937 ms DeleteObjects: 0.119738 ms)

The referenced script on this Behaviour is missing!

(Filename: Line: 1649)

```
{Session} |4/10/2016 12:52:10 AM|HS: 13 HLEN: 144  
MZ: 253 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":  
"chat","instance":"","issuer":"Session","version":  
"1.0.0.057","conh":0,"ccnt":8,"scnt":558,"time":  
4219613465}
```

```
2016-04-10 00:52:10.0228|DEBUG| {Session} |4/10/20  
16 12:52:10 AM|HS: 13 HLEN: 144 MZ: 253 Enqueing {  
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance  
":"","issuer":"Session","version":"1.0.0.057","con  
h":0,"ccnt":8,"scnt":558,"time":4219613465}
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:52:10 AM|Saw chat join  
R[N:neophytesquarters F:], U:SeriousBsnsGames, F:
```

```
2016-04-10 00:52:10.0247|DEBUG| {ClientConn} |4/10  
/2016 12:52:10 AM|Saw chat join R[N:neophytesquart  
ers F:], U:SeriousBsnsGames, F:
```

(Filename: C:/buildslave/unity/build/artifacts/generated/common/runtime/UnityEngineDebugBindings.generated.cpp Line: 64)

```
{Session} |4/10/2016 12:52:10 AM|Queuing for SEND  
-> {"target":"ServiceEscrow","instance":"249","re  
qid":20,"ccnt":9,"scnt":558,"time":1460213530,"sid  
":"tHAJFDfbAfFwTBRs","version":"1.0.0.057"}
```

```
2016-04-10 00:52:10.4127|DEBUG| {Session} |4/10/20  
16 12:52:10 AM|Queuing for SEND -> {"target":"Serv  
iceEscrow","instance":"249","reqid":20,"ccnt":9,"s  
cnt":558,"time":1460213530,"sid":"tHAJFDfbAfFwTBRs  
","version":"1.0.0.057"}
```

(Filename: C:/buildslave/unity/build/artifacts/gen

erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{Session} |4/10/2016 12:52:10 AM|HS: 13 HLEN: 144  
MZ: 296 Enqueing {"sid":"tHAJFDfbAfFwTBRs","target":  
"chat","instance":"","issuer":"Session","version":  
"1.0.0.057","conh":0,"ccnt":8,"scnt":559,"time":  
4219613867}
```

```
2016-04-10 00:52:10.4156|DEBUG| {Session} |4/10/20  
16 12:52:10 AM|HS: 13 HLEN: 144 MZ: 296 Enqueing {  
"sid":"tHAJFDfbAfFwTBRs","target":"chat","instance  
":"","issuer":"Session","version":"1.0.0.057","con  
h":0,"ccnt":8,"scnt":559,"time":4219613867}
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

```
{ClientConn} |4/10/2016 12:52:10 AM|Saw data R[N:n  
eophytesquarters F:], S:gs, F:, DLEN:51
```

```
2016-04-10 00:52:10.4156|DEBUG| {ClientConn} |4/10  
/2016 12:52:10 AM|Saw data R[N:neophytesquarters F  
:], S:gs, F:, DLEN:51
```

(Filename: C:/buildslave/unity/build/artifacts/gen
erated/common/runtime/UnityEngineDebugBindings.gen
.cpp Line: 64)

Crash!!!

```
SymInit: Symbol-SearchPath: '.;C:\Program Files (x  
86)\HEX;C:\Program Files (x86)\HEX;C:\WINDOWS;C:\W  
INDOWS\system32;SRV*C:\websymbols*http://msdl.micr  
osoft.com/download/symbols;', symOptions: 530, Use  
rName: 'Ben'
```

```
OS-Version: 6.3.9600 () 0x300-0x1
```

```
C:\Program Files (x86)\HEX\Hex.exe:Hex.exe (00A200  
00), size: 16977920 (result: 0), SymType: '-export  
ed-', PDB: 'C:\Program Files (x86)\HEX\Hex.exe', f  
ileVersion: 5.2.3.12579
```

```
C:\WINDOWS\SYSTEM32\ntdll.dll:ntdll.dll (77530000)  
, size: 1499136 (result: 0), SymType: '-exported-'  
, PDB: 'C:\WINDOWS\SYSTEM32\ntdll.dll', fileVersio
```

n: 6.3.9600.17936

C:\WINDOWS\SYSTEM32\KERNEL32.DLL:KERNEL32.DLL (755D0000), size: 1310720 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\KERNEL32.DLL', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\KERNELBASE.dll:KERNELBASE.dll (75AA0000), size: 880640 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\KERNELBASE.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\system32\apphelp.dll:apphelp.dll (731F0000), size: 655360 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\apphelp.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\AppPatch\AcLayers.DLL:AcLayers.DLL (72030000), size: 2584576 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\AppPatch\AcLayers.DLL', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\msvcrt.dll:msvcrt.dll (753A0000), size: 798720 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\msvcrt.dll', fileVersion: 7.0.9600.17415

C:\WINDOWS\SYSTEM32\USER32.dll:USER32.dll (75470000), size: 1388544 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\USER32.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\GDI32.dll:GDI32.dll (75290000), size: 1110016 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\GDI32.dll', fileVersion: 6.3.9600.17902

C:\WINDOWS\SYSTEM32\SHELL32.dll:SHELL32.dll (75D30000), size: 19578880 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\SHELL32.dll', fileVersion: 6.3.9600.17680

C:\WINDOWS\SYSTEM32\SHLWAPI.dll:SHLWAPI.dll (77410000), size: 282624 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\SHLWAPI.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\OLEAUT32.dll:OLEAUT32.dll (75C30000), size: 610304 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\OLEAUT32.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\MPR.dll:MPR.dll (71E60000), si

ze: 90112 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\MPR.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\SETUPAPI.dll:SETUPAPI.dll (75850000), size: 1773568 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\SETUPAPI.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\sfc.dll:sfc.dll (71E50000), size: 12288 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\sfc.dll', fileVersion: 6.3.9600.16384
C:\WINDOWS\SYSTEM32\WINSPOOL.DRV:WINSPOOL.DRV (74C40000), size: 413696 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\WINSPOOL.DRV', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\RPCRT4.dll:RPCRT4.dll (76FE0000), size: 761856 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\RPCRT4.dll', fileVersion: 6.3.9600.17919
C:\WINDOWS\SYSTEM32\combase.dll:combase.dll (75110000), size: 1560576 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\combase.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\CFGMGR32.dll:CFGMGR32.dll (770D0000), size: 245760 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\CFGMGR32.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\SspiCli.dll:SspiCli.dll (74D30000), size: 122880 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\SspiCli.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\sfc_os.DLL:sfc_os.DLL (71E40000), size: 61440 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\sfc_os.DLL', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\CRYPTBASE.dll:CRYPTBASE.dll (74D20000), size: 40960 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\CRYPTBASE.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\sechost.dll:sechost.dll (75B80000), size: 266240 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\sechost.dll', fileV

ersion: 6.3.9600.17734

C:\WINDOWS\SYSTEM32\bcryptPrimitives.dll:bcryptPrimitives.dll (74CC0000), size: 344064 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\bcryptPrimitives.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\system32\IMM32.DLL:IMM32.DLL (770A0000), size: 159744 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\IMM32.DLL', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\MSCTF.dll:MSCTF.dll (75710000), size: 1122304 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\MSCTF.dll', fileVersion: 6.3.9600.17664

C:\WINDOWS\SYSTEM32\nvinit.dll:nvinit.dll (74C10000), size: 167936 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\nvinit.dll', fileVersion: 9.18.13.2683

C:\WINDOWS\SYSTEM32\ADVAPI32.dll:ADVAPI32.dll (74DA0000), size: 507904 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\ADVAPI32.dll', fileVersion: 6.3.9600.17415

C:\Program Files (x86)\NVIDIA Corporation\CoProcManager\detoured.dll:detoured.dll (0F000000), size: 24576 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\NVIDIA Corporation\CoProcManager\detoured.dll'

C:\Program Files (x86)\NVIDIA Corporation\CoProcManager\nvd3d9wrap.dll:nvd3d9wrap.dll (730C0000), size: 339968 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\NVIDIA Corporation\CoProcManager\nvd3d9wrap.dll', fileVersion: 9.18.13.2683

C:\Program Files (x86)\NVIDIA Corporation\CoProcManager\nvdxgiwrap.dll:nvdxgiwrap.dll (73080000), size: 241664 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\NVIDIA Corporation\CoProcManager\nvdxgiwrap.dll', fileVersion: 9.18.13.2683

C:\WINDOWS\SYSTEM32\HID.DLL:HID.DLL (58F20000), size: 40960 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\HID.DLL', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\WS2_32.dll:WS2_32.dll (75BD0000), size: 327680 (result: 0), SymType: '-exported-

, PDB: 'C:\WINDOWS\SYSTEM32\WS2_32.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\VERSION.dll:VERSION.dll (74CB0000), size: 32768 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\VERSION.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\ole32.dll:ole32.dll (74F50000), size: 1216512 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\ole32.dll', fileVersion: 6.3.9600.17905
C:\WINDOWS\SYSTEM32\OPENGL32.dll:OPENGL32.dll (5EC00000), size: 909312 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\OPENGL32.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\WINMM.dll:WINMM.dll (734D0000), size: 143360 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\WINMM.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\MSACM32.dll:MSACM32.dll (69D00000), size: 94208 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\MSACM32.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\DNSAPI.dll:DNSAPI.dll (743A0000), size: 516096 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\DNSAPI.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\IPHLPAPI.DLL:IPHLPAPI.DLL (74380000), size: 131072 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\IPHLPAPI.DLL', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\WINHTTP.dll:WINHTTP.dll (74420000), size: 651264 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\WINHTTP.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\NSI.dll:NSI.dll (74E40000), size: 28672 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\NSI.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\GLU32.dll:GLU32.dll (5E350000), size: 151552 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\GLU32.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\DDRAW.dll:DDRAW.dll (5E260000)
, size: 966656 (result: 0), SymType: '-exported-'
PDB: 'C:\WINDOWS\SYSTEM32\DDRAW.dll', fileVersion
: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\WINMMBASE.dll:WINMMBASE.dll (7
34A0000), size: 143360 (result: 0), SymType: '-exp
orted-', PDB: 'C:\WINDOWS\SYSTEM32\WINMMBASE.dll',
fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\WINNSI.DLL:WINNSI.DLL (7407000
0), size: 32768 (result: 0), SymType: '-exported-'
, PDB: 'C:\WINDOWS\SYSTEM32\WINNSI.DLL', fileVersi
on: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\DCIMAN32.dll:DCIMAN32.dll (715
40000), size: 28672 (result: 0), SymType: '-export
ed-', PDB: 'C:\WINDOWS\SYSTEM32\DCIMAN32.dll', fil
eVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\DEVOBJ.dll:DEVOBJ.dll (74BE000
0), size: 135168 (result: 0), SymType: '-exported-'
, PDB: 'C:\WINDOWS\SYSTEM32\DEVOBJ.dll', fileVers
ion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\shcore.dll:shcore.dll (73FA000
0), size: 569344 (result: 0), SymType: '-exported-'
, PDB: 'C:\WINDOWS\SYSTEM32\shcore.dll', fileVers
ion: 6.3.9600.17415

C:\Program Files (x86)\HEX\Hex_Data\Mono\mono.dll:
mono.dll (10000000), size: 2293760 (result: 0), Sy
mType: '-exported-', PDB: 'C:\Program Files (x86)\
HEX\Hex_Data\Mono\mono.dll', fileVersion: 1.0.0.1

C:\WINDOWS\SYSTEM32\PSAPI.DLL:PSAPI.DLL (74D90000)
, size: 24576 (result: 0), SymType: '-exported-'
PDB: 'C:\WINDOWS\SYSTEM32\PSAPI.DLL', fileVersion:
6.3.9600.17415

{Session} |4/10/2016 12:52:10 AM|HS: 13 HLEN: 193
MZ: 6445 Enqueueing {"sid":"tHAJFDfbAfFwTBRs","targ
et":"client","instance":"","issuer":"1|0|0|057.Ser
vicePlayer.3271156.ServiceEscrow.25849.21","versio
n":"1.0.0.057","conh":0,"ccnt":9,"scnt":560,"time"
:4219614267}

2016-04-10 00:52:10.8201|DEBUG| {Session} |4/10/20
16 12:52:10 AM|HS: 13 HLEN: 193 MZ: 6445 Enqueueing
{ "sid":"tHAJFDfbAfFwTBRs", "target":"client", "insta
nce":"","issuer":"1|0|0|057.ServicePlayer.3271156.

```
ServiceEscrow.25849.21", "version": "1.0.0.057", "con  
h": 0, "ccnt": 9, "scnt": 560, "time": 4219614267}
```

```
(Filename: C:/buildslave/unity/build/artifacts/gen  
erated/common/runtime/UnityEngineDebugBindings.gen  
.cpp Line: 64)
```

```
C:\WINDOWS\SYSTEM32\MSWSOCK.dll:MSWSOCK.dll (733A0  
000), size: 307200 (result: 0), SymType: '-exporte  
d-', PDB: 'C:\WINDOWS\SYSTEM32\MSWSOCK.dll', fileV  
ersion: 6.3.9600.17415
```

```
C:\WINDOWS\SYSTEM32\kernel.appcore.dll:kernel.appc  
ore.dll (73500000), size: 36864 (result: 0), SymTy  
pe: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\kernel  
.appcore.dll', fileVersion: 6.3.9600.17415
```

```
C:\WINDOWS\system32\uxtheme.dll:uxtheme.dll (71270  
000), size: 970752 (result: 0), SymType: '-exporte  
d-', PDB: 'C:\WINDOWS\system32\uxtheme.dll', fileV  
ersion: 6.3.9600.17415
```

```
C:\Program Files (x86)\Razer\Razer Cortex\K_FPS.dl  
l:K_FPS.dll (59600000), size: 27525120 (result: 0)  
, SymType: '-exported-', PDB: 'C:\Program Files (x  
86)\Razer\Razer Cortex\K_FPS.dll', fileVersion: 3.  
0.0.61
```

```
C:\WINDOWS\SYSTEM32\dbghelp.dll:dbghelp.dll (594B0  
000), size: 1314816 (result: 0), SymType: '-export  
ed-', PDB: 'C:\WINDOWS\SYSTEM32\dbghelp.dll', file  
Version: 6.3.9600.17415
```

```
C:\Program Files (x86)\Razer\Razer Cortex\d3dx9_43  
.dll:d3dx9_43.dll (592B0000), size: 2093056 (resul  
t: 0), SymType: '-exported-', PDB: 'C:\Program Fil  
es (x86)\Razer\Razer Cortex\d3dx9_43.dll', fileVer  
sion: 9.29.952.3111
```

```
C:\Program Files (x86)\Razer\Razer Cortex\d3dx10_4  
3.dll:d3dx10_43.dll (59230000), size: 475136 (resu  
lt: 0), SymType: '-exported-', PDB: 'C:\Program Fi  
les (x86)\Razer\Razer Cortex\d3dx10_43.dll', fileV  
ersion: 9.29.952.3111
```

```
C:\Program Files (x86)\Razer\Razer Cortex\d3dx11_4  
3.dll:d3dx11_43.dll (591F0000), size: 258048 (resu  
lt: 0), SymType: '-exported-', PDB: 'C:\Program Fi  
les (x86)\Razer\Razer Cortex\d3dx11_43.dll', fileV
```

ersion: 9.29.952.3111

C:\Program Files (x86)\Razer\Razer Cortex\D3DX8Wrapper.dll:D3DX8Wrapper.dll (591A0000), size: 290816 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\Razer\Razer Cortex\D3DX8Wrapper.dll', fileVersion: 3.0.0.0

C:\Program Files (x86)\Razer\Razer Cortex\D3DCOMPILER_43.dll:D3DCOMPILER_43.dll (58F90000), size: 2125824 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\Razer\Razer Cortex\D3DCOMPILER_43.dll', fileVersion: 9.29.952.3111

C:\WINDOWS\WinSxS\x86_microsoft.windows.gdiplus_6595b64144ccf1df_1.1.9600.17415_none_dad8722c5bcc2d8f\gdiplus.dll:gdiplus.dll (72D00000), size: 1507328 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\WinSxS\x86_microsoft.windows.gdiplus_6595b64144ccf1df_1.1.9600.17415_none_dad8722c5bcc2d8f\gdiplus.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\COMDLG32.dll:COMDLG32.dll (74EB0000), size: 634880 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\COMDLG32.dll', fileVersion: 6.3.9600.17415

C:\Program Files (x86)\Razer\Razer Cortex\EasyHook32.dll:EasyHook32.dll (58EC0000), size: 245760 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\Razer\Razer Cortex\EasyHook32.dll', fileVersion: 2.7.5159.0

C:\WINDOWS\SYSTEM32\DSOUND.dll:DSOUND.dll (726E0000), size: 528384 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\DSOUND.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\WinSxS\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.9600.17810_none_a9edf09f013934e0\COMCTL32.dll:COMCTL32.dll (71730000), size: 2121728 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\WinSxS\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.9600.17810_none_a9edf09f013934e0\COMCTL32.dll', fileVersion: 6.10.9600.17810

C:\WINDOWS\SYSTEM32\POWERPROF.dll:POWERPROF.dll (70540000), size: 262144 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\POWERPROF.dll', fi

leVersion: 6.3.9600.17415
C:\WINDOWS\system32\dwmapi.dll:dwmapi.dll (72CA0000), size: 106496 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\dwmapi.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\d3d11.dll:d3d11.dll (586B0000), size: 1937408 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\d3d11.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\dxgi.dll:dxgi.dll (6C6C0000), size: 430080 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\dxgi.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\WINTRUST.dll:WINTRUST.dll (74D50000), size: 249856 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\WINTRUST.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\CRYPT32.dll:CRYPT32.dll (77280000), size: 1605632 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\CRYPT32.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\MSASN1.dll:MSASN1.dll (75840000), size: 57344 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\MSASN1.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\nvumdshim.dll:nvumdshim.dll (50D70000), size: 1249280 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\nvumdshim.dll', fileVersion: 9.18.13.2683
C:\WINDOWS\system32\nvwgf2um.dll:nvwgf2um.dll (06F20000), size: 13594624 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\nvwgf2um.dll', fileVersion: 9.18.13.2683
C:\WINDOWS\system32\igd10iumd32.dll:igd10iumd32.dll (65930000), size: 13209600 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\igd10iumd32.dll', fileVersion: 10.18.10.3308
C:\WINDOWS\SYSTEM32\bccrypt.dll:bccrypt.dll (73C60000), size: 122880 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\bccrypt.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\ncrypt.dll:ncrypt.dll (6F840000)

0), size: 126976 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\ncrypt.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\NTASN1.dll:NTASN1.dll (6F810000), size: 167936 (result: 0), SymType: '-nosymbols-', PDB: 'C:\WINDOWS\SYSTEM32\NTASN1.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\igdusc32.dll:igdusc32.dll (624D0000), size: 3543040 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\igdusc32.dll', fileVersion: 8.15.10.9141
C:\WINDOWS\SYSTEM32\mscms.dll:mscms.dll (72620000), size: 520192 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\mscms.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\USERENV.dll:USERENV.dll (74080000), size: 110592 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\USERENV.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\profapi.dll:profapi.dll (74030000), size: 61440 (result: 0), SymType: '-nosymbols-', PDB: 'C:\WINDOWS\SYSTEM32\profapi.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\icm32.dll:icm32.dll (55A80000), size: 241664 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\icm32.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\MMDevAPI.DLL:MMDevAPI.DLL (68360000), size: 339968 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\MMDevAPI.DLL', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\wdmaud.drv:wdmaud.drv (68320000), size: 221184 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\wdmaud.drv', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\ksuser.dll:ksuser.dll (6F7C0000), size: 28672 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\ksuser.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\SYSTEM32\AVRT.dll:AVRT.dll (6BF90000), size: 40960 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\AVRT.dll', fileVersion: 6.

3.9600.17415

C:\WINDOWS\SYSTEM32\AUDIOSES.DLL:AUDIOSES.DLL (682C0000), size: 393216 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\AUDIOSES.DLL', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\msacm32.drv:msacm32.drv (69D20000), size: 36864 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\msacm32.drv', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\midimap.dll:midimap.dll (682B0000), size: 32768 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\midimap.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\clbcatq.dll:clbcatq.dll (75A10000), size: 577536 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\clbcatq.dll', fileVersion: 2001.12.10530.17415

C:\WINDOWS\SYSTEM32\xinput1_3.dll:xinput1_3.dll (00400000), size: 90112 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\xinput1_3.dll', fileVersion: 9.18.944.0

C:\WINDOWS\SYSTEM32\CRYPTSP.dll:CRYPTSP.dll (73CB0000), size: 102400 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\CRYPTSP.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\system32\rsaenh.dll:rsaenh.dll (73C80000), size: 196608 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\rsaenh.dll', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\dhcpcsvc6.DLL:dhcpcsvc6.DLL (73470000), size: 77824 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\dhcpcsvc6.DLL', fileVersion: 6.3.9600.17415

C:\WINDOWS\SYSTEM32\dhcpcsvc.DLL:dhcpcsvc.DLL (73450000), size: 81920 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\SYSTEM32\dhcpcsvc.DLL', fileVersion: 6.3.9600.17415

C:\Program Files (x86)\HEX\Hex_Data\Plugins\CSteamworks.dll:CSteamworks.dll (70110000), size: 151552 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\HEX\Hex_Data\Plugins\CSteamworks.dll', fileVersion: 1.26.0.0

C:\Program Files (x86)\HEX\steam_api.dll:steam_api.dll (700D0000), size: 229376 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\HEX\steam_api.dll', fileVersion: 3.27.76.74
C:\Windows\System32\rasadhlp.dll:rasadhlp.dll (73190000), size: 32768 (result: 0), SymType: '-exported-', PDB: 'C:\Windows\System32\rasadhlp.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\System32\fwpuclnt.dll:fwpuclnt.dll (731A0000), size: 286720 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\System32\fwpuclnt.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\system32\napinsp.dll:napinsp.dll (73430000), size: 69632 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\napinsp.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\system32\pnrpnspl.dll:pnrpnspl.dll (73410000), size: 90112 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\pnrpnspl.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\system32\NLAapi.dll:NLAapi.dll (733F0000), size: 81920 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\NLAapi.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\System32\winrnr.dll:winrnr.dll (73390000), size: 40960 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\System32\winrnr.dll', fileVersion: 6.3.9600.17415
C:\WINDOWS\system32\wshbth.dll:wshbth.dll (73380000), size: 65536 (result: 0), SymType: '-exported-', PDB: 'C:\WINDOWS\system32\wshbth.dll', fileVersion: 6.3.9600.17415
C:\Program Files (x86)\HEX\Hex_Data\Plugins\UWKPlugin.dll:UWKPlugin.dll (27280000), size: 892928 (result: 0), SymType: '-exported-', PDB: 'C:\Program Files (x86)\HEX\Hex_Data\Plugins\UWKPlugin.dll'

===== OUTPUTING STACK TRACE =====