

UA6JD Russia

Vlad Lambrianov
P.O. Box 23
Vladikavkaz 362040
Russia



[+] Mailing label

Lookups: 53899

Moderator

Email: Use mouse to view..

QSL: K0KG & LOTW

Biography Detail Notes Logbook 1441 Web 218

STORY ABOUT ME AND MY BROTHER HARRY , UA6JW

My brother Igor was born in 1951 - all relatives called him Harrik and later when he began to work on air all knew him under a name of Harry

Our daddy Anton (UA6JD) in middle of the sixties has got acquainted Valentin Posykin (UA6JW) involved all over again him, and then they contain also us in this fine hobby.

I remember those fine years in second half of sixties when we with the brother stayed in the whole days and at night in the big army receiver KBM listening to mysterious as it

In 1967 the brother has received his first license on 10 meters M was not understood value of things we collected properly and country Harry UA6JW has been as an opportunity that at an

We have not found Don Miller - but Harry had the luck to QSOs with Gus Browning's the African activity in summer 1970 - at me still then there was no license and I only with pleasure listened such

in the image have the end of 70 years the (HAMS) and Vlad Kaploun their place - frequently



BELLS & WHISTLES



WELCOME TO WEB DESIGN ON WWW.QRZ.COM PAGES

You like the type of this page? if you want me to have worked with your page,

You can do it by yourself using my book about web design personal page on QRZ.

For download FREE just click to the button below

[Download](#)



The globe show visitors to the pages of stations from sample list - not to this page.

Last Visitors	
Last visit time:	
CA 1 hour	IT 22 hours
IT 2 hours	US 23 hours
GB 2 hours	GB 1 day
AR 4 hours	IT 1 day
IT 7 hours	US 1 day
KR 10 hours	US 1 day
US 10 hours	US 1 day
US 11 hours	US 1 day
US 11 hours	US 1 day
PL N	AG

Live Traffic Feed

- Nelson, Canada arrived 1 hour 31 mins ago.
- Santhia, Piedmont, Italy arrived 2 hours 43 mins ago.
- London, City of London, United Kingdom arrived 2 hours 45 mins ago.

on QRZ

This book is devoted to the memory
of my brother Harry UA6JW

BELLS & WHISTLES

on QRZ

PRACTICAL GUIDE FOR WEB DESIGN ON WWW.QRZ.COM

Vlad Lambrianov UA6JD

2012

3nd edition

Contents

INTRODUCTION	3
IMPORTANT NOTE	4
HOW TO ADD PICTURES TO YOUR QRZ LISTING	7
CKEditor 3.5	12
HOW TO INSERT THE HTML CODE	13
CSS STYLE	14
BACKGROUND PROPERTIES	16
TEXT	26
BORDER	41
CURSOR	45
LINK	45
DESIGN YOUR OWN GRAPHIC/IMAGE	47
SKYPE BUTTON	51
EMBED	54
HTML TABLES	59
HTML DIV	64
BASIC HTML SCROLL BOX	69
FLAG COUNTER	76
ONLINE VISITORS TRACKER	81
WORLD MAP VISITORS COUNTER	85
WEB HIT COUNTER	90
SOLAR TERRESTRIAL DATA	91
WEATHER GRAPHICS	105
GUESTBOOK	120
TIME	122
SCROLLER TEXT	129
COUNTDOWN	130
DX CLUSTER	131
CHAT BOX	138
APPENDIX A. COLORS NAME	139
APPENDIX B. HTML TAGs & CHARACTER ENTITIES	142
APPENDIX C. DESIGN CALLSIGN BANNER	145

Feel like a broke-down engine, mama,
ain't got no whistles or bells.

— **Blind Willie McTell, "Broke Down Engine Blues No. 2", NYC, 1933**

At the beginning of industrial era of a train, automobiles and other mechanical carriages should be equipped with a bell and whistles - to scare away horses and passerby. These elements were completely superfluous, but were required under the law. From here also there was an English phrase "*with Bells and Whistles*" refers to non-essential features, visual or functional, that are an enhancement to the object.

INTRODUCTION

In this book ways and means of personalizing your own pages in www.qrz.com. Really the site is created as a world callsigns database - therefore all additional changes described in this book are not obligatory additions to your data. Hence the name of the book is "*BELLS AND WHISTLES...*"

After I had written the first edition I received many e-mails with questions concerning installation. Therefore I decided to describe in more detail those questions. I tried to make this book accessible to all user levels, by giving different variants of codes and examples. I have included lot of samples so you can play around and help you choose what is best for you and then you must design your unique HTML or CSS code. Here are copy/paste examples, feel free to use the code on this page for your own QRZ page. You can also change the values to suit.

If you have any problems with installation any widgets or work with CSS & HTML please just e-mail me or let me know about the problems in <http://forums.qrz.com/forumdisplay.php?19-Community-Help-Center>.

Information about the scripts and widgets taken from different web sites - all examples of their use on QRZ developed and tested by me.


I will appreciate any information on the mistakes found on the pages of the book.

73, Vlad UA6JD

IMPORTANT NOTE

Your page may look different if you use a different browser to view and monitor of various types.

When I was going to write about the popularity of browsers, I asked for help from a poll conducted by wikipedia.




**Browser Usage on Wikimedia
October 2011**

For confirm that data I am installing browsers counter (more read in the page 81) and install it at the HK0NA and OJ0X QRZ pages.

The result for the over 100K unique visitors shown in table below

Browser	HK0NA	OJ0X
IE	85.1%	86,5%
- IE 7.0	35.6%	37,8%
- IE 8.0	29.8%	29.6%
- IE 9.0	15.3%	14.5%
- IE 6.0<	4.3%	4.6%
Firefox	4.9%	4.8%
Safari	3.7%	3.3%
Opera	3.5%	3.3%
Android	0.9%	0.7%
Chrome	0.5%	0.6%
Other -	1.4%	0.8%



Browsers counter still on HK0NA QRZ page (in the bottom of scrolling box with visitors). More data on <http://bebj.com/stat/1326559415/>

Internet Explorer, one of the most widely used web browsers on QRZ, but there are many more bugs, issues, and inconsistencies that can arise in Internet Explorer, but these are probably the most common and most important ones to keep in mind when trying to create a cross-browser experience.

If you're going to start with IE in your development, or at the very least check your layout in IE early on, then you should understand what things Internet Explorer (usually versions 6 & 7) has problems with, or what its limitations are.

For example, text-shadow property is not support in IE7 version, so about 35 percent of users will not see shadows in your design. The <marquee> tag does not appear to work in the release versions of IE 8, etc.

More about reference off all the new CSS3 properties and their browser support check in

http://www.w3schools.com/cssref/css3_browsersupport.asp

Very often I have seen that after my design, page's owner modify the size of tables, images and so on. Perhaps that makes them more suitable for viewing on **his** monitor. Bind to the size of the main elements of a fixed width is a wrong step, not taking into account that about 20% of users are still using 1024pix monitor. So far all the blogs and social networks use a 1024pix width of the base layer. A few months ago at QRZ also tried to introduce such system, but because of the sheer number of protesters posts on the forum all returned to the old standard.


Another QRZ feature - subscribers have the option to turn off viewing the ad block on QRZ page and there pages not had ads placed in the left column and their QRZ page is wider than 120 pix.

Why I pay attention to such statistics?

Be sure to check your page using different browsers and types of monitors. If you have no such possibility - ask your friends that they did it.

One last recommendation - always makes a backup of your CSS / HTML code and keeps it as a text file. This will allow you to easily return to a working version of your page.

You can always ask for help - click on the marked line below on the top bar of your page and describe your problem; the QRZ Staff always will come to your aid.



If you use HTML/CSS from other QRZ page do not forget about copyright and please get permission to use the code page from the owner! Never use counters from another pages – generate your own HTML code.

QRZ does not allow invisible text that is made by using CSS to make the text the same or close to the background color. Whatever text colors and/or size/font is chosen, the text must remain clearly legible.

In the personal QRZ pages are prohibited using the device automatically playing different sounds when a viewer visits your page. There should be a switch to play a sound - otherwise the device will be deleted from your QRZ page.

JAVASCRIPT

Additionally, no javascript or <script> tags may be embedded in your content.

HOW TO ADD PICTURES TO YOUR QRZ LISTING

A Step-by-Step Guide

Uploading your Pictures

- To begin, make sure you're logged in, then, pull up your callsign and hovered on the **Edit** button , choose & click **Edit <yourcallsign>**











- Next, Choose **Add or edit your pictures, and QSL images**

Callsign Update Manager

Security: [Plain text](#) [Use Encrypted](#)

Please choose an action for the callsign: **XX2XXX**

-  Update the basic **callsign data** (name, address, email, etc.)
-  Add or edit your **biography** text, fonts, etc.
-  Add or edit your **pictures** and QSL images
-  Map, Grid Square, and **coordinate** settings
-  Set **expert** options including background colors, CSS styles, etc.
-  **Help!** How do I...?
-  Frequently asked questions - **FAQ**
-  **Done.** Return to the **XX2XXX** listing...

Choose this icon

- Then, upload all the images that you want to appear in your listing.

Image collection for XX2XXX

Image	Description	Favorite	Set
	Name: 170px-Samuel_Morse.jpg Size: 8053 bytes (7.86 kb) 170 x 227 Date: Fri Jan 28 10:56:36 2011 Type: JPEG		<input type="button" value="Set"/>
	Name: jwYAGI.jpg Size: 41361 bytes (40.39 kb) 799 x 522 Date: Mon Jan 24 17:09:23 2011 Type: JPEG		<input type="button" value="Set"/>
	Name: ncdxf240(1).gif Size: 7639 bytes (7.46 kb) 241 x 240 Date: Tue Jan 25 08:41:01 2011 Type: GIF		<input type="button" value="Set"/>
None	Select NO IMAGE for the top picture		<input type="button" value="Set"/>

Add image:









Click "Set" to choose picture displayed at the top of your callsign page

←
Click "Done" when finish


Placing the Uploaded Pictures

- After you've uploaded your images, go back to the main Edit Record menu and choose **Add or edit your biography text...**


Please choose an action for the callsign: **XX2XXX**

-  Update the basic **callsign data** (name, address, email, etc.)
-  Add or edit your **biography** text, fonts, etc.
Choose this icon
-  Add or edit your **pictures** and QSL images
-  Map, Grid Square, and **coordinate** settings
-  Set **expert** options including background colors, CSS styles, etc.
-  **Help!** How do I....?
-  Frequently asked questions - **FAQ**
-  **Done.** Return to the **XX2XXX** listing...

- Position the cursor at the place in your bio where you want the new image(s) to be inserted.
- Then, while editing your bio, click the picture icon as shown below:



- If you want add picture which you just upload click to “Browse Server” icon



- **Double**-click on the image that you want inserted into your bio

This is the DEMO version of CKFinder. Please visit the [CKFinder web site](#) to obtain a valid license.



170px-Samuel_Morse.jpg
28.01.2011 17:56
8 KB

jwYAGI.jpg
24.01.2011 17:09
40 KB

ncdx1240(1).gif
25.01.2011 8:41
7 KB

Double-click on the image you just uploaded to insert into you bio

Choose border, vertical (VSpace) and horizontal (HSpace) volume between text and your image, image align (left, right) – then click “OK” when finish. Alternative text will show if image is not displayed.

Image Properties

Image Info Link Upload Advanced

URL

Alternative Text

Width

Height

Border

HSpace

VSpace

Align

Preview



OK Cancel

Click "OK" when finish

- Using the mouse, grab one of the small white handles to stretch your picture to the desired size.
- Finish editing your text, add more pictures, etc., then click on **Save** when you're done.

XX2XXX Biography

Medals worn (from wearer's right to left, top row: [Nichan Iftikhar](#) (Ottoman); [Order of the Tower and Sword](#) (Portugal); [Order of the Dannebrog](#) (Denmark); [Gold Medal of Art and Science](#) (Württemberg); Gold Medal of Science (Austria); [Order of Saints Maurice and Lazarus](#) (Italy). Bottom row: [Order of Isabella the Catholic](#) (Spain).

SIMUEL MORSE

Click and pull the corner to adjust size

Click on "Save" to finish

Save Cancel

- Start bragging about your new callsign page.



Search Site Menu Forums UASJD Logbook 48 Manage 12:03:02 UTC 28 Jan 2011 Log Out

afghanistan

XX2XXX

Test Callsign
NO ANY ACTIVITY ON AIR
TESTING WEB,
Netherland Antillies

Lookups: 66

Biography Detail Logbook Log a NEW contact with XX2XXX...



Medals worn (from wearer's right to left, top row: [Nichan Iftikhar](#) (Ottoman); [Order of the Tower and Sword](#) (Portugal); [Order of the Dannebrog](#) (Denmark); [Gold Medal of Art and Science](#) (Württemberg); Gold Medal of Science (Austria); [Order of Saints Maurice and Lazarus](#) (Italy). Bottom row: [Order of Isabella the Catholic](#) (Spain).

SIMUEL MORSE

Image Sizes: If your uploaded image is greater than 800 pixels in either width or height, the system will automatically downsize it so that it fits inside an 800x800 box. Similarly, if the uploaded image uses more than 200 kilobytes on our disk then we'll resample the image to produce a smaller file. Our resampling engine (ImageMagick) converts the file to JPG format with a 75% Quality setting.

Image Names: Our server cannot accept just any file name, so we will rename your file if needed while trying to preserve the meaningful parts. In a nutshell, we accept the characters A-Z, 0-9, underscore, parenthesis, hyphens, and period. Don't worry too much about this, since we'll show you the new name in the listing.

Image Types: You can upload and use a variety of image types, with GIF, JPG, TIF, BMP, and PNG being the most popular. Don't blame us if your image type doesn't work however. We can't guarantee them all. Some image types (such as BMP) will be automatically converted to JPG after they are uploaded.

Copyrighted Material: We shouldn't have to say this but a lot of people fail to realize that most photos of celebrities, brand names, logos, etc., are copyrighted and may not be used here. Get a digital camera and take your own pictures.

Image file destination format

In CSS window: `http://files.qrz.com/[last letter of ur call]/[ur call]/[file name]`

example: `http://files.qrz.com/d/ua6jd/UA6JD.jpg`

In HTML window: `/hampages/[ur call]/[file name]`

example: `/hampages/ ua6jd/UA6JD.jpg`

CKEditor 3.5

CKEditor is used in the QRZ page for editing your bio and provides a clean and simple user interface. If you are familiar with desktop word processors like Microsoft Word or OpenOffice.org Writer, you will quickly see that using an online text editor is just as easy and intuitive.

More about CKEditor read in User's Guide - http://docs.cksource.com/CKEditor_3.x/Users_Guide

HOW TO INSERT the HTML CODE



2. • Update the basic **callsign data** (name, address, email, etc.)
- Add or edit your **biography** text, fonts, etc.
- Add or edit your **pictures** and QSL images
- Map, Grid Square, and **coordinate** settings



Click to “Source” and insert your HTML code




If you have trouble with step#1 (button Edit) you can use direct link to edit your page: <http://www.qrz.com/ed/{you callsign}>

or MouseOver your callsign in top-right corner of blue bar and choose Edit<yourcallsign>.

Don't forget do a backup copy of your HTML code and keep it as text file each time when you planning do a minor change in the code. In this case you can back to workable version of your page very fast.

CSS STYLE

-  Set **expert** options including background colors, CSS styles, etc.

CSS (Cascading Style Sheets) is designed primarily to enable the separation of document content (written in HTML or a similar markup language) from document presentation, including elements such as the layout, colors, and fonts.









The CSS specifications are maintained by the *World Wide Web Consortium* (W3C).

Let's consider on practical examples the basic teams which can to you it is required to give to your page bright individuality.

Before testing with CSS style please do a copy of your present CSS and save it as text file – if you will have a trouble with your experiments you can back to previously version in any time (anyway on the next page is your Custom stylesheet).

Callsign Update Manager

Please choose an action for the callsign: **XX2XXX**


-  Update the basic **callsign data** (name, address, email, etc.)
-  Add or edit your **biography** text, fonts, etc.
-  Add or edit your **pictures** and QSL images
-  Map, Grid Square, and **coordinate** settings
-  Set **expert** options including background colors, CSS styles, etc.
-  **Note Board / Friends** options, manage friends list
-  **Help!** How do I...?
-  Frequently asked questions - **FAQ**

The prima

#csbody - This selector underlies the entire area of callsign listing including the callsign data and the biography area. (red)

#calldata - This is the upper portion of the #csbody area, where the callsign information is displayed (blue)

#biodata - This is the lower portion of the #csbody area, where the biography information is displayed (green)



If you destroyed/damage your CSS code during your experiments don't worry: here was your **Custom stylesheet**

```
#csbody {  
color: black;  
}  
  
#calldata {  
color: black;  
}  
  
#biodata {  
color: black;  
}
```



Just copy red text and insert it to your CSS stylesheet box.

BACKGROUND PROPERTIES

Background properties affect how the background of an element appears. Unlike with standard HTML, with CSS any element can have a background image or color.

The background properties are :

background-color

background-image

background-attachment

background-repeat

background-position

background-size

Background-Color


Background-color specifies the color of the background of an element. Any element can be given a background color with CSS. Background-color is specified as either a color value, or as transparent. For more on color values, see Appendix A.

A background-color of transparent ensures that whatever is behind an element is visible, rather than obscured by the background of the element. This is particularly useful with positioned elements, which might overlap two or more elements. If no background-color is specified, then the element has a transparent background. It is recommended that if you set a background-color for an element, you should also set its color. This ensures that there will not be an illegible clash between a text colors set by user preferences against a background color set in your style sheet.

```
#csbody {
    color: black;
}

#calldata {
    color: Indigo;
    background-color: khaki;
}

#biodata {
    color: rgb(0,0,0);
    background-color: #C0C0C0;
}
```



It is recommended that if you set a background-color for an element, you should also set its color. This ensures that there will not be an illegible clash between a text colors set by user preferences against a background color set in your style sheet.

CSS colors are defined using a hexadecimal (hex) notation for the combination of Red, Green, and Blue color values (RGB). The lowest value that can be given to one of the light sources is 0 (hex 000). The highest value is 255 (hex FFF).

```
background-color :#FF0000;
```

```
background-color rgb(255,0,0);
```

```
background-color:red;
```



Background-Image

Please note that using the background-image property you are making it impossible to print labels, as click the [+] Mailing Label on your page, you are left with a picture background.


Background images can repeat vertically, horizontally, both (the traditional tiling effect of background images in the <body> of HTML pages) or not at all (enabling easy "watermark" effects.) The way the background changes when you scroll a page can also be determined with CSS. A background image can either scroll while the page scrolls (traditional HTML appearance) or remain fixed while the text scrolls. In short, CSS goes far beyond the background attributes of HTML.

You can specify the repeating nature and the actual position of the background image using the background-repeat and background-attachment properties.

The background-repeat property has the following format:

```
background-repeat: repeat | repeat-x | repeat-y | no-repeat;
```

If you using repeat property your background-image you must use seamless texture. A seamless texture is an image that has edges that blend into each other when the image is repeated. Years ago, seamless textures were used primarily for desktop wallpaper and web page backgrounds. Today, high resolution textures are used for a variety of design applications including Photoshop fills etc. Also you can download it from Internet – just does a Google search as *seamless textures download*.




In the left example of seamless Gaseous Volcanic texture, which can use as background in qrzcom page



Fire text effect – page#29/30



EM25UC  [EM25UC](#) [Other EM25UC...](#) *He remember this day*

Serge Kyrlyenko
Special Radio Station
Chornobyl 25 Year's ago
Ukraine


[+] Mailing label

Lookups: 4015
 Email: Use mouse to view.. **QSL: UR7UC**

[Biography](#) [Detail](#) [Logbook](#) [Log a NEW contact with EM25UC...](#)

Club Log search engine < iframe> embed code page#57

Slide show embed code page#54



Log to search: EM25UC



2342 QSOs logged up to 20/Jun/2011 17:11Z


Callsign to check:

Show contacts

Log search provided by [Club Log](#)

```
#biodata { color:#ffffff;
background-image: url(http://files.qrz.com/c/em25uc/ur7uc_bg.jpg);
background-repeat:repeat;
background-color: #ffc;}
```


You can using part of pad-note line  and repeat it in csbody area and ring image  and repeat it horizontally in the top of the page .



```
#csbody {color: black;
background-image: url(http://files.qrz.com/c/sv5pfc/hor.jpg);
background-repeat:repeat; background-color:#F0E68C;}

#calldata {
background-image: url(http://files.qrz.com/c/sv5pfc/note.jpg);
background-position: left top; background-repeat:repeat-x;
padding-top:51px; line-height: 26px;
color: #006600;font-size: 18px;font-style:italic;letter-spacing: 3px;}
```

Using two other images -  and  as sample below:



```

#csbody {
    color: black;
background-image: url(http://files.qrz.com/a/ua0a/2_2.jpg);
background-repeat: repeat-y;
background-color:#fcfcfc;
padding-left:75px;
}
#calldata {
background-image:url(http://files.qrz.com/a/ua0a/2_1.jpg);
background-repeat:repeat;
padding-top: 15px;
color:#90f;
font-size:20px;
font-style:italic;
line-height:29px;
letter-spacing: 2px;
}

#biodata {
color: black;
background-image:url(http://files.qrz.com/a/ua0a/2_1.jpg);
background-repeat:repeat;
background-color:#fcfcfc;
font-size:20px;
color:#9900ff;
line-height:30px;letter-spacing: 1px;
}

```

With property {background-repeat:no-repeat;} _background image display a only one time. If not indicate background-position property the element fix in left top part of page.

The value for background-position is:

Value: [[<percentage> | <length> | left | center | right] [<percentage> | <length> | top | center | bottom]?] | [[left | center | right] || [top | center | bottom]]

If a background image has been specified, this property specifies its initial position. If only one value is specified, the second value is assumed to be 'center'. If at least one value is not a keyword, then the first value represents the horizontal position and the second represents the vertical position. Negative <percentage> and <length> values are allowed.

<percentage>

A percentage X aligns the point X% across (for horizontal) or down (for vertical) the image with the point X% across (for horizontal) or down (for vertical) the element's padding box. For example, with a value pair of '0% 0%', the upper left corner of the image is aligned with the upper left corner of the padding box. A value pair of '100% 100%' places the lower right corner of the image in the lower right corner of the padding box. With a value pair of '14% 84%', the point 14% across and 84% down the image is to be placed at the point 14% across and 84% down the padding box.

<length>

A length L aligns the top left corner of the image a distance L to the right of (for horizontal) or below (for vertical) the top left corner of the element's padding box. For example, with a value pair of '2cm 1cm', the upper left corner of the image is placed 2cm to the right and 1cm below the upper left corner of the padding box.

top

Equivalent to '0%' for the vertical position.

right

Equivalent to '100%' for the horizontal position.

bottom

Equivalent to '100%' for the vertical position.

left

Equivalent to '0%' for the horizontal position.

center

Equivalent to '50%' for the horizontal position if it is not otherwise given, or '50%' for the vertical position if it is.

Please note that background-image fixed in calldata area is priority over background-image fixed in csbody area.

Last example with practical use the background-images property:

The screenshot shows a web browser displaying a profile page on QRZ.COM. The page has a blue header with the QRZ.COM logo and a search bar. Below the header, there is a navigation menu with links for Search, Site Menu, Forums, UA6JD, Logbook, Manage, 07:34:59 UTC 20 Nov 2011, and Log Out. The main content area has a dark blue background. On the left, there is a green Saudi Arabian flag and the call sign 7Z1TT. Below the call sign, the name Hamdi M al qayed, location JEDDAH, Saudi Arabia, and a mailing label are displayed. On the right, there is a photograph of a falcon. At the bottom, there is a logbook link and a button to log a new contact with 7Z1TT.

#csbody {

```
background-color: #053363;
```

```
background-image: url(http://files.qrz.com/t/7z1tt/foot_03_2.png);
```

```
background-position:center top;
```

```
background-repeat:repeat-x;}
```

```
#calldata {
background-image: url(http://files.qrz.com/t/7z1tt/sa_flag1.gif);
background-position:20px 30px; background-repeat:no-repeat;
padding-left:192px; padding-right:30px; padding-top:10px;
color:#ffc; text-shadow: 0 0 1px #000, 0 0 3px #000; font-size: 14px;}
```

IMAGE HOSTING. Unfortunately, if your uploaded image is greater than 800 pixels in either width or height, the system in www.qrz.com will automatically downsize image, so that it fits inside an 800x800 box that insufficiently for a full covering of a full background. You, certainly, can to fill the missing place suitable on color as background-color property - but it will be simple an output from a difficult situation. To not get in this situation I advise a picture with the sizes necessary for you to place in image hosting service (concrete addresses of servers very simply to find with help Google search as *image hosting*).



```
#csbody {background-color:#f8e963;
background-image:
url(http://imagesbase.com/upload/view/bg_1321113125_t5mfriuw9y.jpg);
background-position: center top;background-repeat:no-repeat;}
```

Linear-Gradient

The CSS linear-gradient - function creates an <image> which represents a linear gradient of colors. The result of this function is an object of the CSS <gradient> data type. Like any other gradient, a CSS linear gradient is not a CSS <color> but an image with no intrinsic dimensions; that is, it has no natural or preferred size, nor ratio. Its concrete size will match the one of the element it applies to.

Linear gradients are defined by an axis, the gradient line, with each point on it being of different colors. Perpendicular lines to the gradient-line have one single color, the one of the point on the gradient line.

Syntax :

linear-gradient([[<angle> | to <side-or-corner> ,] ? <color-stop> [, <color-stop>]+)

Where: <color-stop> <color> [<percentage> | <length>]

Sample:

```
#calldata { background-color: #F07575;
```

```
background-image: -webkit-gradient(linear, left top, left bottom, from(hsl(0, 80%, 70%)), to(#BADA55));
```

```
background-image: -webkit-linear-gradient(top, hsl(0, 80%, 70%), #BADA55);
```

```
background-image: -moz-linear-gradient(top, hsl(0, 80%, 70%), #BADA55);
```

```
background-image: -ms-linear-gradient(top, hsl(0, 80%, 70%), #BADA55);
```

```
background-image: -o-linear-gradient(top, hsl(0, 80%, 70%), #BADA55);
```

```
background-image: linear-gradient(to bottom, hsl(0, 80%, 70%), #BADA55); }
```



Appendix C "DESIGN A CALLSIGN BANNER"

Background Sizing

It's important to make sure every image is properly optimized and sized before a site goes live. These extra steps help to keep file sizes low and speeds browser rendering times, but the Web isn't a pixel perfect medium.

As elements can be resized, perfectly sized background images can show their edges. These are times when stretching or filling an element's background image would be most helpful

background-size Syntax:

background-size:[[<length>|<percentage>|auto]{1,2} || round]

- length - A specific size
- percentage - A size relative to the container element.
- round - tells the user agent to get it close to that width or height

If you specify one value, the image stretches the same amount for width and height. Two values equal the width then the height to stretch.

There's a property that can help do just that: background-size. It should probably be called "background-stretching" instead, since it can expand an image to fill the background of an element

background-size: 100% auto;

The first value for the background-size property sets the width and the second one sets the height. If there is only one value, its value is applied to both the width and height. The background-size property accepts percentage and length values as well as auto.

Currently, support for background-size is limited to Safari 3 and Opera 9.5. And in order to use the property in those browsers, proprietary CSS property values need to be used: -o-background-size and -webkit-background-size. The following declaration block would be used in order to get the greatest support from browsers side by side at present

```
background-size: 50% auto;  
-o-background-size: 50% auto;  
-webkit-background-size: 50% auto;
```

If you use a background-size: 0; then the image will not display, the same effect as if the image were completely transparent.


Background-attachment

The background-attachment property sets whether a background image is fixed or scrolls with the rest of the page.

The background-attachment property has the following format:

background-attachment: scroll | fixed;

Setting Multiple Background Values




```
#calldata { color:#0000cd; font-size:20px;font-style:italic;
background: #fff8dc url(http://m04.darc-husum.de/images/darc1_24.jpg)
center 50% no-repeat;}
```

All these properties can be used as background not only for decorating your page, but for the individual elements - tables, images, etc.

```
<div style="background-image:
url(http://files.qrz.com/l/gm4wzl/bm1.png);
background-repeat:repeat-x; background-
position: center top;width:200px;
height:26px; text-align: center; color:#ffc;
font-weight: 600; padding-top:3px;">Solar
Data</div>
```

```
<div style="background-image:
url(http://files.qrz.com/l/gm4wzl/bm4.png);
background-repeat:no-repeat;background-
position:center top;background-color:#009;

width:200px;padding-top:15px;"><a
href="http://www.hamqsl.com/solar.html"
title="Click to add Solar-Terrestrial Data to your
website!"></a></div>
```



Solar Data image with transparent background page#95

TEXT

The **color** property is used to set the color of the text. The color can be specified as for background (see Appendix A).

QRZ does not allow invisible text that is made by using CSS to make the text the same or close to the background color. Whatever text colors and/or size/font is chosen, the text must remain clearly legible.

The **text-align** property is used to set the horizontal alignment of a text. Text can be centered, or aligned to the left or right {text-align:center;}

The **font family** of a text is set with the font-family property {font-family:"Comic Sans MS";}


The **font-style** property is mostly used to specify italic text {font-style:italic;}

The **font-size** property sets the size of the text. Setting the text size with pixels, gives you full control over the text size {font-size:14px;}

The **font-weight** property sets how thick or thin characters in text should be displayed. Set different font weight {font-weight:900;} 400 is the same as normal, and 700 is the same as bold.

Adjusting the Space Between Letters, Word & Line-Height

Tracking refers to the amount of space between letters in a word. More space between letters often improves the readability of the text. {letter-spacing: 1.25em; letter-spacing: 3px;}



UA6JD
Vlad Lambrianov
P.O. Box 23
Vladikavkaz, 362040
Russia

Lookups: 20133 Ham Member
Email: ua6jd@qsl.net QSL: K0KG

{letter-spacing:normal;}



UA6JD
Vlad Lambrianov
P.O. Box 23
Vladikavkaz, 362040
Russia

Lookups: 20132 Ham Member
Email: ua6jd@qsl.net QSL: K0KG

{letter-spacing: 3px;}

The word-spacing property increases or decreases the white space between words.

The line-height property specifies the line height.



{word-spacing: 12px;}



{line-height: 200%;} {line-height: 2.0;} {line-height: 25px;}

Adding a Drop Shadow

The drop shadow is a time-honored method for adding depth and texture to two-dimensional designs.

```
#calldata {text-shadow: #888 10px -12px 3px;}
```

Type the text-shadow property name, followed by a colon (:)
#888 Type a space and then a color value for the shadow. See table on page 7-9 and note in page 9 for more detail on color values.


10px -12px Type a space and then two positive or negative length values separated by a space. The first value is the vertical distance to offset the shadow (positive is down; negative is up). The second value is the horizontal offset (positive is right; negative is left).

3px Type a space and then a positive length value for the amount of blur to apply to the shadow.



```
#calldata
```

```
{background:Linen;  
color:Mediumber;  
text-align:center;  
font-size:20px;  
text-shadow: Lime 15px 5px 1px;  
}
```



The text shadow CSS property is used to add shading to any text related HTML element. The syntax includes figures for the X-offset, the Y-offset, the blur amount and finally the color of the actual shadow. What's more, you don't have to settle with one shadow, you can build up multiple text-shadow values to create some really cool effects!

Below was several example of using few levels of text shadow

Vintage / Retro text effect

```
#calldata {  
color: #000000;font-size:18px;line-height:20px;  
text-shadow: 2px 2px 0px #eee, 4px 4px 0px #707070;}
```

The vintage style text effect is made up of two text shadows, but the first is set to the same color as the background in order to give the impression that the second shadow (the thin dark grey one) is offset to the bottom right. Remember to make sure your first shadow color is set to the same color as your page background, and the text and second shadow also both use the same color.



Neon text effect

```
#calldata {color:#000000;font-size:18px;line-height:20px;background-color:#000000;
```

```
text-shadow: 0 0 1px #fff, 0 0 2px #fff, 0 0 3px #fff, 0 0 4px #ff00de, 0 0 5px #ff00de, 0 0 6px #ff00de;}
```

The neon text effect is made up of 8 levels of shading. The base text is given a white fill, then each of the 8 text-shadow values are given larger and larger blur amounts while also getting darker. This blends between a vivid white inner glow and the large purple outer aura.



Inset text effect

```
#calldata {
```

```
color:#000000;font-size:18px;line-height:20px;background-color:#8b0000;
```

```
text-shadow: 0px 2px 3px #666;}
```

The inset or letterpress style text effect is one of the more common uses of text-shadow. The shadow is offset on the Y-axis by a tiny amount to give the impression of a subtle highlight. On dark backgrounds offset the shadow underneath the text with a light color, whereas on light backgrounds offset to the top of the text with a darker shadow color.



Fire text effect

```
#calldata {
```

```
color: black;font-size:18px;line-height:20px;background-color:#000000;
```

```
text-shadow: 0 0 1px #fefcc9, 1px -1px 3px #feec85, -2px -2px 4px #ffae34,  
2px -4px 5px #ec760c, -2px -6px 6px #cd4606, 0 -8px 7px #973716, 1px -  
9px 8px #451b0e;}
```

The fire text effect is another style that uses multiple levels of shading. Each shadow is offset in different directions, uses various blur settings and blends a range of warm colors to create the impression of a flame. These colors span from bright whites through to yellows, oranges and darker amber tones.



Please note, that shadow property not support by IE7.

Text-Decoration

The text-decoration property specifies the decoration added to text.

```
{text-decoration:overline;}  
{text-decoration:line-through;}  
{text-decoration:underline;}  
{text-decoration:blink;}
```

The text-decoration property is supported in all major browsers, but the "blink" value is not supported in IE, Chrome, or Safari.

First-letter & first-line

The :first-letter selector is used to add a style to the first letter of the specified selector.

The :first-line selector is used to add a style to the first line of the specified selector.

Sample below:

Add in CSS window:

```
.xx2xxx p:first-letter
```

```
{font-size:200%;text-shadow:#000 0 0 1px, #000 0 0 3px;  
color:#f00;}
```

```
.xx2xx p:first-line
```

```
{ font-size:120%;color:#00f;}
```

HTML code:

<p>

Predicted solar flux for the near term is about the same, 145 on December 30 through January 6. From January 7-8 predicted flux values are 130, then 135 on January 9-12, and 140 on January 13-15.</p>

<p>

Solar flux is expected to peak around 150 on January 24, then go to a minimum of 130 on January 31 through February 4.</p>

<div class="xx2xxx">

<p>

Predicted solar flux for the near term is about the same, 145 on December 30 through January 6. From January 7-8 predicted flux values are 130, then 135 on January 9-12, and 140 on January 13-15.</p>

</div>

<div class="xx2xx">

<p>

Solar flux is expected to peak around 150 on January 24, then go to a minimum of 130 on January 31 through February 4.</p>

</div>

Predicted solar flux for the near term is about the same, 145 on December 30 through January 6. From January 7-8 predicted flux values are 130, then 135 on January 9-12, and 140 on January 13-15.

Solar flux is expected to peak around 150 on January 24, then go to a minimum of 130 on January 31 through February 4.

Predicted solar flux for the near term is about the same, 145 on December 30 through January 6. From January 7-8 predicted flux values are 130, then 135 on January 9-12, and 140 on January 13-15.

Solar flux is expected to peak around 150 on January 24, then go to a minimum of 130 on January 31 through February 4.

Marquee

You can create a scrolling marquee (i.e. scrolling text or scrolling images) by using the <marquee> tag. You can make the text/images scroll from right to left, left to right, top to bottom, or bottom to top - it's your choice!

Slide-in text:

This text slides in from the right, and then stays where it is. You will need to refresh this page to see the effect again.

```
<marquee behavior="slide" direction="left"> Your slide-in text goes here</marquee>
```

Continuous scrolling text:

```
<marquee behavior="scroll" direction="left"> Your scrolling text goes here</marquee>
```

Text bouncing back and forth:

```
<marquee behavior="alternate"> Your bouncing text goes here</marquee>
```

Text Scrolling Upwards:

```
<marquee behavior="scroll" direction="up"> Your upward scrolling text goes here</marquee>
```

Text bouncing Up and Down

```
<marquee behavior="alternate" direction="up"> TEXT </marquee>
```

Text Angle Down

```
<marquee><marquee direction="down"> TEXT </marquee></marquee>
```

Text Angle Up

```
<marquee><marquee direction="up"> TEXT </marquee></marquee>
```

Angle Up Back and Forth

```
<marquee behavior="alternate" direction="down"><marquee behavior="alternate"> TEXT </marquee></marquee>
```

Bounce Around Back and Forth

```
<marquee behavior="alternate" direction="down"><marquee behavior="alternate"> TEXT </marquee></marquee>
```

Opposing Marquee's

```
<marquee> right to left </marquee> <marquee direction="right"> left to right </marquee>
```

Right to Left Blinking (Blinks in Firefox, Mozilla and Netscape only)

```
<marquee direction="left"><blink> TEXT </blink></marquee>
```

Change the Scrolling Speed:

```
<marquee behavior="scroll" direction="left" scrollamount="1"> Slow scroll speed</marquee>
```

```
<marquee behavior="scroll" direction="left" scrollamount="10"> Medium scroll speed</marquee>
```

```
<marquee behavior="scroll" direction="left" scrollamount="20"> Fast scroll speed</marquee>
```

Scrolling Images:

Simply replace the src="..." part with the location of your own image.

```
<marquee behavior="scroll" direction="left">  </marquee>
```

Images & Text (Both Scrolling):

Simply add your text under the image tag (but still within the marquee tags).

```
<marquee behavior="scroll" direction="left">

<p>Sample text under a Marquee image</p></marquee>
```

Colored Background

```
<marquee bgcolor="#f00" style="color:#ff0"> TEXT HERE </marquee>
```

Yellow text over red color background .

Cool Effects with Marquees.

You can use HTML marquees for some cool effects.

Sample#1. Check out this falling text

```
<marquee direction="down" scrollamount="4" style="z-index:2;position:absolute;left:95px;top:155px;font-family:Cursive;font-size:14pt;color:#fc0;height:75px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="7" style="z-index:2;position:absolute;left:249px;top:132px;font-family:Cursive;font-size:14pt;color:#0f0;height:475px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="6" style="z-index:2;position:absolute;left:9px;top:165px;font-family:Cursive;font-size:14pt;color:#fc0;height:50px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="3" style="z-index:2;position:absolute;left:72px;top:192px;font-family:Cursive;font-size:14pt;color:#009;height:183px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="4" style="z-index:2;position:absolute;left:213px;top:114;font-family:Arial Black;font-size:21pt;color:#800;height:80px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="7" style="z-index:2;position:absolute;left:233px;top:135px;font-family:Cursive;font-size:14pt;color:#00cc00;height:351px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" style="z-index:2;position:absolute;left:94px;top:110px;font-family:Cursive;font-size:14pt;color:#f00;height:449px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="4" style="z-index:2;position:absolute;left:180px;top:198px;font-family:Cursive;font-size:14pt;color:#99cc00;height:106px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" style="z-index:2;position:absolute;left:146px;top:171px;font-family:Cursive;font-size:14pt;color:#fc0;height:178px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="1" style="z-index:2;position:absolute;left:225px;top:115px;font-family:Cursive;font-size:14pt;color:#ff0;height:268px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="4" style="z-index:2; position:absolute; left:19px; top:173px; font-family:Cursive;font-size:14pt;color:#fc0;height:34px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" style="z-index:2; position:absolute;left:298px;top:162px;font-family:Cursive;font-size:14pt;color:#fc0;height:328px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="3" style="z-index:2;position:absolute;left:78px;top:199px;font-family:Cursive;font-size:14pt;color:#000;height:150px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="5" style="z-index:2; position:absolute; left:74;top:147;font-family:Cursive; font-size:14pt;color:#fc0;height:398px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="3" style="z-index:2;position:absolute;left:119px;top: 110px;font-family:Tahoma;font-size:20pt;color:#f00;height:24;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="1" style="z-index:2;position:absolute;left:242px;top:114px;font-family:Cursive;font-size:14pt;color:#fc0;height:486px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" style="z-index:2;position:absolute;left:197px;top:189px;font-family:Cursive;font-size:14pt;color:#a0a0a0;height:297px;"> DX CODE OF CONDUCT</marquee><marquee direction="down" scrollamount="5" style="z-index:2;position:absolute;left:309px;top:148px;font-family:Cursive;font-size:14pt;color:#fc0;height:27px;"> DX CODE OF CONDUCT</marquee>
```

Sample#2.Falling text with Christmas snow effect.

```
<marquee behavior="scroll" direction="down" scrollamount="5"
style="position:absolute; left:130px; top:150px; width:16px; height:548px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="3" style="position:absolute; left:177px;
top:170px; width:16px; height:388px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="5" style="position:absolute; left:225px; top:190px; width:16px;
height:324px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="5"
style="position:absolute; left:265px; top:180px; width:16px; height:499px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="5" style="position:absolute; left:325px;
top:160px; width:16px; height:411px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="5" style="position:absolute; left:239px; top:190px; width:16px;
height:251px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="1"
style="position:absolute; left:141px; top:150px; width:16px; height:221px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="7" style="position:absolute; left:289px;
top:170px; width:16px; height:230px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="5" style="position:absolute; left:108px; top:230px; width:16px;
height:241px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="2"
style="position:absolute; left:370px; top:190px; width:16px; height:386px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="2" style="position:absolute; left:394px;
top:150px; width:16px; height:484px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="2" style="position:absolute; left:430px; top:170px; width:16px;
height:442px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="3"
style="position:absolute; left:475px; top:200px; width:16px; height:423px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="6" style="position:absolute; left:559px;
top:170px; width:16px; height:541px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="2" style="position:absolute; left:580px; top:200px; width:16px;
height:423px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="5"
style="position:absolute; left:533px; top:170px; width:16px; height:385px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="1" style="position:absolute; left:614px;
top:200px; width:16px; height:332px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="3" style="position:absolute; left:651px; top:250px; width:16px;
height:386px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="5"
style="position:absolute; left:684px; top:290px; width:16px; height:514px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="1" style="position:absolute; left:658px;
top:180px; width:16px; height:247px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="1" style="position:absolute; left:694px; top:160px; width:16px;
height:216px;">*</marquee> <marquee behavior="scroll" direction="down" scrollamount="2"
style="position:absolute; left:738px; top:200px; width:16px; height:392px;">*</marquee> <marquee
behavior="scroll" direction="down" scrollamount="1" style="position:absolute; left:753px;
top:150px; width:16px; height:544px;">*</marquee> <marquee behavior="scroll" direction="down"
scrollamount="5" style="position:absolute; left:800px; top:180px; width:16px;
height:404px;">*</marquee></p>
```

Sample#3. Slide show

```
<marquee behavior="alternate" direction="left" height="70" right="" style="filter:blur(add=2,
direction=directions, strength=80)" to="" width="100%"><marquee width="300">       </marquee></marquee>
```



Sample#4. Slide text

```
<marquee behavior="alternate"><marquee width="150">Your Text Goes Here</marquee></marquee>
```


You can test all above marquee effects in <http://htmledit.squarefree.com/> just copy/paste HTML code.

Multi-column layout

W3C offers a new way to arrange text “news-paper wise”, in columns. Multi-column layout is actually a module on its own. It allows a web developer to let text be fitted into columns, in two ways: by defining a width for each column, or by defining a number of columns. The first would be done by column-width, the latter by column-count. To create a space between the columns, you need to specify a width for column-gap.

Multi-column layout is currently only supported in Mozilla based browsers and Safari 3, who have prefixed the properties with respectively -moz- and -webkit-. The example below is done with column-width, the CSS for it is as follows:

```
<div style="-moz-column-width: 13em;-webkit-column-width: 13em;
-moz-column-gap: 1em;-webkit-column-gap: 1em;text-align: justify;">
    Average daily .....of 8 on December 29.</div>
```



FIELDSET

The <fieldset> element is used to group related form fields together. The grouping of form fields allows for a more intuitive visual user interface while also giving speech-based navigation methods better cues of how to render a page.

The suggested rendering for the <fieldset> element is left to the browser, but will usually take the form of a box around the contents of the <fieldset>. If the optional <legend> element is present directly after the opening <fieldset> tag, its contents are transposed above/on top of the region of the <fieldset> bounding box in the location specified by the align attribute of the <legend> element.

**UM20Y**

Special Event Station
20th Anniversary Of The Independent Republic Of Uzbekistan
25 Aug - 10 Sep 2011
Uzbekistan

[+] Mailing label



```
<legend style="border: 1px black solid;background:red;color:white;">
```

Biography Det

Log a NEW contact with UM20Y...

QSL via **UK8AR**

Special event station **UM20Y** will be active from 25 August to 10 September 2011 to celebrate the 20th anniversary of the independent Republic of Uzbekistan.
Look for activity on the HF bands CW, SSB and RTTY

```
<fieldset style="border: 1px black solid;
background:#ffff00;">
```

HTML code:

```
<fieldset style="border: 1px black solid;background:#ffff00;">
```

```
  <legend style="border: 1px black solid;background:red;color:white;
```

```
margin-left: 1em; padding: 0.2em 0.8em ">QSL via
<strong>UK8AR</strong></legend><p>
```

```
  Special event station<strong> UM20Y</strong> will be active
from 25 August to 10 September 2011 to celebrate the 20th anniversary of
the independent Republic of Uzbekistan.<br />
```

```
Look for activity on the HF bands CW, SSB and RTTY</p></fieldset>
```

You can add a several fieldset elements in scrolling box for latest news (as example see OJ0X and HK0NA QRZ pages)

Add in CSS window:

```
.leg{border: 3px black ridge; background:#1E2838; color:white;
```

```
margin-left: 1em; padding: 0.2em 0.8em;}
```


```
.field{ border: 4px #121822 ridge; background:#9EA7B8; text-align: justify;
color:#000;}
```

HTML code:

```
<div style="width:100%; height:280px; overflow-x: hidden;
overflow-y:scroll; text-align: center; font-weight: 600;">

<fieldset class="field" > <legend class="leg">Jan. 9, 2012</legend>
Text#1 here </fieldset> <br />


<fieldset class="field" > <legend class="leg">Jan. 6, 2012</legend>
Text#2 here </fieldset> </div>
```



More about text property in http://www.w3schools.com/css/css_text.asp

Padding & Margin

The **padding** clears an area around the content (inside the border) of an element. The padding is affected by the background color of the element. In CSS, it is possible to specify different padding for different sides: padding-top, padding-bottom, padding-right, and padding-left. Possible values is length in px and %. The padding property sets the left padding (space) of an element {padding-left:20%;}.



The **margin** clears an area around an element (outside the border). The margin does not have a background color, and is completely transparent. It has same values as padding.


The `` tag is used to group inline-elements in a document

Examples:


BONAIRE, PJ4.`` A large group of operators are QRV as PJ4C until January 23. Activity is on 160 to 6 meters.QSL via F9IE. ``

BONAIRE, PJ4.  A large group of operators are QRV as PJ4C until January 23. Activity is on 160 to 6 meters.QSL via F9IE.

BONAIRE, PJ4.`<p style="margin-top:35px;">`A large group of operators are QRV as PJ4C until January 23. Activity is on 160 to 6 meters.QSL via F9IE.`</p>`

BONAIRE, PJ4. 
A large group of operators are QRV as PJ4C until January 23. Activity is on 160 to 6 meters.QSL via F9IE.

BONAIRE, PJ4.`<p style="margin-top:35px;margin-left:100px;">`A large group of operators are QRV as PJ4C until January 23. Activity is on 160 to 6 meters.QSL via F9IE.`</p>`

BONAIRE, PJ4. 
A large group of operators are QRV as PJ4C until January 23. Activity is on 160 to 6 meters.QSL via F9IE.

99% of users in order to realize the vertical spacing is used several times (sometimes to 100 !) line break - but enough to use script

```
<p style="margin-top:200px;"> &nbsp;   </p>
```

and will be made that the same result.

Button “Increase Indent” in CKEditor realizes margin-left 40px.



BORDERS

The CSS border properties allow you to specify the style and color of an element's border.

The **border-width** property is used to set the width of the border. The width is set in pixels, or by using one of the three pre-defined values: thin, medium, or thick {border-width:5px;}

The **border-color** property is used to set the color of the border. The color can be set as background .

The **border-style** property specifies what kind of border to display: dotted, dashed, solid, double, groove, ridge, inset, outset.

none: Defines no border

dotted: Defines a dotted border

dashed: Defines a dashed border

solid: Defines a solid border

double: Defines two borders. The width of the two borders are the same as the border-width value

groove: Defines a 3D grooved border. The effect depends on the border-color value

ridge: Defines a 3D ridged border. The effect depends on the border-color value

inset: Defines a 3D inset border. The effect depends on the border-color value

outset: Defines a 3D outset border. The effect depends on the border-color value

border Syntax:

border: [<border-width> || <border-style> || <color>] | inherit


border examples:

standard border

```
<p style="border : 2em solid #c00;">This paragraph has a 2 em solid red border.</p>
```

This paragraph has a 2 em solid red border.

Below are few samples for all above border & text properties.



```
#calldata {color: navy;font-size:18px;font-style:italic;text-align:center;
```

```
background-image: url(http://files.qrz.com/d/ua6jd/DXCC_JD.jpg);
```

```
background-position:0.5% 5%,
```

```
background-repeat:no-repeat;
```

```
background-color:#FFFDC9;
```

```
border-top style:groove;
```

```
border-right-style:groove;
```

```
border-bottom-style:ridge;
```

```
border-left-style:ridge;
```

```
border-width:8px;
```

```
border-color:green;
```

```
}
```

```
#biodata {
```

```
color: black;
```

```
border-style:double;border-width:8px; border-color:red;
```

```
background-color:#FFFDC9;
```

```
}
```

```
#csbody {color: black;font-family:"Comic Sans MS";}
```

```
#calldata {color:#0000ff;font-size:20px;
```

```
border-right-style:solid;
```


```
border-top-style:dotted;
```

```
border-bottom-style:dashed;
```

```
border-left-style:solid;
```

```
border-width:8px;
```

```
border-color:#FF00ff;
```



```
padding-left:10%;
```

```
background-image:url(http://static1.grsites.com/archive/textures/beige/beige175.jpg);
```

```
margin-left:20%;
```

```
margin-right:20%;
```

```
}
```

```
#biodata {
```

```
color: black;
```

```
border:double medium red;
```

```
background-color:#FFFDC9;}
```

One of the most keenly-anticipated CSS3 properties is **border-radius**. Web designers will no longer have to resort to complex table structures using custom-made corner graphics or including arcane JavaScript files in order to produce designs with rounded corners.

```
<div style="
width: 190px;height: 20px;
background-color:#ff0;
border:solid 3px #f00;
border-radius: 25px;
color:#000000; text-align: center;
font-size: 14px; font-weight: 600;">
```

Worldwide Visitors</div><p>

```
<a href="http://s08.flagcounter.com/more/knA"
target="_blank"></a></p>
```



border-radius: 0px 10px 0px 10px ;



border-radius: 10px 10px 0px 0px ;



border-radius: 10px 0px 0px 10px ;



At present Opera (version 10.5 onward), Safari (version 5 onward) and Chrome (version 5 onward) all support the individual border-* -radius properties and the border-radius shorthand property as natively defined in the current W3C Specification (although there are still outstanding bugs on issues such as border style transitions, using percentages for lengths, etc.).

Check <http://www.css3.info/preview/rounded-border/> for more info about your browser support border property.

CURSOR

The cursor property specifies the type of cursor to be displayed when pointing on an element.

Check

http://www.w3schools.com/cssref/playit.asp?filename=playcss_cursor
before you change your cursor property.

You can add it in CSS style as line

```
{cursor:help;}
```

or add to HTML code

```
<a href="/db/xx2xxx" style="cursor:help">xx2xxx</a>
```

LINK

CSS has several options for redefining the style of links.

a:link

Defines the style for normal unvisited links.

a:visited

Defines the style for visited links.

a:active

Defines the style for active links.

A link becomes active once you click on it.

a:hover

Defines the style for hovered links .

A link is hovered when the mouse moves over it.

Note: Not supported by Netscape browsers prior to version 6.

When setting the style for several link states, there are some order rules:

- a:hover MUST come after a:link and a:visited
- a:active MUST come after a:hover

Links can be styled with any CSS property (e.g. color, font-family, background, shadow etc.).

The text-decoration property is mostly used to remove underlines from links:

```
a:link {text-decoration:none;}
a:visited {text-decoration:none;}
a:hover {text-decoration:underline;}
a:active {text-decoration: underline overline;}
```

The background-color property specifies the background color for links:

```
a:link {background-color:#B2FF99;}
a:visited {background-color:#FFFF85;}
a:hover {background-color:#FF704D;}
a:active {background-color:#FF704D;}
```

present background-color on QRZ is grey .

Size changing links - create links that change in size and weight when hovered.

```
a:link { font-size:17; font-weight:400;}
a:visited { font-size:17; font-weight:400;}
a:hover { font-size:20; font-weight:600;}
a:active { font-size:17; font-weight:400;}
```

Below was example as use above property in your personal page

In addition to setting a style for a CSS link property (as well as for any HTML element) allows you to specify your own selectors called "id" and "class".

The id selector is used to specify a style for a single, unique element.

The id selector uses the id attribute of the HTML element, and is defined with a "#".

The style rule below will be applied to the element with id="xx2xxx"

As id name use unique word (as example best way is your callsign)

Add in your CSS style these lines:

```
# xx2xxx a:visited { text-decoration: none;color :#030;}
# xx2xxx a:link { text-decoration: none;color :#030;font-weight:600;}
```

```
# xx2xxx a:hover {text-decoration: underline; background:none; color:#f00;}  
# xx2xxx a:active { text-decoration: none; color :#030;}
```

In HTML code add your id:

```
<a href="/db/xx2xxx" target="_blank" id="xx2xxx">Testing page</a>
```

It was dark green color of text **Testing page** without decoration, but when hover (MouseOver) it became red color with underline text and without background **Testing page** .

If you have more than one link you can use id selector as table or div property.

```
<div id="xx2xxx">...HTML code of all your page, include few links....</div>
```


DESIGN YOUR OWN GRAPHICS/WIDGETS.

Probably you want to create your unique widget or linked graphic.

Before using any material from Internet be sure, that it not authorized by the copyright or intellectual property owner, its agent, or the law.

For example you have found an interesting image on <http://www.swpc.noaa.gov>

(Acknowledging SWPC: The information on government servers are in the public domain and may be used freely by the public. Before using information obtained from this server special attention should be given to the date & time of the data and products being displayed. This information shall not be modified in content and then presented as official government material. Use of appropriate credits is requested.)




This plot shows the current extent and position of the [auroral oval in the northern hemisphere](#), extrapolated from measurements taken during the most recent polar pass of the NOAA POES satellite.

The plots on this page show the current extent and position of the auroral oval at each pole, extrapolated from measurements taken during the most recent polar pass of the NOAA POES satellite. "Center time" is the calculated time halfway through the satellite's pass over the pole. It works in real time. Right click and press "Save link as..." <http://www.swpc.noaa.gov/pmap/gif/pmapNst.gif>.

Here is few ways design this widget.

Design by HTML code

```
<a href="http://www.swpc.noaa.gov" title="AURORAL OVAL IN THE NORTHERN HEMISPHERE" target="_blank" > </a>
target="_blank" – open your browser in new window
```




From same site you can also edit HTML code for southern hemisphere

```
<a href="http://www.swpc.noaa.gov" title="AURORAL OVAL IN THE southern HEMISPHERE"> </a>
```

After testing above examples it will very easy add a logo of your club.

Always check you have authority to use a Logo.
(Usually restricted to current members only)

For example: you member of NCDXF, and holder of RDA awards.



You want add these logo to your site

```

```

You can make your images "clickable" so that when a user clicks the image, it opens another URL. You do this by simply wrapping the image with hyperlink code.



```
<a href="http://www.ncdxf.org"></a>
```

The border attribute specifies the width of the **border** around an image in px **border="0"** mean that image without border. If you click to logo you will visit NCDXF web page <http://www.ncdxf.org>

There are a couple of attributes you'll want to know about element. The src attribute can be used for more than just relative links; you can also put a URL in your src attribute. If a browser can't display the images on your page, there is an alternative. You can give the visitor some indication of what information is in the image using the element's alt attribute.

```
. If browser not display animated gif, it display text: 73_Tom
```

Images will appear at their natural dimensions when rendered in a browser window. But because images are downloaded *after* the markup and text, the browser won't know the dimensions of the image until it has been completely downloaded as well. The browser will reflow text to accommodate the image once its dimensions are known, which can be jarring if your visitor has already started reading the text. Including width and height attributes in an img element will tell the browser to reserve space for the image and draw the text where it should the first time around. In sample above with NCDXF logo it display in natural size – if we would like have logo with size 200x200px :

```

```

For another attribute test a sample with image and text.

We have NCDXF image and text about NCDXF. Usually users only add image to the text without attribute.

We will have a HTML code:

```

```

The Northern California DX Foundation was founded in 1972 to assist worthwhile amateur radio (ham radio) and scientific projects with funding and equipment.



The Northern California DX Foundation was founded in 1972 to assist worthwhile amateur radio (ham radio) and scientific projects with funding and equipment.

The image is in line with its neighboring text when displayed in a browser.

Align attribute: Specifies how the image should be aligned with adjacent text using the values - left, right, top, middle, and bottom.

```

```

The Northern California DX Foundation was founded in 1972 to assist worthwhile amateur radio (ham radio) and scientific projects with funding and equipment.

The image place to the right, allowing the text to wrap around it.

Top, middle, and bottom alignments are achieved with the vertical-align property.

Specifies the horizontal space on the left and right sides of the image. Use attribute hspace,margin :

```

```

The Northern California DX Foundation was founded in 1972 to assist worthwhile amateur radio (ham radio) and scientific projects with funding and equipment

vspace attribute is specifies the vertical space at the top and bottom of the image

The Northern California DX Foundation was founded in 1972 to assist worthwhile amateur radio (ham radio) and scientific projects with funding and equipment.



The Northern California DX Foundation was founded in 1972 to assist worthwhile amateur radio (ham radio) and scientific projects with funding and equipment.



Image Opacity / Transparency

Creating transparent images with CSS is easy. The CSS3 property for transparency is opacity.

First we will show you how to create a transparent image with CSS.

Regular image:

```

```



The same image with transparency:

```

```



Image Transparency - Hover Effect

Add in CSS window style:

```
img {opacity:0.4;
```

```
filter:alpha(opacity=40); /* For IE8 and earlier */ }
```

```
img:hover {opacity:1.0; filter:alpha(opacity=100); /* For IE8 and earlier */ }
```

Mouse over the images – from



to



In addition, we have added what should happen when a user hover over one of the images. In this case we want the image to NOT be transparent when the user hovered over it.

SKYPE BUTTON

Skype buttons can be used on your personal QRZ page let other people contact you easily.

The easiest way is to go to <http://www.skype.com/intl/en-gb/tell-a-friend/get-a-skype-button/> and follow the simple instructions. The Web page will then give you code which you can paste into your QRZ page.


As example use xx2xxx as skype name, just change xx2xxx in HTML code to your real skype name . If you will copy code from site's HTML window – NOT copy any javascript, only HTML code.

```
<a href="skype:xx2xxx?call"></a>
```

```
<a href="skype:xx2xxx?call"></a>
```

```
<a href="skype:xx2xxx?call"></a>
```

```
<a href="skype:xx2xxx?call"></a>
```



Skype buttons with status


If you choose to show your Skype status, your Skype button will always reflect your availability on Skype. This status will be shown to everyone, whether they're in your contact list or not.


```
<a href="skype:xx2xxx?call"></a>
```

```
<a href="skype:xx2xxx?call"></a>
```



You must change your Skype tools option to activate above buttons





Enable this box

Other popular buttons.

If you choose to show your Skype status, your Skype button will always reflect your availability on Skype, e.g. 'Skype Me!' or 'I'm awaaaay'. This status will be shown to everyone, whether they're in your contact list or not.


For customize your Skype button (choose size, color ,style etc) visit <http://www.skype.com/intl/en-gb/tell-a-friend/wizard/>

Customise your Skype button

If you choose to show your Skype status, your Skype button will always reflect your availability on Skype, e.g. 'Skype Me!' or 'I'm awaaaay'. This status will be shown to everyone, whether they're in your contact list or not.

Skype status	<input type="radio"/> Show	<input type="radio"/> Hide
Function	<input type="text" value="Chat with me"/>	
Content	<input checked="" type="radio"/> Icon+text	<input type="radio"/> Icon
Size	<input checked="" type="radio"/> Small	<input type="radio"/> Big
Style	<input type="radio"/> Balloon	<input checked="" type="radio"/> Button
Color theme	<input checked="" type="radio"/> Green	<input type="radio"/> Blue
Background	<input checked="" type="radio"/> White	<input type="radio"/> Transparent

Preview your button



Copy & paste this code

Show Web HTML Email HTML

[Save this html snippet](#) to your computer.

As sample again use xx2xxx as Skype login

```
<a href="skype:xx2xxx?add">
```



```
<a href="skype:xx2xxx?chat">
```



```
<a href="skype:xx2xxx?userinfo">
```



```
<a href="skype:xx2xxx?voicemail">
```



```
<a href="skype:xx2xxx?sendfile">
```



EMBED

<EMBED ...> puts a browser plugin in the page. A plugin is a special program located on the client computer (i.e. not on QRZ web server) that handles its own special type of data file. The most common plugins are for sounds and movies. The <EMBED ...> tag gives the location of a data file that the plugin should handle.

In its simplest use, <EMBED ...> uses the src attribute to indicate the location of the plugin data files, and usually also gives a WIDTH and HEIGHT of the plugin area.

<EMBED ...> is still widely supported by modern browsers. Unlike other tags, the attributes used by <EMBED ...> depend on the type of plugin being used (this odd free-attribute concept is why <EMBED ...> has been rejected by the HTML standards makers).

Syntax :

```
<embed alt="string" height=" { number | percentage } " hidden=" { true | false } " pluginspage="uri" src="uri" type="MIME type" width="number">  
</embed>
```

Although embed is an empty element, an end tag is still required for the sake of browser compatibility.

The <iframe> tag specifies an inline frame.

An inline frame is used to embed another document within the current HTML document.

YouTube, Log search, DX Cluster etc had embed code and more popular on personal QRZ pages.

In any case copy/paste HTML code and be careful modify it - you can damage a whole your page.

Please consider that in the personal QRZ pages are prohibited using the device automatically playing different sounds when a viewer visits your page. There should be a switch to play a sound - otherwise the device will be deleted from your QRZ page.



Example use embed code in Club Log search engine

<http://www.clublog.org/logsearch.php>

Click to red text below the page "*Embed this tool in your own web site*" and visit the home of the Embedding Club Log space.

For use all set of widgets, you must enable the Last 10 QSOs feature from your Club Log profile. This is an option in Club Log itself, which is disabled by default for privacy reasons. It is located on the Settings page in Club Log. Look for the label "Activate the last 10 QSOs and stats tool on your account?".

Below few examples of HTML code and widget's view

```
<iframe align="top"
frameborder="0"
height="325"
name="iframe"
scrolling="yes"
src="http://www.clublog
.org/last10_iframe.php?
call=g7vjr"
width="450"></iframe>
```

Log Search

This form allows you to check if you are "in the log". It only works if you have uploaded their logs. This service has been heavily optimised for I

Log to search:	OJ0X
66595 QSOs logged up to 30/Oct/2011 23:58Z	
Callsign to check:	<input type="text" value="UA6JD"/>

Show contacts

Band	CW	Phone	Data
30	1		
20	1	1	1
17	1	1	
15	1	2	
12	1	1	
10		1	

66595 QSOs logged


Note: OJ0X is also

Click for more details

You can link to this page (no login required): <http://www.clublog.org/logsearch.php?logto=OJ0X&check=UA6JD>

Embed this tool in your own web site

CLUBLOG		Worked	Confirmed	Log Search	
G7VJR		311	311	<input type="text"/>	Go
DX Call	Date	Band	Mode	Entity	
UA9OBW	2011-11-28	80M	CW	ASIATIC RUSSIA	
OZ4UN	2011-11-28	80M	CW	DENMARK	
G3PJT	2011-11-28	80M	CW	ENGLAND	
D4C	2011-11-27	10M	CW	CAPE VERDE	
VP9/N3AD	2011-11-27	10M	CW	BERMUDA	
V26K	2011-11-27	10M	CW	ANTIGUA & BARBUDA	
PZ5T	2011-11-27	10M	CW	SURINAME	
EY3M	2011-11-27	80M	CW	TAJIKISTAN	
W3LPL	2011-11-27	80M	CW	UNITED STATES	
OK5W	2011-11-27	40M	CW	CZECH REPUBLIC	

 CLUBLOG	Worked	Confirmed	Log Search
OJ0X	181	0	<input type="text"/> Go

```
<iframe align="top" frameborder="0" height="120" name="iframe"
scrolling="no" src="http://www.clublog.org/stats_iframe.php?call=oj0x"
width="400"></iframe>
```

```
<iframe align="top" frameborder="0"
height="550" name="iframe"
scrolling="no"
src="http://www.clublog.org/logsearch.
php?log=oj0x&iframe=1"
width="250"></iframe>
```

Example of multi-callsigns search you can show in R6AF QRZ page

Log to search:	OJ0X
66595 QSOs logged up to 30/Oct/2011 23:58Z	
Callsign to check:	<input type="text" value="UA6JD"/>
<input type="button" value="Show contacts"/>	

Band	CW	Phone	Data
30	1		
20	1	1	1
17	1	1	
15	1	2	
12	1	1	
10		1	

66595 QSOs logged up to 30/Oct/2011 23:58Z

Note: OJ0X is also using the [Club Log expedition charts](#)

Log search provided by [Club Log](#)

Change callsign (**red text**) in HTML code and insert in your page.

Last example with YouTube video

Choose size and insert HTML code in your page:

```
<iframe width="420" height="315"
src="http://www.youtube.com/embed/WaPIMHuh-Ak" frameborder="0"
allowfullscreen></iframe> - where WaPIMHuh-Ak code of your video
```

YouTube [Browse](#) [Upload](#) [Create Account](#) [Sign In](#)

PY7XC my 1st JT65A

Jimpy7xc [Subscribe](#) 7 videos

0:13 / 1:34 360p

Like Add to Share 828 views 2 likes, 0 dislikes

Uploaded by Jimpy7xc on 27 Jul 2009
My first JT65A. QSO with UA6JD.

- Ham Radio HF JT65A Demonstration by terryhoho53 21,307 views 4:34
- Moon Bouncing With a Single Yaqui! by rennerpedroza 11,286 views 2:06
- O que é WSJT? - PARTE I by rennerpedroza 537 views 5:31
- JT65A with SV4FFK. by digisignal 416 views 9:04
- JT65A (Spanish) PRIMERA PARTE by zp6der 194 views 15:54
- An Introduction to JT6m, Part 1 by Niqe by G7CNF 4,508 views 9:32

Options

Embed Email

More

```
<iframe width="420" height="315"
src="http://www.youtube.com/embed/WaPlMHuh-Ak"
frameborder="0" allowfullscreen></iframe>
```

Click for embed code

After making your selection, copy and paste the embed code above. The code changes based on your selection.

- Show suggested videos when the video finishes
- Use HTTPS [?]
- Enable privacy-enhanced mode [?]
- Use old embed code [?]

420 × 315 480 × 360 640 × 480 960 × 720 Customised

Width: px
Height: px


Watch with your friends
Start a Google+ Hangout

HTML TABLES

More about HTML tags & character entities see in Appendix B.

Tables are defined with the <table> tag. One of example it was use it as simple box with text.

Powder blue is from CSS style as background color.



```
<table style=" vertical-align: top;text-align: center;" border="10" bgcolor="yellow">
```

```
<tbody>
```

```
<tr>
```

```
<td >
```

```
<p style="text-align: center;"><strong><span style="font-size:20px;">Please supply SAE and sufficient fee for return.</span></strong></p>
```

```
<p style="text-align: center;"><strong><span style="font-size:20px;"> IRC must be stamped on left side, otherwise it's not valid.</span></strong></p>
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

HTML Layout

You may have noticed that many websites have multiple columns in their layout - they are formatted like a magazine or newspaper. Many websites achieved this HTML layout using tables.

The following HTML layout example is achieved using a table with 3 rows and 2 columns - but the header and footer column spans both columns.

Email: Use mouse to view.. QSL: BUREAU

Click for more detail...

UA6JW & UA6JD story	
<p>Member of:</p> <p>DXCC HR#1 5BWAZ NCDXF</p>	<p>In the beginning of seventies Harry and me had meeting with two HAMS which in the image have changed ours relations to DXing. It was Peter Rushakov UM8FM (nw SK - at the end of 70 years the license of him was selected for active correspondence with foreign radio HAMS) and Vlad Kaploun UA1CK (nowadays DJ9BK) . We repeatedly met them personally at us and at their place - frequently talked on air and by the phone. They open in us that has then developed a spark of that into unextinguishable fire of DXing. Understanding that rare DXpeditions are very hard for fulfilling with the simple equipment and having missed the first DXpedition to Okino Torishima we have begun build a new antenna array - have constructed rare at that time the 6 elements YAGI on a tower established with the ground. After one month of daily work on adjustment we have achieved an optimum F/B & F/S ratio of parameters for DX operation. At the same time we already is realized have started to hunt for the new countries and also behind performance 5 bands awards - 5BDXCC and later 5BWAZ..... etc</p>
August 20, 2009 after haemorrhage of brain UA6JW DX saga has stopped on 367 countries.	

Last modified: Thu Mar 18 09:34:23 2010

HTML code (text from www.qrz.com/db/ua6jw):

```
<table style="border: medium none ; vertical-align: top; height: 274px; width: 100% ; "><tbody><tr>
<td style="background-color: yellow; text-align: center; border: none; " colspan="2"><span style="font-size: medium; "><strong>UA6JW & UA6JD story</strong></span></td>
</tr><tr>
<td style="background-color: orange; width: 100px; text-align: center; border: none; "><span style="font-size: large; ">Member of:<br /><br /><br /> DXCC HR#1<br /> 5BWAZ<br />NCDXF</span></td>
<td style="background-color: #eee; height: 200px; width: 300px; text-align: justify; border: none; "><span style="font-size: large; "> YOUR TEXT </span></td>
</tr><tr>
<td style="background-color: yellow; text-align: center; border: none; " colspan="2"><span style="font-size: large; ">August 20, 2009 after haemorrhage of brain UA6JW DX saga has stopped on 367 countries.</span></td>
</tr></tbody>
</table>
```

Another example using tables in QRZ page.

Lookups: 1863
 Email: Use mouse to view.. QSL: NO QSL

Biography Detail Notes 1 Logbook Log a NEW contact with XX2XXX...

Average daily sunspot numbers were quiet. Average daily sunspot numbers of 95.3 for the week is Solar flux has been climbing over this week were about the same as numbers of 95.3 for the week is the past week, after a low of 119.6 last, and average daily solar flux declined a little over eight points considerably below the average on December 17. Geomagnetic indicators was 120.8.

Solar Data

Solar-Terrestrial Data
 28 Dec 2011 0742 GMT
 SFI: 141 SN: 126
 A-Index: 0
 K-Index: 0
 X-Ray: C1.1
 304A: 178.6 @ SEM


Calculated Conditions

Band	Day	Night
80m-40m	Fair	Good
30m-20m	Fair	Good
17m-15m	Good	Good
12m-10m	Fair	Good
Sig Noise Lvl:	30-31	

Condition K-In A-In
 Quiet 0-2 0-7
 Unsettled 3 8-15
 Active 4 16-29
 Minor storm 5 30-49
 Major storm 6 50-99
 Severe storm 7-9 >100

SFI	A-In	K-In	Prop	Opng
>180	<8	<3	E-W	open
>180	<8	>3	N-S	open
>250	>30	>3	Aurora	

Copyright Paul L. Herrman 2010



Watch Live | Get FEEDJIT

- Vladikavkaz, North Ossetia, Russia arrived 1 min ago.
- Vladikavkaz, North Ossetia, Russia arrived 36 mins ago.
- Vladikavkaz, North Ossetia, Russia arrived 1 hour 10 mins ago.
- Orillia, Canada arrived 3 hours 43 mins ago.
- Gulfport, Mississippi, United States arrived 3 hours 51 mins ago.
- Indonesia arrived 6 hours 14 mins ago.
- Kiev, Ukraine arrived 9 hours 41 mins ago.
- Granbury, Texas, United States arrived 10 hours 27 mins ago.
- Weimar, Thuringia, Germany arrived 20 hours 34 mins ago.

This is a three-column layout where the side columns are fixed-width and the center column is liquid. The background, header, main column, left column and right column are all capable of being different colors (or backgrounds), and it does NOT matter which column is longest.

Blue - merged 3 columns in one row - massive text with multi-column layout style (page#38).

DarkMagenta - left column in second row – fix Solar data with transparent image property (page #95).

Central column with Greyline image (page#119/120) is Column Liquid Layout (Percentage widths) with **width=100%**. The percentage of the width of the column and the image it allows for easy viewing in any type of monitor with any screen resolution. A liquid layout will move in and out when you resize your browser window.

Brown – right column – fix visitors widgets in scrolling box (page#69)

Copy/paste below HTML code as template of your QRZ page.

HTML code:

```
<table border="0" cellpadding="0" cellspacing="0" style="border: medium none; vertical-align: top; width="100%">
```

```
<tbody>
```

```
<tr>
```

```
  <td colspan="3" style="border: medium none; vertical-align: top; width: 100%; text-align: justify; padding: 7px; background-color: #00f;">
```

```
    <!--massive text with multi-column layout style-->
```

```
  </td>
```

```
</tr>
```

```
<tr>
```

```
  <td style="border: medium none; vertical-align: top; width: 230px; text-align: center; background-color: #8B008B;">
```

```
    Solar Data</div>
```

```
      <center>
```

```
      <a href="http://www.hamqsl.com/solar.html" title="Click to add Solar- Terrestrial Data to your website!">  </a>
```

```
    </center>
```

```
  </td>
```

Page#38

Page#95

```
<td style="border-right: medium none; border-top: medium none; vertical-align: top; border-left: medium none; width: 100%; border-bottom: medium none; padding: 8px;">
```

Page#119

```

```

```
</td>
```

```
<td style="border-right: medium none; border-top: medium none; vertical-align: top; border-left: medium none; width: 230px; border-bottom: medium none; text-align: center; background-color: #523621;">
```

```
<div style="overflow-y: scroll; font-weight: 600; overflow-x: hidden; width: 210px; color: white; height: 360px; text-align: center; >
```

```
<!--Visitors widgets fix here-->
```

```
</div>
```

Page#82 &
pages#76-80

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

HTML DIV

The HTML Div Tag is a container for other HTML elements. Within HTML development the HTML Div Tag is used to layout HTML elements on a page, and can be used to group HTML Elements together.

As mentioned above, you use the HTML Div Tag to layout your page, the only other way to layout your HTML web page is to use Tables. In my humble opinion I would suggest you use div for page layout. Although you can use HTML Tables.


The <div> tag is used to group block-elements to format them with styles.

The <div> tag is nothing more than a container for other tags. Much like the body tag, Div elements are block elements and work behind the scenes grouping other tags together. Use only the following attributes with your div element, anything else should be reserved for CSS.

In the pages of this book I am using as sample tag <div> several times, now few more examples how is use div tag in your QRZ page.

ELEMENTS IN BOX

Same text as in Table example, but first line change to animated image



cient fee for return Please supply suffi
IRC must be stamped on left side, otherwise it's not valid.

```
<center>
```

```
<div style="vertical-align: top;text-align: center;font-size:25px;
```

```
line-height:40px;background-color:#ff0;padding-top:10px;width:580px;
```

```
border:10px groove red;">   
<br />
```

```
IRC must be stamped on left side, otherwise it's not valid.</div>
```

```
</center>
```

For center-align this box in your QRZ page I am using tag <center>

TEXT IN TRANSPARENT BOX

Add in CSS window code:

```
.bg {width:500px; border:2px solid black;
```

```
background:url(http://static3.grsites.com/archive/textures/brown/brown034.jpg) repeat; }
```

```
.transbox
```

```
{text-align: justify;width:400px; font-weight:bold; color:#8b0000;
```

```
margin:30px 50px;padding:10px;background-color:#fff;
```

```
border:1px solid black;
```

```
opacity:0.6;
```


```
filter:alpha(opacity=60); /* For IE8 and earlier */ }
```

And insert in bio HTML code:

```
<div class="bg">
```

```
    <div class="transbox">
```

```
        Average daily sunspot numbers this week were about the same as last, and average daily solar flux declined a little over eight points to 128.9. Geomagnetic indicators were quiet. Average daily sunspot numbers of 95.3 for the week is considerably below the average for the previous 90 days, which was 120.8.</div></div>
```



First, we create a div element (class="bg") with a fixed width, a background image, and a border. Then we create a smaller div (class="transbox") inside the first div element. The "transbox" div have a fixed width, a background color, and a border - and it is transparent.

BOX-SHADOW

The box-shadow property allows designers to easily implement multiple drop shadows (outer or inner) on box elements, specifying values for color, size, blur and offset. The box-shadow property can accept a comma-separated list of shadows, each defined by 2-4 length values (specifying in order the horizontal offset, vertical offset, optional blur distance and optional spread distance of the shadow), an optional color value and an optional 'inset' keyword (to create an inner shadow, rather than the default outer shadow).

The Syntax:

```
box-shadow: none | <shadow> [ , <shadow> ]*
```

The first value describes the x-offset (could be a negative value as well), the second the y-offset, the third the radius of the shadow and the fourth the color of it. Opera is the first web browser to have an implementation without a vendor-prefix, whereas Firefox, Safari and Google Chrome all need it for now. So, this code makes it work in all those web browsers:

```
{
-moz-box-shadow: 3px 3px 4px #000;
-webkit-box-shadow: 3px 3px 4px #000;
box-shadow: 3px 3px 4px #000;
}
```

This is how we make it work in Internet Explorer

```
{
/* For IE 8 */
-ms-filter: "progid:DXImageTransform.Microsoft.Shadow(Strength=4,
Direction=135, Color='#000000')";
/* For IE 5.5 - 7 */
filter: progid:DXImageTransform.Microsoft.Shadow(Strength=4,
Direction=135, Color='#000000');
}
```

You can generate CSS code for shadow box and preview it in <http://www.westciv.com/tools/boxshadows/index.html>

Examples:

```
-moz-box-shadow: 60px -16px teal;
-webkit-box-shadow: 60px -16px teal;
box-shadow: 60px -16px teal;
```

```
-moz-box-shadow: 10px 5px 5px black;
-webkit-box-shadow: 10px 5px 5px black;
box-shadow: 10px 5px 5px black;
```

```
-moz-box-shadow: 3px 3px red, -1em 0 0.4em olive;
-webkit-box-shadow: 3px 3px red, -1em 0 0.4em olive;
box-shadow: 3px 3px red, -1em 0 0.4em olive;
```

```
-moz-box-shadow: inset 5em 1em gold;
-webkit-box-shadow: inset 5em 1em gold;
box-shadow: inset 5em 1em gold;
```

```
-moz-box-shadow: 0 0 1em gold;
-webkit-box-shadow: 0 0 1em gold;
box-shadow: 0 0 1em gold;
```

```
-moz-box-shadow: inset 0 0 1em gold;
-webkit-box-shadow: inset 0 0 1em gold;
box-shadow: inset 0 0 1em gold;
```


Below is one example of using box shadow in AL7HG QRZ page.

Once I had few visitors' images over gradient background and I decide use box-shadow property for best contrast.

Without shadow

With box-shadow

2D Visitor Map
Page#76



The point where the measured color for background hex-85714b

It was several elements and I am add shadow script to CSS window as class selector

```
.shadow { background-color:#85714b;font-weight:600;color:#000;
text-align: center;font-size:14px;width: 195px;
-moz-box-shadow: 3px 3px 4px #000;
-webkit-box-shadow: 3px 3px 4px #000;
box-shadow: 3px 3px 4px #000;
/* For IE 8 */
-ms-filter: "progid:DXImageTransform.Microsoft.Shadow
(Strength=4, Direction=135, Color='#000000')";
/* For IE 5.5 - 7 */
filter: progid:DXImageTransform.Microsoft.Shadow(Strength=4,
Direction=135, Color='#000000');}
```

It was box with 195 pix width and #85714b color background – it was color of the point in gradient when fix left side of image (Flag counter).

The class selector is used to specify a style for a group of elements. Unlike the id selector, the class selector is most often used on several elements.

This allows you to set a particular style for many HTML elements with the same class.

The class selector uses the HTML class attribute, and is defined with a "."

In the example above, all HTML elements with class="shadow" will be add shadow property to all elements.

The HTML code was:

```
<div class="shadow"> </div>
```

```
<div class="shadow"> Worldwide Visitors <br />
```

```
<a href="http://s10.flagcounter.com/more/QQ" target="_blank">
</a></div>
```

BASIC HTML SCROLL BOX

An HTML scroll box is a box that grows scroll bars when it's contents are too large to fit in the box. How do you make the box? You create the box using the HTML div tag. Then, to make the box scroll, you apply the CSS overflow property to the div.

But, you don't need to worry about the technical details if you don't want to. You can simply copy and paste the HTML scroll box code below. Of course, you can change the values to suit (such as the size of the scroll box, color etc)

As sample I am use countries flag counter in box size 120px to 250px

```
<div style= "height:120px;width:250px;
overflow:scroll;"> <a
href="http://s06.flagcounter.com/more/1zs"> </a></div>
```




Colored Scroll Boxes

Here's an example of an HTML scroll box with color added. You have a number of options when it comes to adding color to your scroll box.

Background & Text Color

This example changes the background color of the scroll box. In HTML, you can change background color using the CSS property: yellow background color (#ffff00) and red (#f00) text



```
<div style="height:100px;width:250px;overflow:scroll;background-color:#ffff00; text-align: justify;padding-right:7px;color:#f00;">
```


```
3B9 - Giorgio, IZ4AKS will be active as 3B9/IZ4AKS from Rodrigues Island(AF-017) between 28 August and 4 September. He will operate holiday style on 40-10 metres using 100 watts </div>
```

Scrollbar Color


In this example, we change the color of the scroll bars. This is done using the 'scrollbar-base-color' property.

Note that this won't work on all browsers. It should work on Internet Explorer version 5.5 and above, but at the time of writing, it doesn't work in Firefox. So, if you're viewing this page with Firefox, the above scrollbar won't have changed color.

```
<div style= "height:170px;width:160px; overflow:scroll; background-color:#ffff00; color:#0000ff; scrollbar-base-color:#ff0000;">
°Message from Filipe Lopes, CT1ILT: José CT1CJJ and Filipe CT1ILT, .....to make our best to work as many QSOs as possible, CW and SSB. We will be using only 100W and a vertical antenna near.</div>
```



- scrollbar-face-color:#003300;
- scrollbar-highlight-color:#0000ff;
- scrollbar-3dlight-color:#ffff00;
- scrollbar-shadow-color:#0000dd;
- scrollbar-darkshadow-color:#008800;
- scrollbar-arrow-color:#ff0000;
- scrollbar-track-color:#000000;



Scroll Box with Images

You can also add images to your scroll box. This can be either a background image, or, one or more foreground images. Click on the link to add images to your scroll box!

Did you know that you can add pictures to your HTML scroll box? There are two ways to add pictures to your scroll box - as a foreground image, and as a background image.

Foreground Picture

Foreground pictures are ideal if you want to have many pictures inside your scroll box. If you want your users to be able to scroll through a list of images, use this code.

(Note that this example uses two images, but you can have as many images as you want).

```
<div style="height: 200px; width: 250px;overflow:scroll;text-align:center;"><br /> <br /> /></div>
```



Background Pictures

You can add a background picture to your scroll box instead of a foreground picture. Background pictures are perfect for when you want to add text over the top of your picture.

```
<div style="height: 220px; width: 150px; overflow-x:hidden;overflow-y:scroll;text-align:justify;color:white;background-image:url(http://static4.grsites.com/archive/textures/dgren/dgren057.jpg);">QSL INFO: PO BOX 123, KEBUMEN 54300, INDONESIA...</div>
```



Scroll Box Borders

You can add borders to HTML scroll boxes using the CSS 'border' property.

```
<div style="height: 220px; width:150px; overflow-x:hidden;overflow-y:scroll;text-align:justify; color:white;background-image:url(http://static4.grsites.com/archive/textures/dgren/dgren057.jpg); border:5px solid red;"> QSL INFO: PO BOX 123, KEBUMEN 54300, INDONESIA</div>
```



Borders can be of any thickness, and any color. You can specify whether it's solid, dotted, dashed, and more. You can also specify a different border for each side of your scroll box. More about borders read page

Horizontal Scroll

Here's an example of an HTML scroll box with a horizontal scroll only. Click on the link to add horizontal scrolling to your scroll box!

By using overflow-x, we can create scroll bars when the contents of this div are wider than the container. By setting this paragraph to 200 percent, it is 200 percent wider than the parent container - forcing an overflow.

This page contains code for a horizontal scroll. This enables you to create a scroll box with a horizontal scroll (but not the vertical scroll).

Basic Horizontal Scroll Box

To make a scroll box with a horizontal scroll, you need to use overflow-x:scroll;. This basically tells your browser to create scroll bars on the x (horizontal) axis, whenever the contents of the container are too wide. Here, we make our content too wide by setting it's width to 250 percent - that's 250 percent of its parent container (the div).


To prevent vertical scroll bars from appearing, you need to use overflow-y:hidden;.

Example:

```
<div style="border:1px solid  
black;width:200px;height:200px;overflow  
-y:hidden;overflow-x:scroll;">
```

```
<p style="width:250%;">
```

```
3B9 - Giorgio, IZ4AKS will be active as  
3B9/IZ4AKS from Rodrigues Island(AF-  
017) between 28 August and 4  
September..... </div>
```



In this sample using 3 scroll boxes – with widgets, bio text and in the top of the page with photo, which fix over main picture. Last scroll box fix in this position with absolute layer, but need also use padding-right:30px; in CSS style (#calldata) for shift main picture little left. This scroll box includes several photos with size 220x 300 px and hyperlink to large photo. When you click to the photo open in new window with same large photo.

The screenshot shows the G6YEK website with the following content:

- Header:** G6YEK logo, RSGB logo, QSL MANAGERS SOCIETY logo, and EPC logo. Text: "Des Heard, MBE WESTON-SUPER-MARE SOMERSET, BS23 4HU England".
- Navigation:** "Lookups: 19729 Ham Member", "Email: Use mouse to view.", "QSL: PLEASE QSL VIA BURO OR DIRECT".
- Biography:** "war, and in 1991 I was awarded the MBE for my efforts. I returned back to England from Bosnia in 1999. I caught the Radio Bug around 1954 my father had built me a Crystal set and many a happy hour was had listening to and logging the stations and sending off reports hoping to get a qsl card back. And then one day I heard a Qso between two Deepsea Tugs based in the River Dart I always".
- DXCC visitors:** A table showing visitor counts from various countries like GB, US, DE, IT, etc.
- ON AIR:** "G6YEK is on air 50,183,870 USB FT-950".
- QSO Log:** A table of recent QSOs with columns for call sign, time, mode, and frequency.
- Footer:** "Bristol Airport, UK 57 °F / 14 °C Mostly Cloudy at 6:50 AM", "Guest book", "my web page: WWW.G6YEK.COM", and "Web Logbook (HRDLOG.net) by IWTQLH - click to open my online logbook".

<div style="position: absolute; right: 15px; top: 100px; text-align: center; background-color: rgb(191, 242, 204);">

<div style="height: 235px; width: 310px; overflow-x: hidden; overflow-y: scroll; text-align: center;">ME & BADGER











.... </div>

<div style="text-align: center; height: 20px; width: 310px;">CLICK FOR ENLARGE</div>

FLAG COUNTER

24COUNTER.COM

Need a registration - <http://24counter.com/member/signup.php>

	US.....	18057
	IN.....	10925
	ID.....	6320
	MY.....	5854
	CA.....	4261
	PK.....	3914
	MN.....	3387
	DE.....	3126
	NO.....	3041
	BD.....	2899
24COUNTER.COM		


This is a free widget allows you to count visitors by the country

Sample HTML code

```
<a target="_blank" title="flag and country counter" href="http://24counter.com/online/1264103284/">
```

TRENDCOUNTER.COM

just visit <http://www.trendcounter.com/widgets.htm> choose your preferred Widget style (Free Online Counter), copy the HTML-Code, and insert it into every single page of your Website that should count visitors. That's it! One click on the Widget leads to your detailed statistics.



Sample HTML code

```
<p><a href="http://www.trendcounter.com/live/03II5thv.htm" target="_blank"></a></p>
```

FLAGCOUNTER.COM

Every time someone from a new country or new state visits your site, a new flag will be added to your counter. Not only will this make your site far more interesting, but clicking on your Flag Counter will reveal amazing information and charts! Generate HTML code in <http://flagcounter.com/>

These widgets is most populars in www.qrz.com

Add a free Flag Counter to any webpage and collect flags from all over the world. Every time someone from a new country visits you, a flag will be added to your counter. Not only will this make your site far more interesting, but clicking on your Flag Counter will reveal amazing information and charts!

"...I check my homepage every morning. When see a new flag show up, it makes me proud! Thanks for the great free service."

- Bob H. - West Virginia

INSTANTLY CREATE YOUR FREE FLAG COUNTER

Choose your own options and appearance. When you're finished, just click "Get Your Flag Counter."

Show on your site: Top Countries Flag Map new!

Maximum Flags to Show:

Columns of Flags:

Label on Top of Counter:

Background Color #:

Text Color #:


Border Color #:

Show Country Codes

Show Pageview Count


>> GET YOUR FLAG COUNTER

Example Flag Counter with your choices (using our visitors)




Sample HTML code for countries (choose "Top Countries")

```
<a href="http://s06.flagcounter.com/more/1zs"></a>
```



Recent Visitors traffic:




```
<a href="http://s06.flagcounter.com/more/1zs"></a>
```

Note: this option is not more support in s10 counters.

States Flag Counter:

Visit http://flagcounter.com/new_states.cgi for generate HTML code.



Sample HTML code for states

```
<a href="http://states.flagcounter.com/more/Zmd"></a>
```

Canada Flag Counter:

Visit http://flagcounter.com/new_canada.cgi for generate HTML code



Sample HTML code

```
<a href="http://canada.flagcounter.com/more/JD" target="_blank"></a>
```

Flag map

Sample HTML code for map countries (choose "Flag map")

```
<a href="http://s07.flagcounter.com/more/rrN"></a>
```

Size m (medium) , s (small) ,t (tiny) & l (large)



Mini counter

Two types – flag collecting and total visitors

Sample HTML code

```
<a href="http://s10.flagcounter.com/more/QQ"><img alt="51 flags collected" data-bbox="671 568 874 584"/>  
src="http://s10.flagcounter.com/mini/QQ/bg_cccccc/txt_ff0000/border_CCCCCC/flags_1/" alt="free counters"  
border="0"></a>
```

```
<a href="http://s10.flagcounter.com/more/QQ"><img alt="872 pageviews" data-bbox="678 625 881 641"/>  
src="http://s10.flagcounter.com/mini/QQ/bg_cccccc/txt_ff0000/border_CCCCCC/flags_0/" alt="free counters"  
border="0"></a>
```

Modifying Your Flag Counter

(re-print from flagcounter.com page).

We've made it very simple to make changes to your Flag Counter. You can change your counter's colors, add rows, and much more, at any time. On the bottom of any of your statistics pages (reached after clicking on your counter) there is a "Regenerate HTML" link. Just follow that link and you'll be modifying your existing Flag Counter. When you're finished, just swap out your old HTML code with the new code and you'll be all set!

Manual Code Modifications

Flag counter crew designed his service so that you can change any of your settings instantly, by making simple changes to your Flag Counter code. There are currently 8 different variables that can be modified in your code. When you first created your Flag Counter, we provided you a simple HTML code, similar to what appears below. The part in **red** is your randomly assigned username, and is specific to your Flag Counter only. Do not change the part in red, and do not use the code below, but use the code you generated on our site.

```
<a href="http://flagcounter.com/more/123"></a>
```

To proceed, please make a backup copy of your Flag Counter code that you can revert to in case you make a mistake. We will be focusing on the highlighted sections of code. The variables that can be adjusted, and their respective allowed values are included next.

Be very careful not to make any changes to your Flag Counter that do not follow the requirements below, or you will get an error image and your Flag Counter will no longer function correctly! You may only change the part after the equal sign (=) and before the forward slash (/), and it must be done according to the strict requirements that follow.

bg=FFFFFF This is your Flag Counter's background color. This can be any valid 6 digit hex number. For instance, if the background color on your website is #191970 (**Midnight blue**) and you want it to match, you'll change this part to be "bg=191970"

txt=000000 This is your Flag Counter's text color. This is adjusted in the same manner as the background color.

border=CCCCCC This is your Flag Counter's border color. This is also adjusted in the same manner as the background color.

columns=2 This is the number of columns in your Flag Counter. This can be any number between 1 and 9.

maxflags=12 This is the maximum number of flags shown on your Flag Counter. This can be any number between 1 and 248.

viewers=0 This is the text label on top of your counter. "0" is the default, which will say "Visitors" on the top of your counter. "1" will say "Viewers" and "3" will remove the label entirely. Any other value which includes letters (a-z) or numbers (0-9) is acceptable, as well as plus signs (+) which are converted to spaces, exclamations (!), periods (.), and commas (,). For instance, if you'd like this to say "Canada Visitors", you'd change this to be "viewers=Canada+Visitors".



<center>

U.S.A. Visitors

</center>

labels=0 This setting adjusts whether the flags are labeled by their country code, and can be either 0 (off) or 1 (on). When set to 1, each flag is followed by its 2 letter country code.

pageviews=0 This setting adjusts whether a pageview counter is included on your Flag Counter and be either 0 (off) or 1 (on). When set to 1, a non-unique counter that counts every time the Flag Counter image is displayed to an end user is included on the counter.

By placing "flags=1/" at the end of your counter code, you can now see the current number of flags that you have collected. This will be added to the regenerate HTML function soon.

For country list visit <http://flagcounter.com/countries.html> .

ONLINE VISITORS TRACKER

24COUNTER.COM

Need a registration - <http://24counter.com/member/signup.php>




Free online visitors tracker with hit counter

This is a free widget allows you to see country and IP address of recent and online visitors. It is also offers you to get information about the hits for today, month, year and total hits.

Sample HTML code

```
<a target="_blank" href="http://24counter.com/cc_stats/1264103284/"></a><br>
```

```
<a href="http://24counter.com">web counter</a>
```



BEBJ.COM

<http://bebj.com/>

Browsers counter

HTML code


```
<a href="http://bebj.com/">web counter<br></a><a href="http://bebj.com/stat/1265575455/"></a>
```

Visitor Details

This is the simple widget allows to see your IP Address , Country , Web browser and Operation system.

HTML code

```
<p><a href="http://bebj.com"></a><br /><a href="http://bebj.com"></a></p>
```



SMART-IP.NET

<http://smart-ip.net/services/button> Simple determinant of yours IP addresses– in Russian language – but please select and copy HTML code



```
<a href="http://smart-ip.net/" title="Узнать/определить IP адрес"></a>
```



HTML code ``

LIVE.FEEDJIT.COM

FEEDJIT Live shows what is happening on your website right now by pushing events to your web browser the moment they happen.

Visit the web page <http://feedjit.com/joinimg/> and customize widget

Live Traffic Feed

[Watch Live](#) | [Get FEEDJIT](#)

-  Funabashi, Chiba, Japan arrived 1 hour 23 mins ago.
-  Vicenza, Veneto, Italy arrived 5 hours 29 mins ago.
-  United States arrived 8 hours 6 mins ago.
-  Krasnoyarsk, Krasnoyarskiy Kray, Russia arrived 10 hours 2 mins ago.
-  Curitiba, Paraná, Brazil arrived 13 hours 17 mins ago.
-  Boinvilliers, Centre, France arrived 17 hours 21 mins ago.
-  Ozalj, Karlovačka, Croatia arrived 1 day ago.
-  Beverly Hills, California, United States arrived 1 day ago.
-  Trieste, Friuli, Italy arrived 1 day 20 hours ago.

Customize It – see note on page 36 for select colors and size exactly same as you using in other widgets.

Sample HTML code

```
<a href="http://feedjit.com/ir1/717684ddfbea2f8b/"></a>
```

Remember that is example of code – just for test it, for using on your page please generate your personal code

































When you install it, just click on the graphic and you will see your personal page with all details of visitors



Live Traffic - Arrivals as they happen

FEEDJIT Live shows what is happening on your blog or website right now by pushing events to your web browser the moment they happen.

[Turn Sounds On](#) [Pause the Feed](#) [Remove your IP](#)  Listening

Arrival or Departure	Country	Browser	OS	Long description	Current time: 11:28:40 GM
				Thornhill, Ontario landed on http://www.qrz.com/db/ua6jd	23:59:19 -- 1 day 11 hours
				Springfield, Missouri arrived on an unknown landing page.	20:21:11 -- 1 day 15 hours
				Prince Frederick, Maryland landed on http://www.qrz.com/db/ua6jd	20:19:04 -- 1 day 15 hours
				Plymouth landed on http://www.qrz.com/db/ua6jd	20:15:46 -- 1 day 15 hours
				Stevens Point, Wisconsin landed on http://www.qrz.com/db/ua6jd	18:41:10 -- 1 day 16 hours
				Moscow, Moscow City landed on http://www.qrz.com/db/	17:54:26 -- 1 day 17 hours
				Tallinn, Harjumaa landed on http://www.qrz.com/db/ua6jd	17:46:01 -- 1 day 17 hours
				Ashburn, Virginia landed on http://www.qrz.com/db/UA6JD	23:13:29 -- 4 days 12 hours

Get a Real-Time Traffic Feed Now

SPYBER.COM

The image displays the viewers information only, not yours. (It's created dynamically each time it's loaded from our server).

<http://www.spyber.com/signature.html>

please select **HTML code, for your website(s)**



```
<a href="http://www.spyber.com/"></a>
```



```
<a href="http://www.spyber.com/"></a>
```



```
<a href="http://www.spyber.com/"></a>
```

DANASOFT.COM

<http://www.danasoft.com/>

The Danasoft sign is a fun widget that you can add to your website



HTML code

```
<a href="http://www.danasoft.com"></a><p><div style="font-family:Arial,sans-serif;font-size:11px;">Sign by Danasoft - <a href="http://www.danasoft.com">Get Your Free Sign</a></p></div>
```



```
<a href="http://www.danasoft.com"></a><p><div style="font-family:Arial,sans-serif;font-size:11px;">Sign by Danasoft - <a href="http://www.danasoft.com">Get Your Free Sign</a></p></div>
```

If you select [Create your free sign with custom text quotes!](#) you can add your text to the sign


<input checked="" type="checkbox"/> Bad Dude	<input type="checkbox"/> Colorful Anteater	<input type="checkbox"/> Mouse	<input type="checkbox"/> Hairy Monster	<input type="checkbox"/> Pole	<input type="checkbox"/> Tux
<input type="checkbox"/> Bush	<input type="checkbox"/> Hillary	<input type="checkbox"/> Obama	<input type="checkbox"/> McCain	<input type="checkbox"/> Firefox	
<input checked="" type="checkbox"/> IP Address	<input checked="" type="checkbox"/> ISP	<input checked="" type="checkbox"/> Operating System	<input checked="" type="checkbox"/> Browser		

SPEEDREPORT.DE

German language instruction: <http://www.speedreport.de/napping-tools/>

HTML code

```
<!-- Speedreport Napping Code --><a href="http://www.speedreport.de/" title="DSL Speed testen" target="_blank"></a><!-- Ende Speedreport Napping Code -->
```



HTML code

```
<!-- Speedreport Napping Code --><a href="http://www.speedreport.de/" title="Meine IP" target="_blank"></a><!-- Ende Speedreport Napping Code -->
```


WIEISTMEINEIP.AT

German & English language widgets in <http://www.wieistmeineip.at/banner/>




HTML code

```
<a href="http://www.wieistmeineip.at/cometo/?en"></a>
```



HTML code

```
<a href="http://www.wieistmeineip.at/cometo/?en"></a>
```



Note to all these widgets: Your IP address and other information are only visible to YOU, not to others, but because people see their own IP address and computer information displayed on a blog or in a public forum, they think that their information can be seen by everyone!

WORLD MAP VISITORS COUNTER

Know where your website visitors come from, webmaps are free and easy to place in your webpage. These maps show the IP location of your visitors and friends and are updated in real time, you can display weekly activity, monthly + more...

[REVOLVERMAPS.COM](http://www.revolvermaps.com)

<http://www.revolvermaps.com/?target=gallery>

RevolverMaps Standard <http://www.revolvermaps.com/?target=setup>

The Standard version of the RevolverMaps Service displays all visitor locations, recent hits with city, state and country information as well as the visit count live and in realtime. This version enables you to control zoom and rotation of the globe. Clicking on the enlarge button open the big globe at revolvermaps.com.



customization:

- size: 180×180 - 350×350 pixels
 - marker colors
- background-color
 - maps
 - stars
- counter

select **Flash version via HTML (MySpace etc.)** and from box **Copy The Code To Your Site..** copy HTML code

Sample HTML code

```
<div style="text-align:center; margin:0px; padding:0px; width:300px;"><embed src="http://rd.revolvermaps.com/f/g.swf" type="application/x-shockwave-flash" pluginspage="http://www.macromedia.com/go/getflashplayer" quality="high" wmode="window" allowScriptAccess="always" allowNetworking="all" width="300" height="300" flashvars="m=6&i=33B6JlugjRH&r=true&v=true&b=000000&n=false&s=300&c=00fff6"></embed><br /><a href="http://www.revolvermaps.com/">Get Your Own Visitor Globe!</a></div>
```


Note from UA6JD:

RevolverGlobe script is **NOT** adapted to IE browser, so if you using Internet Explorer browser and visit QRZ page where install above widget, you can't show e-mail address when hovered it and not work enlarge function in main picture (top-right corner of the page). 2DMap is adapted to IE and work OK.

RevolverMaps Plain <http://www.revolvermaps.com/?target=setup2d>

The Plain version of the RevolverMaps Service displays all visitor locations and recent hits live and in real-time. A click on the map opens the big globe at revolvermaps.com.

customization:



- size: 100×50 - 512×256 pixels
- marker colors
 - maps
- corner style

Same as before – please use

 HTML (MySpace etc.)



Sample HTML code

```
<div style="text-align:center; margin:0px; padding:0px; width:256px;"><object classid="clsid:d27cdb6e-ae6d-11cf-96b8-444553540000" width="256" height="128" codebase="http://fpdownload.adobe.com/pub/shockwave/cabs/flash/swflash.cab#version=9,0,0,0" id="ie_rmc_ki101"><param name="movie" value="http://rb.revolvermaps.com/f/f.swf" /><param name="allowNetworking" value="all" /><param name="allowScriptAccess" value="always" /><param name="wmode" value="transparent" /><param name="flashvars" value="m=0&amp;i=12Dm2DfUfVW&amp;r=30&amp;c=ff0000" /><!--[if !IE]><!--><object data="http://rb.revolvermaps.com/f/f.swf" type="application/x-shockwave-flash" width="256" height="128"><param name="allowNetworking" value="all" /><param name="allowScriptAccess" value="always" /><param name="wmode" value="transparent" /><param name="flashvars" value="m=0&amp;i=12Dm2DfUfVW&amp;r=30&amp;c=ff0000" /></object><!--<![endif]--></object><br /><a href="http://www.revolvermaps.com/">Get Your Own Visitor Map!</a></div>
```

HTML-Map (same as above, but not show online visitors as blink dot)

```
<a href="http://www.revolvermaps.com/?target=enlarge&amp;i=84dbn3gheyx&amp;color=ff0000&amp;m=0"></a>
```

Sample HTML code

```
<a href="http://www.revolvermaps.com/?target=enlarge&amp;i=8nd4f614w09&amp;color=ff0000&amp;m=0"></a>
```

As it an image you can use any image property in this map (check it in my QRZ page - <http://www.qrz.com/db/ua6jd> and click to "Visitors Map" button)

RevolverMaps Button <http://www.revolvermaps.com/?target=setupbutton>

The RevolverMaps Button displays the visitor location as a small red dot. A click on the button opens the large visualization at revolvermaps.com displaying all visitor locations and recent pages live and in realtime.



customization:

- button style
- globe colors

Choose :

“HTML-Button (try this one if JavaScript-Button fails on your profile)”

Sample HTML code

```
<a href="http://www.revolvermaps.com/?target=enlarge&i=8be2hzgyhv2&color=a00000&m=1"></a>
```

24COUNTER.COM

Need a registration - <http://24counter.com/member/signup.php>



This is a free widget allows you to see GEO locations of all visitors. It's also offers to see top countries, top regions, top visitors and recent visitors by geographical location. Click to signup button to get free world map hit tracker on your

website or blog.

Sample HTML code

```
<a title="free world map tracker" href="http://24counter.com/vmap/1264103284/"></a><br><a href="http://24counter.com/map/">map counter</a>
```


Same counter in <http://www.ipligence.com/visitor-maps>

Sample HTML code



```
 <a href="http://www.ipligence.com/visitor_extended/1dd35f172f7 e4461b15a64aea81270be/month"></a>
```

CLUSTRMAPS.COM



1. Log in to your ClustrMaps 'Admin' page by clicking on the [Admin](#) link at the top of any ClustrMaps page, or going directly to: <http://www.clustrmaps.com/admin/action.php> (use your URL as your username, and the password you have been sent, or the password you changed it to)
2. On your admin page, you will see a box containing the relevant HTML code. Click in the box with your mouse and *select ALL of that text* (you can use the two keyboard keys **CTRL+A** to select all of it)
3. Now *copy that HTML* (you can use the two keyboard keys **CTRL+C** to perform this, or right-click with the mouse and select **Copy**); you will then paste it into your web page later on below.


<http://clustrmaps.com/ru/admin/register.php> . In line **URL** write your full web www.qrz.com/db/ua0xxx - where ua0xxx is your callsign

Sample HTML code

```
<a href="http://www3.clustrmaps.com/counter/maps.php?url=http://www.qrz.com/db/ua0xxx" id="clustrMapsLink"> </a>
```

DIGITALPOINT.COM

<http://www.digitalpoint.com/tools/geovisitors/>



This tool that will automatically detect where in the world visitors are coming from when they visit your site. To use, copy/paste the HTML code on the right to your website.

Currently showing the location of visitors to site in the last 24 hours.

Sample HTML code

```
<a href="http://www.digitalpoint.com/tools/geovisitors/"></a>
```

CODESTOGO.COM

Visit <http://codestogo.com/world-map> and to create your own map select a map from the Map Styles dropdown below and click on "Get one!" button.



Sample HTML code

```
<a href="http://CodesToGo.com/world-map/gmap/55974-19808"></a><br><a href="http://www.codestogo.com/world-map" target="blank">World Visitor Map</a>
```


MAPLOCO.COM

The new service that lets you create a map showing where visitors to your page are coming from. In <http://www.maploco.com/> registered and get your HTML code


Sample HTML code

```
<br><a href="http://www.maploco.com/view.php?id=3723356"></a><br><a href="http://www.maploco.com/">Create your own visitor map</a><br>
```

Visitor list updates every 5 minutes. Map updates daily.



Visitor list updates every 5 minutes. Map updates daily.




Recent Locations

Scroll down for visitor locations

Location	Time
Vladikavkaz, Russian Federation	Fri, 05 Mar 2010 22:52:12 -0600
Augsburg, Germany	Fri, 05 Mar 2010 18:13:35 -0600
Cracow, Poland	Fri, 05 Mar 2010 15:18:08 -0600
, Burundi	Fri, 05 Mar 2010 13:03:17 -0600
Cortlandt Manor, NY, United States	Fri, 05 Mar 2010 13:01:54 -0600
Dabrowa Gornicza, Poland	Fri, 05 Mar 2010 11:32:00 -0600
Eppelheim, Germany	Fri, 05 Mar 2010 11:15:31 -0600
Bridgewater, NS, Canada	Fri, 05 Mar 2010 10:47:28 -0600
Voronezh, Russian Federation	Fri, 05 Mar 2010 10:10:17 -0600
Venice, Italy	Fri, 05 Mar 2010 09:53:46 -0600
Mountain View, CA, United States	Fri, 05 Mar 2010 09:41:25 -0600
Pszyw, Poland	Fri, 05 Mar 2010 09:48:04 -0600
Waglczew, Poland	Fri, 05 Mar 2010 09:48:00 -0600
Nagold, Germany	Fri, 05 Mar 2010 09:47:18 -0600
Olching, Germany	Fri, 05 Mar 2010 09:46:36 -0600
Villaverla, Italy	Fri, 05 Mar 2010 09:42:57 -0600

WEB HIT COUNTER

Free web counter - now <http://tophostgatorcoupon.com/signup.php> offer hits counter service for free. They have about 150 counter styles for website owners. Just select and push **GET CODE**



Styles List : 1 2 3 4 5 6 7

Sample HTML

code (do you like apples ?)

```
<a href="http://tophostgatorcoupon.com" style="font-size:9px;">tophostgatorcoupon.com</a><br><a href="http://tophostgatorcoupon.com/weblog/7/329/"></a><br>
```

Please check <http://basicstat.com/> for same couners.

Also in <http://cialisprofessional.co.uk/> same free web hit counters. Offers over 120 styles for free hit counters. Check real time counter stats anytime. Simple and easy to use web counter. Stats from previous periods.



Also in <http://buycialisprofessional.com/code.php> allow you to use free and real time web counter services.



Styles List : 1 2 3 4

GET CODE

<http://www.digitalpoint.com/tools/counter/>

This is a free web counter that you can use on any page (or multiple pages) of any site. What's so cool about this one? Well, you don't need to sign up for anything... in fact, you don't even need to "name" your counter. It's all automatically done based on the page you put the code on. The same code will work for any page, on any site



Sample HTML code

```
<div style="padding:5px; font:9px Verdana; text-align:center;"><a href="http://www.digitalpoint.com/tools/counter/"></a>
```

SOLAR TERRESTRIAL DATA

HAMQSL.COM

Read at first **IMPORTANT NOTICE** in <http://www.hamqsl.com/solar.html>

and <http://www.hamqsl.com/FAQ.html#Solar>

Solar-Terrestrial Data
22 Dec 2011 0742 GMT
SFI:144 SN: 93
A-Index: 3
K-Index: 0
X-Ray: C1.1
304A: 170.0 @ SEM
Ptn Flx: 1.18e-01
Elc Flx: 8.55e+00
Aurora: 5 /n=1.10
Mag (Bz): 0.9
Solar Wind: No Rpt
Geomag Field INACTIVE
Sig Noise Lvl S0-S1
Current Solar Image

<http://www.n0nbh.com>
Copyright Paul L Herrman 2010

No Band Condition Calculations

Large Vertical Selectable

Solar Image

No Transparent

HTML code:

<center>

```
<a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a>
```

</center>


To select the desired image you want (only available on the sun image panels), modify the php text as follows:

Choose a solar image (see the table

<http://www.hamqsl.com/solar2.html#images> for more information about each image (2nd column, the underlined ?image= name). You have a choice of Soho or SDO images. Defaults to mdi (orange) for all except the solarsun.php, which defaults to sdo_304 (orange).

- SoHo is available in vsm1 (B&W mag), vsm2 (red mag), sh (orange mag), corona (white light), c2 (LASCO white light), c3 (LASCO white light), mag (mdi mag), or mdi (mdi orange).
- SDO is available in sdo_193, sdo_304, sdo_171, sdo_211, sdo_131, sdo_335, sdo_094, sdo_4500, sdo_1600, sdo_1700, sdo_comp1, sdo_comp2, or sdo_comp3
- Command is ?image=
- Modify the php url. So for example:
 - For a vertical format blue sun , change "http://www.hamqsl.com/solarpic.php" to "http://www.hamqsl.com/solarpic.php?image=sdo_171"

Solar-Terrestrial Data
 22 Dec 2011 0751 GMT
 SFI:144 SN: 93
 A-Index: 3
 K-Index: 0
 X-Ray: C1.1
 304A: 170.0 @ SEM
 Ptn Flx: 1.18e-01
 Elc Flx: 8.55e+00
 Aurora: 5 /n=1.10
 Mag (Bz): 0.9
 Solar Wind: No Rpt
 Geomag Field INACTIVE
 Sig Noise Lvl S0-S1
 Current Solar Image




<http://www.n0nbh.com>
 Copyright Paul L Herrman 2010

Solar-Terrestrial Data
 22 Dec 2011 0753 GMT
 SFI:144 SN: 93
 A-Index: 3
 K-Index: 0
 X-Ray: C1.1
 304A: 170.0 @ SEM
 Ptn Flx: 1.18e-01
 Elc Flx: 8.55e+00
 Aurora: 5 /n=1.10
 Mag (Bz): 0.9
 Solar Wind: No Rpt
 Geomag Field INACTIVE
 Sig Noise Lvl S0-S1
 Current Solar Image



<http://www.n0nbh.com>
 Copyright Paul L Herrman 2010

Solar-Terrestrial Data
 22 Dec 2011 0752 GMT
 SFI:144 SN: 93
 A-Index: 3
 K-Index: 0
 X-Ray: C1.1
 304A: 170.0 @ SEM
 Ptn Flx: 1.18e-01
 Elc Flx: 8.55e+00
 Aurora: 5 /n=1.10
 Mag (Bz): 0.9
 Solar Wind: No Rpt
 Geomag Field INACTIVE
 Sig Noise Lvl S0-S1
 Current Solar Image




<http://www.n0nbh.com>
 Copyright Paul L Herrman 2010

Solar-Terrestrial Data
 22 Dec 2011 0740 GMT
 SFI:144 SN: 93
 A-Index: 3
 K-Index: 0
 X-Ray: C1.1
 304A: 168.3 @ SEM
 Ptn Flx: 1.18e-01
 Elc Flx: 8.55e+00
 Aurora: 5 /n=1.10
 Mag (Bz): 0.9
 Solar Wind: No Rpt
 Geomag Field INACTIVE
 Sig Noise Lvl S0-S1
 Current Solar Image



<http://www.n0nbh.com>
 Copyright Paul L Herrman 2010

For a horizontal format orange magnetic sun , change "http://www.hamqsl.com/solar101pic.php" to "http://www.hamqsl.com/solar101pic.php?image=sh"



HF & VHF Band
 Condition Calculations
 Large Vertical
 Black Only

No Transparent


HTML code:

<center>

</center>

For the N0NBH, Solar VHF, and Solar101 VHF banners, possible changed the foF2 measurement to MUF for one of ten (10) locations as follows. Frequency provided is in MHz, and is + or - 5% (there are no correcting factors added for accuracy as in future banners). Use ?muf=xxx parameter to customize to your location. So for example to display your desired location, modify the solarvhf.php banner as follows: Defaults (no parameter given) to Boulder CO USA.

- "solarvhf.php" = Boulder CO USA
- "solarvhf.php?muf=athns" = Athens Greece
- "solarvhf.php?muf=herm" = Hermanus South Africa
- "solarvhf.php?muf=grnldn" = Sondrestrom Greenland
- "solarvhf.php?muf=alska" = King Salmon Alaska USA
- "solarvhf.php?muf=niue" = Niue Island
- "solarvhf.php?muf=drwn" = Darwin Australia
- "solarvhf.php?muf=trms" = Tromso Norway
- "solarvhf.php?muf=ant" = Mawson Antarctica
- "solarvhf.php?muf=jic" = Jicamarca Peru



No Band Condition Calculations
 Small Vertical Multi-Color & Transparent

HTML code:

<center>

</center>

To select other than a non-transparent black background for those that indicate background and transparent, modify the php text as follows:

- Choose a background color - available in black, orange, blue, or white (spelling and case important). Command is ?bgcolor=
- Decide if you want the background transparent - remember you still have to choose a background color as the text is different (white text on a white background does not display). Command is ?back=transparent
- Modify the php url. If you use both, you have to add a "&" to join the commands. So for example:
 - For a blue background non-transparent small vertical format (without index/SFI explanations), change "http://www.hamqsl.com/solar.php" to "http://www.hamqsl.com/solar.php?bgcolor=blue"

```
Solar-Terrestrial Data
22 Dec 2011 0719 GMT
SFI:144 SN: 93
A-Index: 3
K-Index: 0
X-Ray: C1.1
304A: 168.3 @ SEM
Ptn Flx: 1.09e-01
Elc Flx: 8.58e+00
Aurora: 4 /n=1.20
Mag (Bz): 3.2
Solar Wind: 432.6

Condition K-In A-In
Quiet 0-2 0-7
Unsettled 3 8-15
Active 4 16-29
Minor storm 5 30-49
Major storm 6 50-99
Severe storm 7-9 >100

http://www.n0nbh.com
Copyright Paul L Herrman 2010
```

```
Solar-Terrestrial Data
22 Dec 2011 0726 GMT
SFI:144 SN: 93
A-Index: 3
K-Index: 0
X-Ray: C1.1
304A: 168.3 @ SEM
Ptn Flx: 1.09e-01
Elc Flx: 8.58e+00
Aurora: 3 /n=1.43
Mag (Bz): 0.9
Solar Wind: No Rpt

Condition K-In A-In
Quiet 0-2 0-7
Unsettled 3 8-15
Active 4 16-29
Minor storm 5 30-49
Major storm 6 50-99
Severe storm 7-9 >100


http://www.n0nbh.com
Copyright Paul L Herrman 2010
```

```
Solar-Terrestrial Data
22 Dec 2011 0727 GMT
SFI:144 SN: 93
A-Index: 3
K-Index: 0
X-Ray: C1.1
304A: 168.3 @ SEM
Ptn Flx: 1.09e-01
Elc Flx: 8.58e+00
Aurora: 3 /n=1.43
Mag (Bz): 0.9
Solar Wind: No Rpt

Condition K-In A-In
Quiet 0-2 0-7
Unsettled 3 8-15
Active 4 16-29
Minor storm 5 30-49
Major storm 6 50-99
Severe storm 7-9 >100

http://www.n0nbh.com
Copyright Paul L Herrman 2010
```

For an orange background (black static text and red dynamic text) transparent horizontal format, change "http://www.hamqsl.com/solar.php" to "http://www.hamqsl.com/solar.php?bgcolor=orange&back=transparent"



```
Solar-Terrestrial Data
22 Dec 2011 0723 GMT
SFI:144 SN: 93
A-Index: 3
K-Index: 0
X-Ray: C1.1
304A: 168.3 @ SEM
Ptn Flx: 1.09e-01
Elc Flx: 8.58e+00
Aurora: 3 /n=1.43
Mag (Bz): 0.9
Solar Wind: No Rpt

Condition K-In A-In
Quiet 0-2 0-7
Unsettled 3 8-15
Active 4 16-29
Minor storm 5 30-49
Major storm 6 50-99
Severe storm 7-9 >100

http://www.n0nbh.com
Copyright Paul L Herrman 2010
```



For a black background transparent large vertical format (with the index/SFI explanations), change "<http://www.hamqsl.com/solar.php>" to "<http://www.hamqsl.com/solar.php?back=transparent>"

```

Solar-Terrestrial Data
2010 Feb 08 0306 UTC
Solar Flux: 90
A-Index: 3
K-Index: 2 / 15 nT
X-Ray: C1.1
SunSpots: 51
-----
Calculated Conditions
  Band   Day Night
80m-40m: Fair Good
30m-20m: Good Good
17m-15m: Fair Fair
12m-10m: Poor Poor
Signal Noise: S1-S2
Click to Install Solar
Data On your Web Site
http://www.n0nbh.com
Copyright Paul L Herrman 2010
  
```

Band Condition
Calculations Small Vertical
Multi-Color & Transparent

HTML code:

```

<center>
<a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a>
</center>
  
```

```


Solar-Terrestrial Data
2010 Feb 08 0306 UTC
Solar Flux: 90
A-Index: 3
K-Index: 2 / 15 nT
X-Ray: C1.1
SunSpots: 51
-----
Calculated Conditions
  Band   Day Night
80n-40n: Fair Good
30n-20n: Good Good
17n-15n: Fair Fair
12n-10n: Poor Poor
Sig Noise Lvl: S1-S2
Condition K-In A-In
Quiet      0-2  0-7
Unsettled  3    8-15
Active     4    16-29
Minor storm 5    30-49
Major storm 6    50-99
Severe storm 7-9 >100
-----
SFI  A-In K-In Prop Opng
>180 <8  <3  E-W open
>180 <8  >3  N-S open
>250 >30 >3  Aurora
http://www.n0nbh.com
Copyright Paul L Herrman 2010
  
```

Band Condition
Calculations
Large Vertical
Multi-Color & Transparent

HTML code:

```

<center>
<a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a>
</center>
  
```




No Band Condition
 Calculations
 Small Vertical
 Multi-Color & Transparent


HTML code:

<center>

</center>



No Band Condition Calculations
 Horizontal Selectable
 Black Only No Transparent




Band Condition
 Calculations Horizontal
 Selectable
 Solar Image
 Black Only No Transparent


HTML code:

To change from the default NOAA K-Index to either Tromso or Dombas Norway (available on all three solar101xxx panels), modify the php text as follows:

- Change "<http://www.hamqsl.com/solar101vhf.php>" to "<http://www.hamqsl.com/solar101vhf.php?kindex=tromso>"
- Change "<http://www.hamqsl.com/solar101pic.php>" to <http://www.hamqsl.com/solar101pic.php?kindex=dombas>




To added a randomize function for the solar image banners, that will randomly choose one of the 14 SDO solar images. Just add `?image=random` to the end of the php url (example <http://www.hamqsl.com/solarpich.php?image=random>). You can always select your favorite image using the `?image=` function. Click <http://www.hamqsl.com/solarshortcut.html> for a complete list of available images.




HF & VHF Band
Condition Calculations
Horizontal
Black Only
No Transparent

HTML code: ``



Band Condition
Calculations
Horizontal
Multi-Color
& Transparent

HTML code: ``



No Band Condition
Calculations
Current World Sunlight
Map
No Color
No Transparent

HTML code:


``



No Band Condition
 Calculations Horizontal
 Selectable 304A
 Current World
 Sunlight Map Solar Flux
 Sunspot No.11 MUF readings
 Black Only
 No Transparent

HTML code


```
<center> <a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a> </center>
```



No Band
 Condition
 Calculations
 Horizontal
 Selectable 304A
 Selectable
 Solar Image

HTML code:


```
<center> <a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a></center>
```



No Band
 Condition
 Calculations
 Horizontal
 Solar Flux
 Sunspot No.
 Graph Last 30 days
 Black Only
 No Transparent

HTML code:


```
<center><a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a></center>
```



No Band Condition
Calculations
Horizontal
171A & 304A
@ EVE only
Solar Flux
Sunspot No.
11 MUF readings
Graph Last 30 days
Black Only
No Transparent

HTML code:


```
<center><a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!" ></a></center>
```



No Band Condition
Calculations
Selectable 304A
Current World
Sunlight Globe
No Color
No Transparent

HTML code:


```
<center><a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a></center>
```



No Band Condition
Calculations
Selectable 304A
Current World
Moon View of Globe
No Color
No Transparent

HTML code:

```
<center><a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a></center>
```




No Band
 Condition
 Calculations
 Selectable Image
 Selectable 304A
 Current Solar
 System View
 No Color
 No Transparent

HTML code:

```
<center><a href="http://www.hamqsl.com/solar.html" title="Click to add Solar-Terrestrial Data to your website!"></a></center>
```

To change the default solar system banner from all planets to just the inner planets, add ?image=inner to the end of the php url (example <http://www.hamqsl.com/solarsystem.php?image=inner>).



QSONET.COM

<http://qsonet.com/propadex.html>

The Cormac Propadex is based entirely on the latest government reports for f0F2. This is the maximum useable frequency for the F2 ionosphere layer. Some government stations are updating this value 4 to 6 times per hour.



The Propadex value is the DIFFERENCE between the latest reported f0F2 value and the 60 day average FOR THIS SAME TIME OF DAY.

For example, if the Propadex shows as +110 at time 1700 Z, it means the government monitoring station is reporting a maximum usable frequency 1.10 MHz higher than the 60 day average for this exact same time of day.


HTML code:

```
<br>
<a href="http://qsonet.com/propadex.html" target="_blank">

</a>
<br>
```

WWW.N0HR.COM

Propagation Stats grabs (<http://www.n0hr.com/propstats.htm>) its data from the same place as the WWV radio propagation transmissions. These broadcasts originate from the U.S. National Institute of Standards and Technology radio station WWV in Ft. Collins, Colorado at 18 minutes past each hour on shortwave frequencies of 2.5, 5, 10, 15, and 20 MHz. The same information is broadcast at 45 minutes past each hour on radio station WWVH in Hawaii on 2.5, 5, 10, 15, and 20 MHz.



HTML code

```
<p align="center"> PropagationStats<br />
<object border="0" classid="clsid:D27CDB6E-AE6D-11CF-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=6,0,40,0" height="123" id="obj2"
width="160"> <param name="movie" value="http://www.n0hr.com/propstat/proptoday.swf" /> <param name="quality" value="High" />
<embed height="123" name="obj2" pluginspage="http://www.macromedia.com/go/getflashplayer"
src="http://www.n0hr.com/propstat/proptoday.swf" type="application/x-shockwave-flash" width="160"></embed> </object></p>
<p align="center"> <font face="Arial" size="1"><a href="http://www.n0hr.com">Add PropagationStats to your ham radio site.</a></font></p>
```

To add a propagation forecast box like the one below to your QRZ page, just copy the following code and paste it into your web page using a plain text editor.

HF propagation conditions: 2011 Mar 09 0305 UTC
Solar flux: 155 - A: 4 - K: 2 ↑ Sunspots: 122 Radio blackouts expected
Conditions: < 10MHz: Normal 10-20MHz: Good 20-30MHz: Good
Solar data from [WWV](#), WebProp copyright © [G4ILO's Shack](#), [Put this on your website](#).

```
<div align="center">  
<iframe src="http://www.g4ilo.com/www/webprop.php"  
width="540px" height="104px" frameborder="0"  
allowtransparency="true"></iframe>  
</div>
```

You can also have a small version of the forecast box like this, which is ideal for including in a side menu bar or other situation where space is at a premium.

```
<div align="center">  
<iframe src="http://www.g4ilo.com/www/webprop.php?format=small"  
width="180px" height="268px" frameborder="0"  
allowtransparency="true"></iframe>  
</div>
```

HF Propagation	
Mar 09 0305 UTC	
Solar flux:	155 -
A Index:	4 -
K Index:	2 ↑
Sunspots:	122
Forecast:	Blackouts
Conditions	
< 10MHz:	Normal
10-20MHz:	Good
20-30MHz:	Good

Solar data from [WWV](#),
WebProp © [G4ILO's Shack](#),
[Put this on your website](#).

Due to the different sizes of fonts used by different browsers, the WebProp box might not display at exactly the same size in all cases. If you see a vertical scroll bar when the box is displayed, try increasing the value specified for *height*. You can also play with the *width* values, if you have enough space.

Changing the colours


You can change the colours of the title bar, background and border, by specifying some additional values after `.../webprop.php`. You can specify the background colour using `bg=colour`, the title bar colour using `hd=colour`, and the border colour using `bd=colour`.

If your web pages have a non-white background, then you may notice a white border surrounding the propagation box. You can specify the matching colour to fill this border using `fb=colour`. However the `allowtransparency=true` in the `iframe` tag, as in the examples above, should resolve this issue.

When specifying values to a web program, the first value is preceded by a question mark and subsequent values are separated by ampersands (which are normally encoded as `&`). In the small version of the propagation box shown above, we must specify a value `format=small`, and you can see this is preceded by a question mark.

Changing the `iframe src=` value to:

`.../webprop.php?bg=yellow&hd=%2300A000&bd=black&fb=%23f8f8f8` will create the box shown below.



HF propagation conditions: 2011 Mar 09 0305 UTC
Solar flux: 155- A: 4- K: 2↑ Sunspots: 122 Radio blackouts expected
Conditions: <10MHz: Normal 10-20MHz: Good 20-30MHz: Good
Solar data from [WWV](#), WebProp copyright © [G4ILO's Shack](#), [Put this on your website](#).

Colours are specified using names (black, blue, green, etc.) or using hexadecimal RGB values like `#DDFFEE`. There are numerous software utilities available that will help you determine colour values. Note that if you want to specify hexadecimal colour values, you must replace the `#` by `%23` because `#` is not an allowed character in a URL.

Band conditions

WebProp gets the current solar weather data from the Geophysical Alert message put out every three hours by WWV. The latest sunspot number is obtained from the Daily Solar Data file. These files are polled regularly for updates, and the results are stored on the [g4ilo.com](#) web server.

The band condition indicators are calculated from these solar indices, to give an indication of conditions on LF (<10MHz), MF (10 - 20MHz) and HF (>20MHz). Band conditions are shown using a scale that runs: Excellent, Good, Normal, Fair, Poor and Very Poor.

The ionosphere does not always behave as expected and so the band condition indicators are not always accurate. If you would prefer to display a version of WebProp that shows only a summary of the WWV data and not the band condition indicators, this may be achieved by adding the parameter "condx=no" to the WebProp URL.




HF propagation conditions: 2011 Mar 09 0305 UTC
Solar flux: 155 - A: 4 - K: 2 ↑ Sunspots: 122 Radio blackouts expected
 Solar data from [WWV](#), WebProp copyright © [G4ILO's Shack](#), Put this on your website.

The example above was created by inserting the following code:

```
<div align="center">
<iframe src="http://www.g4ilo.com/www/webprop.php?condx=no
&bg=%23FFFF73&hd=%23FFF00&bd=%23A6A600"
width="540px" height="80px" frameborder="0"
allowtransparency="true"></iframe>
</div>
```

You can also have a small version without the band conditions like the one below. The code below uses the default colours:

```
<div align="center">
<iframe src="http://www.g4ilo.com/www/webprop.php?format=small&condx=no"
width="180px" height="200px" frameborder="0" allowtransparency="true"></iframe>
</div>
```



HF Propagation	
Mar 09 0305 UTC	
Solar flux:	155 -
A Index:	4 -
K Index:	2 ↑
Sunspots:	122
Forecast:	Blackouts

Solar data from [WWV](#),
 WebProp © [G4ILO's Shack](#),
 Put this on your website.

WEATHER GRAPHICS

For install these widgets to your www.qrz.com pages you required visit follow sites and generate HTML code for you location.

For testing you can use **Sample HTML**.

NETWEATHER.ACCUWEATHER.COM

Want to attract and keep more visitors to your site or readers to your blog? Now you can have dynamic weather right on your site or page with netWeather. AccuWeather.com's netWeather is easy to add to any site, blog, or MySpace page.

Features:


Choose from one of nine sizes with multiple themes

Choose from more than three million locations around the world

Display current conditions, five-day forecast, temperature maps, and radar or precipitation maps

Available in English or Spanish

Configure the basic setup of your netWeather application from the site http://netweather.accuweather.com/adcbn/netweather_v2/signup-page2.asp?partner=netweather



Choose Units: Choose Language: Choose Location:

Change the units of measurement and language you would like to use and then choose from one of more than 2.7 million locations worldwide.

Then select **Choose Size** , **Choose Category** and **Choose Theme**

After agreeing to netWeather terms and conditions, you will be given the line of code that you will need to paste into your page.


Select **MySpace Code**

Below HTML codes I do for friend of mine ZS6X, who live in Johannesburg, South Africa.



120x60 Sample HTML

```
<div style='width: 120px; height: 60px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/clouds_120x60_bg.jpg );
background-repeat: no-repeat; background-color: #;' ><div style='height: 48px;' ><object
type='application/x-shockwave-flash' data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v27.swf' height='48'
width='120' align='top'> <param name='movie' value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v27.swf' />
<param name='allowScriptAccess' value='never' /> <param name='allowNetworking' value='internal' /> <param name='quality'
value='high' /> <param name='scale' value='noscale' /> <param name='salign' value='lt' /> <param name='wmode'
value='transparent' /> <param name='bgcolor' value='#ffffff' /> <param name='flashvars'
value='partner=netweather&myspace=1&logo=0&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=27&t
heme=1&metric=1' /></object></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 10px;
color: #;' ><a style='color: #' href='http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1' >Weather Forecast</a></div></div>
```



160x600

Sample HTML


```
<div style='width: 160px; height: 600px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/hearts1_160x600_bg.jpg ); background-
repeat: no-repeat; background-color: #CC5868;' ><div style='height: 585px;' ><object type='application/x-
shockwave-flash' data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v215.swf'
height='585' width='160' align='top'> <param name='movie'
value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v215.swf' /> <param
name='allowScriptAccess' value='never' /> <param name='allowNetworking' value='internal' /> <param
name='quality' value='high' /> <param name='scale' value='noscale' /> <param name='salign' value='lt' />
<param name='wmode' value='transparent' /> <param name='bgcolor' value='#ffffff' /> <param
name='flashvars'
value='partner=netweather&myspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=215&theme=1&metric=
1' /></object></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 10px; color: #FDEA11;' ><a style='color:
#FDEA11' href='http://www.accuweather.com/world-index-forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1'
>Weather Forecast</a> | <a style='color: #FDEA11' href='http://www.accuweather.com/maps-satellite.asp' >Weather Maps</a></div></div>
```



180x150

Sample HTML

```
<div style='width: 180px; height: 150px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/clouds_180x150_bg.jpg );
background-repeat: no-repeat; background-color: #;' ><div style='height: 138px;' ><object
type='application/x-shockwave-flash'
data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v28.swf' height='138'
width='180' align='top'> <param name='movie' value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v28.swf' />
<param name='allowScriptAccess' value='never' /> <param name='allowNetworking' value='internal' /> <param name='quality' value='high'
/> <param name='scale' value='noscale' /> <param name='salign' value='lt' /> <param name='wmode' value='transparent' /> <param
name='bgcolor' value='#ffffff' /> <param name='flashvars'
value='partner=netweather&myspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=28&theme=1&m
etric=1' /></object></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 10px; color: #;' ><a
style='color: #' href='http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1' >Weather Forecast</a> | <a style='color: #'
href='http://www.accuweather.com/maps-satellite.asp' >Weather Maps</a></div></div>
```



240x420

Sample HTML

```
<div style='width: 240px; height: 420px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/hearts1_240x420_bg.jpg ); background-repeat: no-repeat; background-
color: #CC5868;' ><div style='height: 405px;' ><object type='application/x-shockwave-flash'
data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v212.swf' height='405' width='240' align='top'> <param
name='movie' value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v212.swf' /> <param name='allowScriptAccess'
value='never' /> <param name='allowNetworking' value='internal' /> <param name='quality' value='high' /> <param name='scale'
value='noscale' /> <param name='salign' value='lt' /> <param name='wmode' value='transparent' /> <param name='bgcolor' value='#ffffff'
/> <param name='flashvars'
value='partner=netweather&myspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=212&theme=1&
metric=1' /></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 10px; color: #FDEA11;' ><a
style='color: #FDEA11' href='http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1' >Weather Forecast</a> | <a style='color: #FDEA11'
href='http://www.accuweather.com/maps-satellite.asp' >Weather Maps</a> | <a style='color: #FDEA11'
href='http://www.accuweather.com/index-radar.asp?partner=accuweather&traveler=0&zipcode=AFR|ZA|SF004|JOHANNESBURG|' >Weather
Radar</a></div></div>
```

Johannesburg, South Africa

Currently



Sunny
25°C

RealFeel®: 22°C
Winds: Calm

300x250

Your Extended Forecast

Today



30°C/16°C
A couple of t-
storms late

Tomorrow



26°C/14°C
A thunderstorm
around early

Monday



25°C/14°C
An evening t-
storm in spots

Tuesday



22°C/15°C
Heavy
thunderstorms;

[Weather Forecast](#) | [Weather Maps](#) | [Weather Radar](#)

Sample HTML

```
<div style='width: 300px; height: 250px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/rainbow_300x250_bg.jpg ); background-repeat: no-repeat; background-
color: #;' ><div style='height: 238px;' ><object type='application/x-shockwave-flash'
data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v29.swf' height='238' width='300' align='top' > <param
name='movie' value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v29.swf' /> <param name='allowScriptAccess'
value='never' /> <param name='allowNetworking' value='internal' /> <param name='quality' value='high' /> <param name='scale'
value='noscale' /> <param name='salign' value='lt' /> <param name='wmode' value='transparent' /> <param name='bgcolor' value='#ffffff'
/> <param name='flashvars'
value='partner=netweather&myspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=29&theme=1&m
etric=1' /></object></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 11px; color: #;' ><a
style='color: #' href='http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1' >Weather Forecast</a> | <a style='color: #'
href='http://www.accuweather.com/maps-satellite.asp' >Weather Maps</a> | <a style='color: #' href='http://www.accuweather.com/index-
radar.asp' >Weather Radar</a></div></div>
```

728x90

Johannesburg, South Africa

Currently

Sunny
25°C

RealFeel®: 22°C
Winds: Calm

Your Extended Forecast

Today

30°/16°
A couple of t-
storms late

Sunday

26°/14°
A thunderstorm
around early

Monday

25°/14°
An evening t-
storm in spots


[Weather Forecast](#) | [Weather Maps](#) | [Weather Radar](#) | [Hurricane Center](#)

AccuWeather.com

Sample HTML

```
<div style='width: 728px; height: 90px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/winter2_728x90_bg.jpg ); background-repeat: no-repeat; background-
color: #7CADEE;' ><div style='height: 74px;' ><object type='application/x-shockwave-flash'
data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v211.swf' height='74' width='728' align='top' > <param
name='movie' value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v211.swf' /> <param name='allowScriptAccess'
value='never' /> <param name='allowNetworking' value='internal' /> <param name='quality' value='high' /> <param name='scale'
value='noscale' /> <param name='salign' value='lt' /> <param name='wmode' value='transparent' /> <param name='bgcolor' value='#ffffff'
/> <param name='flashvars'
value='partner=netweather&myspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=211&theme=1&
metric=1' /></object></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 11px; color: #0000FF;' ><a
style='color: #0000FF' href='http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1' >Weather Forecast</a> | <a style='color: #0000FF'
href='http://www.accuweather.com/maps-satellite.asp' >Weather Maps</a> | <a style='color: #0000FF'
href='http://www.accuweather.com/index-radar.asp?partner=accuweather&traveler=0&zipcode=AFR|ZA|SF004|JOHANNESBURG|' >Weather
Radar</a> | <a style='color: #0000FF' href='http://hurricane.accuweather.com/hurricane/index.asp' >Hurricane Center</a></div><img
style='float: right; padding-right: 5px;' src='http://vortex.accuweather.com/adc2004/common/images/misc/netweather_v2/adwhite.png'
/></div></div>
```

630x440



Sample HTML

```
<div style='width: 630px; height: 440px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/summer2_630x440_bg.jpg); background-repeat: no-repeat; background-
color: #D0ADAA;' ><div style='height: 420px;' ><object type='application/x-shockwave-flash'
data='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v214.swf' height='420' width='630' align='top' > <param
name='movie' value='http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v214.swf' /> <param name='allowScriptAccess'
value='never' /> <param name='allowNetworking' value='internal' /> <param name='quality' value='high' /> <param name='scale'
value='noscale' /> <param name='salign' value='lt' /> <param name='wmode' value='transparent' /> <param name='bgcolor' value='#ffffff'
/> <param name='flashvars'
value='partner=netweather&mynspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=214&theme=1&
metric=1' /></object></div><div style='text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 12px; color: #0000FF;' >a
style='color: #0000FF' href='http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1' >Weather Forecast</a> | <a style='color: #0000FF'
href='http://www.accuweather.com/maps-satellite.asp' >Weather Maps</a> | <a style='color: #0000FF'
href='http://www.accuweather.com/index-radar.asp?partner=accuweather&traveler=0&zipcode=AFR|ZA|SF004|JOHANNESBURG|' >Weather
Radar</a> | <a style='color: #0000FF' href='http://hurricane.accuweather.com/hurricane/index.asp' >Hurricane Center</a></div></div>
```

500x440

AccuWeather.com

Johannesburg, South Africa

Currently

25°C
Sunny
RealFeel®: 22°C
Winds: Calm

Your Forecast

Today
A couple of t-storms late
30°C/16°C

Tomorrow
A thunderstorm around early
26°C/14°C

Monday
An evening t-storm in spots
25°C/14°C

Tuesday
Heavy thunderstorms; clouds
22°C/15°C

Wednesday
A couple of evening t-storms
25°C/11°C

Temperatures

South Africa

[Weather Forecast](#) | [Weather Maps](#) | [Weather Radar](#) | [Hurricane Center](#)

Sample HTML

```
<div style="width: 500px; height: 440px; background-image: url(
http://vortex.accuweather.com/adcbn/netweather_v2/backgrounds/spring1_500x440_bg.jpg ); background-repeat: no-repeat;
background-color: #607041;" ><div style="height: 420px;" ><object type="application/x-shockwave-flash"
data="http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v213.swf" height="420" width="500" align="top"> <param
name="movie" value="http://netweather.accuweather.com/adcbn/netweather_v2/netwx-v213.swf" /> <param
name="allowScriptAccess" value="never" /> <param name="allowNetworking" value="internal" /> <param name="quality"
value="high" /> <param name="scale" value="noscale" /> <param name="salign" value="lt" /> <param name="wmode"
value="transparent" /> <param name="bgcolor" value="#ffffff" /> <param name="flashvars"
value="partner=netweather&myspace=1&logo=1&tStyle=normal&zipcode=AFR|ZA|SF004|JOHANNESBURG|&lang=uke&size=213
&theme=1&metric=1" /></object></div><div style="text-align: center; font-family: arial, helvetica, verdana, sans-serif; font-size: 12px;
color: #FDEA11;" ><a style="color: #FDEA11" href="http://www.accuweather.com/world-index-
forecast.asp?partner=netweather&locCode=AFR|ZA|SF004|JOHANNESBURG|&metric=1" >Weather Forecast</a> | <a style="color:
#FDEA11" href="http://www.accuweather.com/maps-satellite.asp" >Weather Maps</a> | <a style="color: #FDEA11"
href="http://www.accuweather.com/index-radar.asp?partner=accuweather&traveler=0&zipcode=AFR|ZA|SF004|JOHANNESBURG|"
>Weather Radar</a> | <a style="color: #FDEA11" href="http://hurricane.accuweather.com/hurricane/index.asp" >Hurricane
Center</a></div></div>radar.asp?partner=accuweather&traveler=0&zipcode=AFR|ZA|SF004|JOHANNESBURG|"
>Radar</a></div><div style="clear: both;"
/></div></div>
```

<http://www.wunderground.com/stickers/>

Choose style (New, classic or Tropical Stickers) , input location and click to button "Find"

Searchable HTML Sticker



The most interactive and dynamic Weather Sticker. The Searchable HTML Sticker delivers condition, temperature, pressure, and wind information. It tells the time, changes colors depending on weather severity (the blue bar turns red to indicate importance), and allows users to instantly click over to detailed

forecast information, radar images, and travel information. Should the weather conditions being reported in this sticker indicate severe weather or weather warnings, the blue bar the top becomes red to draw attention. To top it all off, there's a search box that will let users jump to any location of their choosing.

For generate HTML code just click on the graphic.

Sample HTML code generate to friend of mine RG4F from Penza, Russia

```
<table cellpadding="0" cellspacing="0" style="width: 271px; background-color: #FFF; border: 1px solid #999;"><tr><td colspan="2"><div style="height: 35px;"><a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=htmlSticker"></a></div></td></tr><tr><td style="vertical-align: top;"><div style="width: 101px;"><div style="height: 22px;"></div><div style="font-family: Geneva, Arial, Helvetica, sans-serif; font-size: 10px; background-image: url(http://icons-pe.wxug.com/graphics/smash/htmlsticker/html_linkBG.gif); text-align: left;"><div style="padding-left: 10px;"><a href="http://www.wunderground.com/history/airport/UWPP/1972/1/1/PlannerHistory.html?bannertypeclick=htmlSticker">Plan your trip</a></div><div style="padding-left: 10px;"><a href="http://www.wunderground.com/radar/radblast.asp?ID=XXX&region=XX&lat=53.13000107&lon=45.02000046">Local Radar</a></div><div style="padding-left: 10px;"><a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=htmlSticker">Detailed Forecast</a></div><div style="height: 12px;"></div></div></div><form action="http://www.wunderground.com/cgi-bin/findweather/getForecast" method="get" target="_blank" style="margin-top: 10px; margin-bottom: 0px; text-align: center;"><input type="hidden" name="bannertypeclick" value="htmlSticker"><input name="query" type="text" value="Find Weather" onFocus="this.value="" width: 85px;"></div><div style="padding-top: 5px;"><input name="GO" type="submit" value="GO" style="width: 50px; background-color: #008; color: #FFF; font-size: 12px; font-weight: bold; border-top: 1px solid #CCC; border-left: 1px solid #CCC; border-right: 1px solid #000; border-bottom: 1px solid #000;"></div></form></div></td><td style="vertical-align: top;"><div style="height: 139px;"><a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=htmlSticker"></a></div></td></tr></table>
```

Dynamic Minis:



The new Dynamic Minis are weather stickers with 'pop'. They move, change, or even appear different depending on location, condition, or even moon phase. Check back often to see what new ones we'll come up with!

If you're looking for that 'gizmo' functionality, then look no further than the miniDial. The little dial constantly moves as the display screen changes data to keep up. MiniDial delivers temperature in Fahrenheit and Celsius, as well time and local ZIP code. The miniWeather2 sticker delivers Fahrenheit, Celsius and time information and has a changing photo background that indicates condition.

Sample HTML

```
<a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=miniDial">  
</a>
```

For United States **zipcode** specific miniDial stickers, please use the code below - enter the desired **zipcode** where indicated in red:

Sample HTML (USA ONLY)

```
<a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=miniDial">  
</a>
```

Big Weather Sticker II



Samples HTML code: (see <http://www.qrz.com/db/K8TOM> for sample)

```
<a href="http://www.wunderground.com/US/WA/Monroe.html?bannertypeclick=big2"></a>
```

Static Minis:

Samples HTML code:



ENGLISH (F°):

```
<a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=miniWeather2"></a>
```



METRIC (C°):

<http://www.wunderground.com/global/stations/27962.html?bannertypeclick=miniWeather2>>



ENGLISH & METRIC (F°/C°):

<http://www.wunderground.com/global/stations/27962.html?bannertypeclick=miniWeather2>>

Transparent Minis:

Sample HTML code (for ENGLISH & METRIC (F°/C°):



<http://www.wunderground.com/global/stations/27962.html?bannertypeclick=miniTrans01>>

Sun/Moon Sticker:



There's more in the sky than just clouds. Find out exactly what will be where with the new Sun/Moon Sticker that give moonrise, moonset, moon phase, sunrise and sunset information as well as current temperature, conditions, and time.

<http://www.wunderground.com/global/stations/27962.html?bannertypeclick=sunandmoon>>



Here by popular demand is a new Sun & Moon Mini sticker, bringing you all the same sunrise, sunset, moonrise, and moonset data as before - but in a

smaller package.

<http://www.wunderground.com/global/stations/27962.html?bannertypeclick=sunandmoon150>>

Basic Weather Sticker:

Penza, RU

-16 °C

Clear

at 7:00 PM



Sample HTML

[Click for Forecast](#)

```
<a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=infobox"></a>
```

Mega Weather Sticker:



Sample HTML

```
<a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=bigtemp"></a>
```



Sample HTML

```
<a href="http://www.wunderground.com/global/stations/27962.html?bannertypeclick=smalltemp"></a>
```

WWW.WEATHERFORYOU.COM

These weather widgets available for the **United States only**

Below on <http://www.weatherforyou.com/snapshots/> you'll find many FREE ways to provide your visitors with weather information right on your own web site. Click to sample image and then edit your location and state, in new window customize weather data and copy HTML code

Latest Weather Conditions

Traverse City, MI



At 2:53 PM EST
Snow
28°F
NW 10 MPH

www.weatherforyou.com

San Luis
Obispo



61°F
NW 7 MPH
[Click for forecast](#)
www.wx4u.com



48°F
SW 6 MPH
[Click for Forecast](#)
weatherforyou.com





Sample HTML code

```
<a href="http://www.weatherforyou.com/weather/new+york/new+york.html"> </a>
```




Weather Forecasts

Denver, CO

Updated 3:50 AM MST FRI FEB 12 2010

Friday	Saturday	Sunday	Monday
			
Mostly Cloudy	Snow	Snow	Mostly Cloudy
Hi: 49F Lo: 21F	Hi: 49F Lo: 17F	Hi: 31F Lo: 25F	Hi: 40F Lo: 25F






[Click here for details from weatherforyou.com](#)

Fri	Sat	Sun
		
Hi: 35F Lo: 29F	Hi: 50F Lo: 39F	Hi: 49F Lo: 30F

www.weatherforyou.com

Cleveland

FRI FEB 12 2010
1025 AM EST FRI








	Friday Snow Showers	Hi: 29F Lo: 18F
	Saturday Snow Showers	Hi: 25F Lo: 18F
	Sunday Snow Showers	Hi: 25F Lo: 13F
	Monday Snow Showers	Hi: 29F Lo: 18F
	Tuesday Snow Showers	Hi: 29F Lo: 20F

[weatherforyou.com](http://www.weatherforyou.com)

Drexel Hill, PA 7-Day Forecast

Issued 1:50 PM EST FRI FEB 12 2010

[Click for more details](#)
[weatherforyou.com](http://www.weatherforyou.com)

Friday	Saturday	Sunday	Monday	Tuesday	Wednesday	Thursday
						
Partly Cloudy	Partly Cloudy	Partly Cloudy	Snow	Partly Cloudy	Partly Cloudy	Mostly Sunny
35°F 19°F	31°F 20°F	35°F 20°F	40% 31°F 20°F	35°F 20°F	35°F 21°F	35°F

Sample HTML code

```
<a href="http://www.weatherforyou.com/weather/new+york/new+york.html">
```


```
</a>
```

Combined Weather Forecasts and Conditions

Current Conditions for:

Jackson, MN

Cloudy, Scattered flurries. Highs in the mid 20s. North west winds around 5 mph.



Mist

Temp

21°F




[Click here for the complete forecast](#)

86%



Humidity

30



Barometer

NE 5



Wind Speed

Dated: 1:32 PM CST FRI FEB 12 2010
weatherforyou.com

Sample HTML code

```
<a href="http://www.weatherforyou.com/weather/new+york/new+york.html"> </a>
```


NETWEATHER.TV

For **UK users** visit [http://www.netweather.tv/index.cgi?action=4web2;sess=;](http://www.netweather.tv/index.cgi?action=4web2;sess=)

To implement a web weather feed on your website

For sample see

www.qrz.com/db/G6SPH



Sample HTML code

```
<a href="http://www.netweather.tv/" target="_blank"></a>
```


GISMETEO.RU

A lot of weather view widgets in <http://informer.gismeteo.ru/>

Site was in Russian language as well as all signs on graphics.

More about these graphics I was publish in Russian edition of book.

Anyway here samples who like install weather graphics in Russian language.



Sample HTML code

```
<a href="http://www.gismeteo.ru/towns/37228.htm"></a>
```

Sample HTML code


```
<a href="http://www.gismeteo.ru/towns/37228.htm"></a>
```





Sample HTML code

```
<a href="http://www.gismeteo.ru/towns/37228.htm"></a>
```



Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```



Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```



Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```




Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```



Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```




Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```



Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```



Sample HTML code

```
<a href="http://www.gismeteo.ru/city/daily/5254/"></a>
```

YOWINDOW.COM

YoWindow (<http://yowindow.com/weatherwidget.html>) weather widget works very simple - like your window.

A landscape reflects the weather, the sunlight and the season at your place.

Choose your location, language etc and then copy and paste the below HTML code to HTML window of your qrzcom page


Sample HTML code

```
<div style="width:300px; height:150px;">
  <object type="application/x-shockwave-flash"
  data="http://swf.yowindow.com/wimo/hpPal/hpPal.swf" width="300"
  height="150">
    <param name="movie"
    value="http://swf.yowindow.com/wimo/hpPal/hpPal.swf"/>
    <param name="allowfullscreen" value="true"/>
    <param name="wmode" value="opaque"/>
    <param name="bgcolor" value="#FFFFFF"/> <param name="flashvars"
    value="location_id=gn:473249&location_name=North%20Ossetia%20Republic&time_format=24&unit_system=russian&background=#FFFFFF&copyright_bar=false" />
    <a href="http://yowindow.com?client=widget&link=stub"
    style="width:300px; height:150px; display: block; text-indent: -50000px; font-size: 0px; moz-background-clip: border; moz-background-inline-policy: continuous; moz-background-origin: padding; background:#DDF url(http://yowindow.com/img/logo.png) no-repeat scroll 50% 50%;"
    >Free Weather Widget</a>
  </object>
</div>
<div style="width: 300px; height: 15px; font-size: 12px; font-family: Arial,Helvetica,sans-serif;">
  <span style="float:left;"><a target="_top" href="http://yowindow.com?client=widget&link=copyright" style="color: #2fa900; text-decoration:none;" title="Free Weather Widget">YoWindow.com</a></span>
  <span style="float:right; color:#888888;">Forecast by &nbsp;&nbsp;<a href="http://yr.no" style="color: #2fa900; text-decoration:none;">yr.no</a></span>
</div>
```



WATTSUPWITHTHAT.COM

World Climate Widget from <http://wattsupwiththat.com/widget/>




This experimental widget uses the UAH lower troposphere temperature data as well as the Mauna Loa CO₂ data combined with NOAA SWPC solar information

Sample HTML code


```
<a href="http://wattsupwiththat.com/widget/">  
</a>
```

MORE....

My friend RK6JY live in a small village and I am install to him few weather widgets in www.qrz.com/db/rk6jy as well as satellite pictures in real time with weather condition. All his neighbors are visiting his qrzcom page for view a weather report. Below picture and it HTML code.



(from <http://www.fourmilab.ch/> *All the material on this site is in the public domain and may be used in any manner without permission, restriction, attribution, or compensation. [Back links](#) to this site are welcome.*)



```
<p><a title="Weather data" href="http://www.fourmilab.ch/" target="_blank"></a></p><br/>
```

GUESTBOOK

Get a guestbook for your website. It's easy. It's quick! The user interface is available in many languages. I do detail example to one of them – all other have a same interface.

SMARTGB.COM

In order to get your guestbook in <http://www.smartgb.com/> activated you have to confirm your registration data by e-mail.

When registration was complete, you will receive your guestbook address.

In **Setup instructions for your guestbook** select logo

Logo and text link

Sample HTML



```
<a href="http://www.smartgb.com" target="_blank"></a><br><a href="http://users4.smartgb.com/g/g.php?a=s&i=g44-45774-59">My Guestbook</a>
```

Double text link

Sample HTML

[Free Guestbook](#)
[My Guestbook](#)

```
<a href="http://www.smartgb.com" target="_blank">Free Guestbook</a><br><a href="http://users4.smartgb.com/g/g.php?a=s&i=g44-45774-59">My Guestbook</a>
```

Image link

Sample HTML



```
<a href="http://users4.smartgb.com/g/g.php?a=s&i=g44-45774-59"></a>
```

Text link

Sample HTML

[My Guestbook](#)

```
<a href="http://users4.smartgb.com/g/g.php?a=s&i=g44-45774-59">Guestbook</a>
```

A-FREE-GUESTBOOK.COM

visit <http://www.a-free-guestbook.com/>

Guestbook is fully customizable with features like:

- Customizable colors and layout of your guestbook
- Advanced protection against Spam
- Edit and delete messages
- Cool smiley packages: 😊 😄 😁 😂
- Multilanguage, our guestbook is available in over 50 Languages like English, Dutch, Spanish, Italian, Russian, French, German, Japanese and so on!
- And way more options!

THEFREESITE.COM

Below are free services that will create and host your guestbook for you.

<http://www.thefreesite.com/Webmaster-Freebies/Free-Guestbook-Services/>

FLASH-GUESTBOOK.COM

<http://www.flash-guestbook.com/> have been offering our commercial Flash guestbook for many years now and we always get these requests and dreamy wishes about a nice free Flash guestbook

GUESTBOOKCENTRAL.COM

Maintaining a guestbook at <http://www.guestbookcentral.com/> is an easy process. You don't need to be an expert! They made it as customizable as possible so you will be able to match your guestbook with your homepage theme!

BRAVENET.COM

Simply using <http://www.bravenet.com/webtools/guestbook/> guestbook onto your webpage. It new embeddable guestbook is easy to use and incorporate into your existing site.

e.t.c.

A lot of links to free guestbook service you can find in <http://www.freestuffchannel.com/guestbook.html> or just using Google search as *guestbook for your website*.

TIME

CLOCKLINK.COM

ClockLink.com provides the most widely used Web clock in the world with over 30 million views around the world. In addition, clocks can be set to display any time zone in the world, so they are not only decorative but very practical as well. Use it to show what time it is in your area. There is no charge to use any of the clocks on your website .

<http://www.clocklink.com/gallery.php>

Name: 0051



select **View HTML tag**

(If the above does not work, please try the following code.)

```
<embed src="http://www.clocklink.com/clocks/0051-blue.swf?TimeZone=PST&" width="150" height="150" wmode="transparent" type="application/x-shockwave-flash">
```






Visit http://www.clocklink.com/world_clock.php select

[View HTML Tag](#)

then choose your color , timezone & size.

From the box below **If the above does not work, please try the following code.**

Copy HTML code and insert it to your QRZ page.



Sample HTML code

```
<embed src="http://www.clocklink.com/clocks/world001-blue.swf?TimeZone=GMT&" width="480" height="250" wmode="transparent" type="application/x-shockwave-flash">
```



```
<embed src="http://www.clocklink.com/clocks/world001-red.swf?TimeZone=R2T&" width="720" height="375" wmode="transparent" type="application/x-shockwave-flash">
```

WORLDTIMESERVER.COM

🌐 **WORLDTIMESERVER** is the world leader in providing local times around the world with accurate adjustments for local daylight saving rules. Now we are providing a way for you to upgrade your website with a free analog web clock showing the current time where you are, simply by adding some HTML code to your page or template. It will update automatically for the Daylight Saving Time rules for your selected location.

Customizable in <http://www.worldtimeserver.com/clocks/>

Choose your color (even a custom one to match your site color scheme), size, location and city

Select **Option 2: Embed HTML Code**



Vladikavkaz

Sample HTML code

```
<table border="0" cellspacing="0" cellpadding="0"><tr><td align="center"><embed src="http://www.worldtimeserver.com/clocks/wtsclock001.swf?color=FF9900&wtsid=RU-SE" width="200" height="200" wmode="transparent" type="application/x-shockwave-flash" /></td></tr><tr><td align="center"><h2>Vladikavkaz</h2></td></tr></table>
```



New York

Sample HTML code

```
<table border="0" cellspacing="0" cellpadding="0"><tr><td align="center"><embed src="http://www.worldtimeserver.com/clocks/wtsclock024.swf?color=FF9900&wtsid=US-NY" width="200" height="200" wmode="transparent" type="application/x-shockwave-flash" /></td></tr><tr><td align="center"><h2>New York</h2></td></tr></table>
```

Flash-based collection of free Islamic calendar widgets in <http://www.al-habib.info/islamic-calendar/> . Most of the Islamic hijri calendar widgets below are customizable. In other words you can design your custom calendars or personalized calendars.


Sample of view and it HTML code

```
<div
style="margin:0px auto;text-align:center;width:150px;height:150px;"><embed
src="http://www.widgipedia.com/widgets/alhabib/Circle-Orb---Islamic-Hijri-Calendar-2830-
8192_134217728.widget?__install_id=1268295235373&__view=expanded" width="150"
height="150"
flashvars="&col1=ffcc00&dayAdd=0&cal=true&gig_lt=1268295266375&gig_pt=1268295434640&gig_g=1"
swliveconnect="true" quality="best" loop="false" menu="false" wmode="transparent"
allowScriptAccess="sameDomain" type="application/x-shockwave-flash"
pluginspage="http://www.adobe.com/go/getflashplayer" /></div>
```



Other view





Moon phase widget displays the current phase of the moon as well as current hijri date

```
<div
style="margin:0px auto;text-align:center;width:160px;height:190px;"><embed
src="http://www.widgipedia.com/widgets/alhabib/Current-Moon-Phase---Islamic-Calendar-3344-
8192_134217728.widget?__install_id=1268296141260&amp;__view=expanded" width="160"
height="190"
flashvars="&dayAdd=0&cal=true&ns=N&gig_it=1268296219421&gig_pt=1268296929531&gig_g=1"
swliveconnect="true" quality="best" loop="false" menu="false" wmode="transparent"
allowScriptAccess="sameDomain" type="application/x-shockwave-flash"
pluginspage="http://www.adobe.com/go/getflashplayer" /></div>
```



THE WOLFMAN MOVIE LUNAR PHASES WIDGET

<http://www.widgetslab.com/2009/12/21/the-wolfman-movie-lunar-phases-widget/>

```
<object type="application/x-shockwave-flash"
data="http://cs6b.clearspring.com/o/4b156321b733cc44/4b98c02be51b0f7e/4b2fb0eecedb1cb1
/64d903cf" id="W4b156321b733cc444b98c02be51b0f7e" width="304" height="434"><param
name="movie"
value="http://cs6b.clearspring.com/o/4b156321b733cc44/4b98c02be51b0f7e/4b2fb0eecedb1cb1
/64d903cf" /><param name="wmode" value="window" /><param name="allowNetworking"
value="all" /><param name="allowScriptAccess" value="always" /></object>
```



DAILY MOON PHASES MODULE

If you'd like to check the moon phases every day, here is a handy little module for you to use.

Visit web page:

http://www.calculatorcat.com/moon_phases/daily_moon_phases.phtml

Before generate HTML code you must read and agree to the Copyright/Terms of Use, so I am enclosing here only view of widgets without sample HTML code.

Please note that you must select:

Option 2: Check this box if you are using the module on MySpace.

Then Customize your Moon Module with Layout, Date Format, background color etc.

Here is two types – horizontal and vertical.



MYFLASHFETISH.COM

Cool custom analog clock for your profile. Up to three custom colors in <http://www.myflashfetish.com/makewidget.php?id=4>


```

<center><embed src="http://assets.myflashfetish.com/swf/widgets/mff-
clock.swf" menu="false"
flashvars="mycolor=AFC0D4&mycolor2=422F21&mycolor3=FFFFFF"
quality="best" scale="noscale" bgcolor="#ffffff" wmode="transparent"
width="210" height="210" name="MyFlashFetish.com" align="middle"
allowScriptAccess="sameDomain" type="application/x-shockwave-flash"
pluginspage="http://www.macromedia.com/go/getflashplayer"
/></center><center><br />I made this <a
href="http://www.myflashfetish.com">widget</a> at <a
href="http://www.myflashfetish.com">MyFlashFetish.com</a>.</center><br>
```




I made this [widget](#) at [MyFlashFetish.com](#).

Few calendars on <http://www.yourminis.com/minis/> as well as many other interesting Flash widgets. The Calendar widget not only tracks the date but also allows you to search for iCal events that you can add. Use the edit dropdown to select "search for events". You can then enter a search term, try holidays, a sports team, etc. You will be returned a set of search results and you will be able to select a result and have those events added to your calendar. You can also completely customize the appearance of the widget by clicking on the color picker icon to change the background color, the background border to be square or rounded, add a transparency level and custom background image.



For time widgets search:
<http://www.yourminis.com/s>

For date widgets search:
http://www.yourminis.com/search_minis.aspx?q=date%2c&p=1



1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60	2010		
Mon	Tue	Wed	Thu	Fri	Sat	Sun

SCROLLER TEXT

Cool custom text scroller for your qrzcom page in <http://www.myflashfetish.com/makewidget.php?id=3> enter text and choose colors.



made this [widget](#) at [MyFlashFetish.com](http://www.myflashfetish.com).



Sample HTML code

```
 <center><embed
src="http://www.mp3asset.com/swf/widgets/ticker.swf" menu="false" flashvars="mycolor=FF7474&mycolor2=F59B71&txt=QSL DIRECT ONLY"
quality="best" scale="noscale" bgcolor="#000000" width="320" height="45" name="MyFlashFetish.com" align="middle"
allowScriptAccess="sameDomain" type="application/x-shockwave-flash" pluginspage="http://www.macromedia.com/go/getflashplayer"
/></center><center><br />I made this <a href="http://www.myflashfetish.com">widget</a> at <a
href="http://www.myflashfetish.com">MyFlashFetish.com</a>.</center><br >
```

<http://www.myflashfetish.com/myspace-text-scroller.php> same as above widget



I made this [widget](#) at [MyFlashFetish.com](http://www.myflashfetish.com).

Sample HTML code

```
 <center><embed src="http://assets.myflashfetish.com/swf/widgets/mff-ticker2.swf" menu="false"
flashvars="mycolor=ffffff&mycolor2=&mycolor3=&txt=QSL DIRECT ONLY WITH 2$" quality="best" scale="noscale" bgcolor="#000000"
width="600" height="50" name="MyFlashFetish.com" align="middle" allowScriptAccess="sameDomain" type="application/x-shockwave-flash"
pluginspage="http://www.macromedia.com/go/getflashplayer" /></center><center><br />I made this <a
href="http://www.myflashfetish.com">widget</a> at <a href="http://www.myflashfetish.com">MyFlashFetish.com</a>.</center><br >
```

Another way to do a scrolling text is design an animated GIF file and the insert it to the text as image in HTML code or in CSS style as background-image. See samples www.qrz.com/db/w6qe , www.qrz.com/db/sv5kjo .

COUNTDOWN

The Countdown widget lets you create a countdown to a specific event. After selecting the Countdown widget you can enter the date, time and title or image of an event to count down to. This will then start the count down sequence. You can also customize the appearance of the widget by clicking on the color picker icon to change the background color, text color, shape and size.

Get HTML code for countdown timer with various customs in

<http://www.myflashfetish.com/makewidget.php?id=2>

Sample HTML code for " E4X on AIR"

```

<center><embed
src="http://assets.myflashfetish.com/swf/widgets/countdown.swf" menu="false"
flashvars="mycolor=000000&mycolor2=FF3399&mycolor3=FFFFFF&e=1&msg=E4X
on AIR&yr=2010&m=4&d=1" quality="best" scale="noscale" bgcolor="#000000"
width="300" height="200" name="MyFlashFetish.com" align="middle"
allowScriptAccess="sameDomain" type="application/x-shockwave-flash"
pluginspage="http://www.macromedia.com/go/getflashplayer" />
</center><center><br />I made this <a href="http://www.myflashfetish.com">
widget</a> at <a
href="http://www.myflashfetish.com">MyFlashFetish.com</a>.</center><br>
```



I made this [widget](#) at [MyFlashFetish.com](#).

Below was sample of using Countdown on QRZ page

LU9ESD Argentina Other LU9ESD...
Manu Siebert
Estomba 487/91
8000 Bahía Blanca, BA
Argentina
[+] Mailing label

Guestbook page#106

Leave your comment on my guestbook:
CLICK HERE

Please add me to you friend's list on Facebook!
Click on the banner!

Nombre: Manu Siebert
Ciudad actual: Bahía Blanca, Buenos Aires
Dirección de ...lu9esd@gmail.com

4,956 Visits
1 Recent Hit

UPCOMING MALPELO ISLAND DX-PEDITION MEMBER (HKØNA)
"The Dream for 2012": www.hk0na.com

023 13 51 54
DAYS HRS. MIN. SEC.
UNTIL HKONA MALPELO DX-PEDITION

DX CLUSTER

On <http://www.dxfuncluster.com/clusterweb.php> all text in Spanish, but clear to understand

Example of a window with 15 spots

		Automatic update. Telnet connection (dxfun.com port:8000) Show last 25 spots of cluster										
All bands	6	10	12	15	17	20	30	40	80	160	VHF	UHF
De D2SG	14285.0		D2SG	cq cq 5 UP								19:35
De N1RPH	14290.0		ZS8M	up 5-15								19:36
De IZ2MGN	21024.0		VP8ORK	qsx .026								19:35
De EA7RU	14290.0		ZS8M	up								19:35
De IZ8GAD	14200.0		VP8ORK	QsX 14215.0								19:36
De W1ZK	14290.0		ZS8M	1 call on 14298.4								19:35
De IK2LQT	14200.0		VP8ORK	TNX - RS 59 IN I2 ZONE - 73								19:35
De DK4WW	144325.0		SK7WM									19:35
De W3SJT	14260.0		RW3LG/MM	5/9 in DELAWARE								19:35
De YV5OHM	14185.0		5H8HL	599 CARACAS								19:35
De JH8LLE	10112.0		A61BK	up								19:34
De SP2EBG	10144.5		ZS2EZ	RTTY Big signal								19:33
De IW5DLY	10146.5		ZS2EZ	599 toscana								19:34
De LY7M	3507.0		UP2011AWG	cq								19:34
De EA5HEW	7160.0		7X5RS	5/9 VERY STRONG THANK								19:34

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster_new.html
frameBorder=0 scrolling=no width=490 height=320></IFRAME>
```

		Automatic update. Telnet connection (dxfun.com port:8000) Show last 25 spots of cluster										
All bands	6	10	12	15	17	20	30	40	80	160	VHF	UHF
De UN7LZ	14157.3		UP2011IH									07:25
De DJ7JC	7011.5		C31YA									07:27
De US0HZ	18140.0		5R8HL	59 Thanks 5 UP								07:26
De IK7BPV	14128.0		5V7BR	Mir Robert Mg.F2VX								07:25
De RU0BW	14133.0		R6DK									07:25
De RN6AJ	14260.0		5V8PKJ	tnx, Manolis !								07:23
De ZB3B	14200.0		559N	CQ DX								07:23
De RM8G	21021.0		BU2AQ	TNX!!! 73!!!								07:22
De OK2PCL	18074.8		JH4PQQ	tnx Yas QSO								07:21
De HA6VH	14260.0		5V8PKI									07:21
De IK2NBW	7110.0		IZ1MLV/P	DCI-SP095 + DAI-LG0520								07:20
De UN7ECA	14193.0		UP2011SJ	correct freq.								07:19
De ZL1PDT	7130.0		PY2CX	Thanks Mau 5/9 in Rotorua, New Zealand								07:20
De UN7ECA	14157.3		UP2011IH	no. Evgenii								07:20

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster.html
frameBorder=0 scrolling=no width=430 height=300></IFRAME>
```



Telnet connection (dxfun.com port:8000)
Show last 25 spots of cluster

All bands	6	10	12	15	17	20
30	40	80	160	VHF	UHF	

HL5FUA	7130.0		PY2CX	07:31
IK1BXN	14071.0		JH7DFZ	07:32
BD4QH	18140.0		5R8HL	07:32
UR4LTD	7110.0		UT2GW	07:32
ZL3GK	14070.0		CE1TUW	07:31
EI5HE	1830.6		TF/K5NA	07:31
UA9UDX	18100.0		UA9UDX	07:30
IK7BPV	14240.0		TJ3AY	07:31
ZB3B	14216.0		E77DX	07:31
IZ1TMP	14260.0		SV8PKI	07:30
JA2ZL	18140.0		5R8HL	07:30
KF2AT	7024.6		EA6NB	07:28
DL2LRT	7005.0		HE3OM	07:29
PY3PA	7130.0		PY2CX	07:27
LZ2NP	18074.9		JH4PQQ	07:28

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0
src=http://www.dxfuncluster.com/cluster_mini.html frameBorder=0
scrolling=no width=230 height=360></IFRAME>
```

Example of a window with 25 spots



Automatic update.
Telnet connection (dxfun.com port:8000)

All bands	6	10	12	15	17	20	30	40	80	160	VHF	UHF
------------------	----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	------------	------------	------------

De IK8DNJ	7145.0		HI3/IK4QJF	<i>ciao fabio buon pile up</i>	07:37
De YF8RIM	14215.5		YF8RIM		07:37
De JE2PMC	7008.7		KF6ZWD/HC2	<i>CQing</i>	07:37
De IK7BPV	14237.0		TJ3AY	<i>OP, Henry Split 5-up Mg.f5lge</i>	07:36
De ON5EN	14200.0		ZD7FT	<i>cq</i>	07:35
De IZ7SLU	3660.0		IZ7KNY	<i>cq diploma disfida di barletta buon proseguimento nicola 73</i>	07:35
De RW9TP	14157.3		UP2011IH	<i>7 asiatic winter game</i>	07:35
De IZ7SLU	3660.0		IK7FPZ	<i>diploma disfida di barletta buon divertimento!!!!</i>	07:34
De OE3KAB	7008.9		KF6ZWD/HC2	<i>(((CQ)))</i>	07:34
De ON7AB	14193.0		UP2011SJ	<i>Tnx contact 73</i>	07:33
De YO9BXC	21071.4		BV100	<i>BPSK31 CQ CQ</i>	07:33
De K0ZX	3524.0		VP8ORK		07:33
De HL5FUA	7130.0		PY2CX	<i>static noise +20db</i>	07:31
De IK1BXN	14071.0		JH7DFZ	<i>PSK31 1875 Hz</i>	07:32
De BD4QH	18140.0		5R8HL	<i>tnx qso 50 up5</i>	07:32
De UR4LTD	7110.0		UT2GW	<i>budu poste 15.00</i>	07:32
De ZL3GK	14070.0		CE1TUW	<i>PSK31</i>	07:31
De EI5HE	1830.6		TF/K5NA		07:31
De UA9UDX	18100.0		UA9UDX	<i>CQ PSK-31 CQ PSK-63 CQ PSK-125</i>	07:30
De IK7BPV	14240.0		TJ3AY	<i>OP, Henry cq</i>	07:31
De ZB3B	14216.0		E77DX		07:31
De IZ1TMP	14260.0		SV8PKI	<i>tnx for qso</i>	07:30
De JA2ZL	18140.0		5R8HL	<i>5UP</i>	07:30
De KF2AT	7024.6		EA6NB		07:28
De DL2LRT	7005.0		HE3OM	<i>cq dx</i>	07:29

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster25.html
frameBorder=0 scrolling=no width=690
height=560></IFRAME>
```

Example of a window with 15 spots on 50 Mhz

DXFUN
WEB CLUSTER

Automatic update.
Telnet connection (dxfun.com port:8000)
Show last 25 spots of cluster

All bands **6** 10 12 15 17 20 30 40 80 160 VHF UHF

De N6DKP	50040.4		W6JEX	testing	02:53
De VE7HLO	50125.0		VA7FC	CN89CN79 5x9 Wow!	02:46
De YY5GC	50077.0		YY5OK/B	very good signal in charallave	02:43
De VA7FC	50135.0		VE7HLO	CN89 > CN79mq	02:33
De VE2XK	50048.1		VY0SNO/B	FN07>FP53 51A IN/OUT	02:15
De K8WW	50125.0		KG4PSR	73 my friend SK 1/27/2	02:01
De KI4DJG	50250.0		K4IRT	FM04EM94 SC 6 meter net	01:58
De K8WW	50000.0		KG4PSR	73 My friend SK 1/27/2	01:45
De LU1MPK	50110.0		FM8DY	73S from FF57OB	01:04
De PY2OC	50076.2		OA4TT/B	FH16->GG66 - 549	00:59
De PT7CQ	50053.0		V44KAI/B	559 in HI06re	00:58
De PY2OC	50052.0		V44KAI/B	559	00:55
De PY2OC	50014.0		9Y4AT/B	549 in GG66	00:55
De LU8EML	50110.0		9Y4D	57 INGF15AD GOOD!!	00:47

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0
src=http://www.dxfuncluster.com/cluster-
50.html frameBorder=0 scrolling=no width=430
height=300></IFRAME>
```

Example of a window with 25 spots on 50 Mhz

DXFUN
WEB CLUSTER

Automatic update.
Telnet connection (dxfun.com port:8000)

All bands **6** 10 12 15 17 20 30 40 80 160 VHF UHF

De N6DKP	50040.4		W6JEX	testing	02:53
De VE7HLO	50125.0		VA7FC	CN89CN79 5x9 Wow!	02:46
De YY5GC	50077.0		YY5OK/B	very good signal in charallave	02:43
De VA7FC	50135.0		VE7HLO	CN89 > CN79mq	02:33
De VE2XK	50048.1		VY0SNO/B	FN07>FP53 51A IN/OUT	02:15
De K8WW	50125.0		KG4PSR	73 my friend SK 1/27/2	02:01
De KI4DJG	50250.0		K4IRT	FM04EM94 SC 6 meter net	01:58
De K8WW	50000.0		KG4PSR	73 My friend SK 1/27/2	01:45
De LU1MPK	50110.0		FM8DY	73S from FF57OB	01:04
De PY2OC	50076.2		OA4TT/B	FH16->GG66 - 549	00:59
De PT7CQ	50053.0		V44KAI/B	559 in HI06re	00:58
De PY2OC	50052.0		V44KAI/B	559	00:55
De PY2OC	50014.0		9Y4AT/B	549 in GG66	00:55
De LU8EML	50110.0		9Y4D	57 INGF15AD GOOD!!	00:47
De PT7ZAP	50110.0		9Y4D	55/57 cq cq	00:35
De PT7ZAP	50110.0		PU2RIB	53/55 cq cq	00:32
De CE3RR	50015.0		9Y4AT/B	559 >FF46RJ	00:30
De LU3ZAZ	50115.0		LU4AA	R.C.A = mesa de enlace	00:29
De LU1MPK	50110.0		LU5VV	73S	00:26
De LU1MPK	50110.0		LU7YS	73	00:26
De CE6RC	50029.0		CE3AA/B	549 in ff30	00:23
De CE6RC	50110.0		LU1MPK	57 in ff30 tnx qso Ariel rgds	00:21
De LU8EML	50063.0		LU2ERC/B	59 GF15AD LOCAL	00:20
De LU8EML	50007.0		LU8DZE/B	59 LOCAL	00:19
De LU1MPK	50110.0		CE6RC	73S	00:19

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster25-50.html
frameBorder=0 scrolling=no width=690
height=560></IFRAME>
```

Example of a window with 15 VHF spots

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster-144.html frameBorder=0 scrolling=no width=430 height=300></IFRAME>
```



Automatic update.
Telnet connection (dxfun.com port:8000)
Show last 25 spots of cluster

All bands	6	10	12	15	17	20	30	40	80	160	VHF	UHF
De F0FHU	144310.0		IW2EHJ	<i>i try now</i>								08:42
De IW2EHJ	144310.0		F0FHU	<i>ANTENNA TO JN 45IV PSE</i>								08:31
De F8DGY	144310.0		F0FHU	<i>jn06jn18 55</i>								08:33
De F4EJW	144310.0		F6DFI	<i>IN78VJIN87WC 57 Tnx Qso</i>								08:25
De HA1VQ	144475.0		YU1VHF/B	<i>JN87GJKNO400 419 weak</i>								08:24
De F8DGY	144285.0		F1DRN	<i>jn23mtjn18gm 53 tnx</i>								08:14
De IZ1FUM	144300.0		IZ1FUM/P1	<i>sunday 6/2/11 qtr loc 10</i>								07:51
De IW2EHJ	145800.0		IROISS	<i>good sig at jn45iv</i>								07:41
De F6HTJ	144260.0		F8CH	<i>qso F5ADT in94</i>								07:40
De G8TIC	144429.0		GB3VHF/B	<i>599 >IO82 norm 539</i>								07:10
De SQ9QU	144000.0		DX	<i>nice condx dir SE from jo90kh</i>								03:34
De SQ9QU	144449.0		UR0DMW/B	<i>599 in jo90kh</i>								03:34
De SQ9QU	144460.0		HG1BYA/B	<i>559 in jo90kh</i>								03:33
De N4TUT	144210.0		C6ANX	<i>EL98GPFL15HA 5-6 tnx mike</i>								03:06

Example of a window with 25 VHF spots




Automatic update.
Telnet connection (dxfun.com port:8000)

All bands	6	10	12	15	17	20	30	40	80	160	VHF	UHF
De F0FIG	145950.0		F2IL	<i>JO10JEJO10BC 73</i>								09:30
De F0FHU	144310.0		IW2EHJ	<i>i try now</i>								08:42
De IW2EHJ	144310.0		F0FHU	<i>ANTENNA TO JN 45IV PSE</i>								08:31
De F8DGY	144310.0		F0FHU	<i>jn06jn18 55</i>								08:33
De F4EJW	144310.0		F6DFI	<i>IN78VJIN87WC 57 Tnx Qso</i>								08:25
De HA1VQ	144475.0		YU1VHF/B	<i>JN87GJKNO400 419 weak</i>								08:24
De F8DGY	144285.0		F1DRN	<i>jn23mtjn18gm 53 tnx</i>								08:14
De IZ1FUM	144300.0		IZ1FUM/P1	<i>sunday 6/2/11 qtr loc 10</i>								07:51
De IW2EHJ	145800.0		IROISS	<i>good sig at jn45iv</i>								07:41
De F6HTJ	144260.0		F8CH	<i>qso F5ADT in94</i>								07:40
De G8TIC	144429.0		GB3VHF/B	<i>599 >IO82 norm 539</i>								07:10
De SQ9QU	144000.0		DX	<i>nice condx dir SE from jo90kh</i>								03:34
De SQ9QU	144449.0		UR0DMW/B	<i>599 in jo90kh</i>								03:34
De SQ9QU	144460.0		HG1BYA/B	<i>559 in jo90kh</i>								03:33
De N4TUT	144210.0		C6ANX	<i>EL98GPFL15HA 5-6 tnx mike</i>								03:06
De N4QV	144210.0		N4TUT	<i>5x7 tonite</i>								03:02
De WD4AB	144200.0		N3LL	<i>EL95<->EL86TX LOUD TONITE</i>								02:30
De WD4AB	144200.0		C6ANY	<i>EL95<->FL15HB 4X2</i>								02:29
De WD4AB	144200.0		C6ANX	<i>EL95<->FL15HA 5X5</i>								02:29
De N4QV	144200.1		C6ANX	<i>59+ Tonite Mike!</i>								02:27
De N4QV	144210.1		N3LL	<i>59++ to nite Bobby</i>								02:26
De N4QV	144210.1		K2IL/M	<i>Great Mobile sig Steve</i>								02:26
De LU4DQW	146520.0		YV4AKK	<i>GF05LV 59 RX TX 59</i>								01:47
De N3LL	144200.0		C6ANY	<i>EL86TXFL15HB 350 miles</i>								01:16
De N3LL	144200.0		C6ANX	<i>EL86TXFL15HA with group</i>								01:06

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster25-144.html frameBorder=0 scrolling=no width=690 height=560></IFRAME>
```

Example of a window with 15 spots on new mode ROS

DXFUN WEB CLUSTER		ROS Mode Spots - Automatic update. Telnet connection (dxfun.com port:8000) Show last 25 spots of cluster			
De UA0BJY	14103.0		RA1TC	ROS16 -13 dB in Norilsk	09:34
De F5BQV	14103.0		RA1TCJ	ROS16 -9 dB in Muzillac [Atlantic coast]	09:34
De F4ARB	14103.0		RA1TCJ	ROS16 -6 dB in LYS-LEZ-LANNOY NORTH FRANCE	09:34
De DL2OBT	14103.0		RA1TCJ	ROS16 -11 dB in HERFORD	09:34
De OE7GJ	14103.0		RA1TCJ	ROS16 4 dB in Kramsach	09:34
De PE8ROB	14103.0		RA1TCJ	ROS16 1 dB in Bemmel / Netherlands	09:34
De F5BQV	14103.0		F5BQV	CQ CQ ROS16 in Muzillac [Atlantic coast]	09:33
De UA0BJY	14103.0		PE8ROB	ROS16 4453 km -16 dB in Norilsk	09:31
De SP2FZW	28295.0		SP2FZW	CQ CQ ROS16 in TORUN	09:29
De SP2FZW	28295.0		SP2FZW	CQ CQ ROS16 in TORUN	09:28
De DL2OBT	14103.0		EA3FN	ROS16 7 dB in HERFORD	09:28
De SP2FZW	28295.0		SP2FZW	CQ CQ ROS16 in TORUN	09:28
De DL2OBT	14103.0		RA1TCJ	ROS16 4 dB in HERFORD	09:28
De UA0BJY	14103.0		RA1TCJ	ROS16 -8 dB in Norilsk	09:28
De F4ARB	14103.0		RA1TCJ	ROS16 -2 dB in LYS-LEZ-LANNOY NORTH FRANCE	09:28

HTML code :

```
<IFRAME marginWidth=0 marginHeight=0 src=http://www.dxfuncluster.com/cluster_new_ros.html
frameBorder=0 scrolling=no width=490 height=352></IFRAME>
```

WWW.DXWATCH.COM

You can generate a widget to have dxwatch.com on your website visit <http://www.dxwatch.com/widget/>

widget generator

Here you can generate a widget to have dxwatch.com on your website:

Please choose your options

width:

spots:

show flags:

show propagation data:

show callsign lookup:

filter by callsign:

DE / DX

band:

Choose your option .click “test it!” and copy HTML code

DXWATCH.COM
 SSN:47 SFI:102 A:1 K:0

no filter selected, showing all spots

de	dx	частота	время
IZ8FDH	HH2/PY1ZV	7063.0	0521z
VU3DJQ	VU4PB	21295.0	0521z
RT3LA	IIH70	14010.0	0520z
IK1UGX	HH2/PY1ZV	7063.0	0520z
IZ4IIC	TG9AHM	7200.0	0520z
H0RII	OZ1LXJ	1828.6	0519z
I0DJV	HH2/PY1ZV	7063.0	0519z
H4UPX	F5GPE	7077.3	0519z
H6MQL	OH5JLJ	10102.0	0518z
RH6AJ	IIH70	14010.0	0518z

[click here to visit www.dxwatch.com](http://www.dxwatch.com)

put the cluster on your website too!

HTML code :

```
<iframe
src="http://widget.dxwatch.com/widget/widget1.php?s
=Zmw9MSZwPTEmZj0wJnc9MjUwJnI9MTA="
width="250" height="405" frameborder="0"
scrolling="no"></iframe>
```

You can choose your callsign in “filter by callsign” and put it to your QRZ page. Sample below show how I am do it in OJ0X page:

In am fix it in the top part in div with absolute position and add vertical marquee (scrolling) with DXCluster filtered by OJ0X spots

HTML code:

```
<div style="background-color: rgb(255, 255, 255); position: absolute; text-align: center; top: 0px; right: 470px; height: 62px; width: 300px;">
```

```
  <marquee behavior="scroll" direction="up" height="62"
  scrollamount="2"><iframe frameborder="0" height="505" scrolling="no"
  src="http://widget.dxwatch.com/widget/widget1.php?s=Zmw9MSZwPTEmY
  2FsbHNpZ249b2oweCZjYWxsdHlwZT1keCZmPTAmdz0zMDAmcj0xNQ=="
  width="300"></iframe></marquee></div>
```

<http://www.la0fa.com/dxspotgrabber.asp>

Copy the code below and put it where it suits you in your qrzcom page

```
<div style="text-align: center;"><iframe name="spots"
src="http://la0fa.com/dxspotgrabber.asp" marginwidth="0" marginheight="0"
scrolling="no" width="177" frameborder="0" height="273"></iframe></div>
```

CN2MR	21024.0	W3LPL	1120
MMD EAX	14219.0	EA6BX	1120
VU4PB	24894.0	UN7MMM	1120
IZ0IJC	7105.0	IZ20IF	1120
PY2JY	7123.0	PY2JY	1119
VU2DSI	21200.0	IK8DYF	1119
H44MS	3799.5	AG6X	1119
LU6UBN	14008.8	UA0APV	1118
4S7DF	21265.0	EA8CEQ	1118
4A4A	3514.0	W3LPL	1117
M0DFO	18140.0	LU5OM	1117
2E0IMS	14257.0	M3GFQ	1117
YT2CZM	14050.0	F88NU	1116
W1UU	18106.0	G7FSI	1116
H44MS	7133.0	KK1KW	1116

Will update in **56** seconds
 Show this on your webpage?
 By LA0FA based on DXSummit.fi

DXsummit

Use this HTML code to show last 25 spots from DXsummit as text.

The volume **height="178"** was cover 10 last spots.

```
<a href="http://www.dxsummit.fi"><iframe color="white" frameborder="0" height="178" name="I3" scrolling="no" src="
http://www.dxsummit.fi/text/Default.aspx " width="580"></iframe></a>
```

```
DL6YAO          7007.0 W1EBM          cq dx
RV6LCI-@       18072.0 W6OAR          TNX QSO!!!
K6III          14026.8.0 YO8OU          CQ
KI6IUJ         144200.0 KW6N          DM13<>DM06 53
KI6IUJ         144200.0 K6MYC          DM13<>DM07 59
DL1SXB-@       14021.1.0 N6DKP          tnx Ray my name Har
I5ZSS          7165.0 TI2EMG
TI2DYP         14070.0 TI2DYP          QRP 5w cq dx
UT1EA          144385.0 IW4ARD          KN67QV<MS>JN64FD
K6III          14022.5.0 E77A          599 in NorCal
```

CHAT BOX

This is a simple chat module that allows your site's visitors to chat in an HTML at pop-up window. Registered users can invite other users to join the chat. No additional software is required.

As example chat box below installing in <http://www.cbox.ws/> and placed in EW2SWL QRZ page.

Unlike traditional chat, Cbox has perpetual message history so your visitors are placed immediately in context. Cbox is finely customizable to blend into your site, it's intuitive, making it fun and easy to use, and it's secure, giving you control over who can post, and blocking spam.

After registration choose colors/size etc and copy/paste HTML code:

Sample HTML code:

```
<div id="cboxdiv" style="text-align: center; line-height: 0">
```

```
<iframe allowtransparency="yes"
frameborder="0" height="305"
id="cboxmain6-622523" marginheight="2"
marginwidth="2" name="cboxmain6-
622523" scrolling="auto"
src="http://www6.cbox.ws/box/?boxid=62
2523&boxtag=tyybrg&sec=main"
style="border:#EAB412 1px solid;"
width="250"></iframe>
```

```
</div>
```



APPENDIX A

COLORS NAME

Aliceblue F0F8FF	Antiquewhite FAEBD7	Aqua 00FFFF	Aquamarine 7FFFD4
Azure F0FFFF	Beige F5F5DC	Bisque FFE4C4	Black 000000
Blanchedalmond FFEBCD	Blue 0000FF	Blueviolet 8A2BE2	Brown A52A2A
Burlywood DEB887	Cadetblue 5F9EA0	Chartreuse 7FFF00	Chocolate D2691E
Coral FF7F50	Cornflowerblue 6495ED	Cornsilk FFF8DC	Crimson DC143C
Cyan 00FFFF	Darkblue 00008B	Darkcyan 008B8B	Darkgoldenrod B8860B
Darkgray A9A9A9	Darkgreen 006400	Darkkhaki BDB76B	Darkmagenta 8B008B
Darkolivegreen 556B2F	Darkorange FF8C00	Darkorchid 9932CC	Darkred 8B0000
Darksalmon E9967A	Darkseagreen 8FBC8F	Darkslateblue 483D8B	Darkslategray 2F4F4F
Darkturquoise 00CED1	Darkviolet 9400D3	deeppink FF1493	Deepskyblue 00BFFF
Dimgray 696969	Dodgerblue 1E90FF	Firebrick B22222	Floralwhite FFFAF0
Forestgreen 228B22	Fuchsia FF00FF	Gainsboro DCDCDC	Ghostwhite F8F8FF
Gold FFD700	Goldenrod DAA520	Gray 808080	Green 008000
Greenyellow ADFF2F	Honeydew F0FFF0	Hotpink FF69B4	Indianred CD5C5C
Indigo 4B0082	Ivory FFFFFF0	Khaki F0E68C	Lavendar E6E6FA
Lavenderblush FFF0F5	Lawngreen 7CFC00	Lemonchiffon FFFACD	Lightblue ADD8E6

APPENDIX A

COLORS NAME

Lightcoral F08080	Lightcyan E0FFFF	Lightgoldenrodyellow FAFAD2	Lightgreen 90EE90
Lightgrey D3D3D3	Lightpink FFB6C1	Lightsalmon FFA07A	Lightseagreen 20B2AA
Lightskyblue 87CEFA	Lightslategray 778899	Lightsteelblue B0C4DE	Lightyellow FFFFE0
Lime 00FF00	Limegreen 32CD32	Linen FAF0E6	Magenta FF00FF
Maroon 800000	Mediumaquamarine 66CDAA	Mediumblue 0000CD	Mediumorchid BA55D3
Mediumpurple 9370D8	Mediumseagreen 3CB371	Mediumslateblue 7B68EE	Mediumspringgreen 00FA9A
Mediumturquoise 48D1CC	Mediumvioletred C71585	Midnightblue 191970	Mintcream F5FFFA
Mistyrose FFE4E1	Moccasin FFE4B5	Navajowhite FFDEAD	Navy 000080
Oldlace FDF5E6	Olive 808000	Olivedrab 688E23	Orange FFA500
Orangered FF4500	Orchid DA70D6	Palegoldenrod EEE8AA	Palegreen 98FB98
Paleturquoise AFEEEE	Palevioletred D87093	Papayawhip FFEFD5	Peachpuff FFDAB9
Peru CD853F	Pink FFC0CB	Plum DDA0DD	Powderblue B0E0E6
Purple 800080	Red FF0000	Rosybrown BC8F8F	Royalblue 4169E1
Saddlebrown 8B4513	Salmon FA8072	Sandybrown F4A460	Seagreen 2E8B57
Seashell FFF5EE	Sienna A0522D	Silver C0C0C0	Skyblue 87CEEB
Slateblue 6A5ACD	Slategray 708090	Snow FFFAFA	Springgreen 00FF7F

APPENDIX A

COLORS NAME

Steelblue 4682B4	Tan D2B48C	Teal 008080	Thistle D8BFD8
Tomato FF6347	Turquoise 40E0D0	Violet EE82EE	Wheat F5DEB3
White FFFFFF	Whitesmoke F5F5F5	Yellow FFFF00	YellowGreen 9ACD32

Note: for select Color Picker & Color Mixer as well as colors in above table visit http://www.w3schools.com/css/css_colornames.asp .

Tag	Description
<u><!--...--></u>	Defines a comment
<u><!DOCTYPE></u>	Defines the document type
<u><a></u>	Defines an anchor
<u><abbr></u>	Defines an abbreviation
<u><acronym></u>	Defines an acronym
<u><address></u>	Defines contact information for the author/owner of a document
<u><applet></u>	Deprecated. Defines an embedded applet
<u><area /></u>	Defines an area inside an image-map
<u></u>	Defines bold text
<u><base /></u>	Defines a default address or a default target for all links on a page
<u><basefont /></u>	Deprecated. Defines a default font, color, or size for the text in a page
<u><bdo></u>	Defines the text direction
<u><big></u>	Defines big text
<u><blockquote></u>	Defines a long quotation
<u><body></u>	Defines the document's body
<u>
</u>	Defines a single line break
<u><button></u>	Defines a push button
<u><caption></u>	Defines a table caption
<u><center></u>	Deprecated. Defines centered text
<u><cite></u>	Defines a citation
<u><code></u>	Defines computer code text
<u><col /></u>	Defines attribute values for one or more columns in a table
<u><colgroup></u>	Defines a group of columns in a table for formatting
<u><dd></u>	Defines a description of a term in a definition list
<u></u>	Defines deleted text
<u><dfn></u>	Defines a definition term
<u><dir></u>	Deprecated. Defines a directory list
<u><div></u>	Defines a section in a document
<u><dl></u>	Defines a definition list
<u><dt></u>	Defines a term (an item) in a definition list
<u></u>	Defines emphasized text
<u><fieldset></u>	Defines a border around elements in a form
<u></u>	Deprecated. Defines font, color, and size for text
<u><form></u>	Defines an HTML form for user input
<u><frame /></u>	Defines a window (a frame) in a frameset
<u><frameset></u>	Defines a set of frames
<u><h1> to <h6></u>	Defines HTML headings
<u><head></u>	Defines information about the document
<u><hr /></u>	Defines a horizontal line
<u><html></u>	Defines an HTML document
<u><i></u>	Defines italic text
<u><iframe></u>	Defines an inline frame
<u></u>	Defines an image
<u><input /></u>	Defines an input control

<u><ins></u>	Defines inserted text
<u><isindex></u>	Deprecated. Defines a searchable index related to a document
<u><kbd></u>	Defines keyboard text
<u><label></u>	Defines a label for an input element
<u><legend></u>	Defines a caption for a fieldset element
<u></u>	Defines a list item
<u><link /></u>	Defines the relationship between a document and an external resource
<u><map></u>	Defines an image-map
<u><menu></u>	Deprecated. Defines a menu list
<u><meta /></u>	Defines metadata about an HTML document
<u><noframes></u>	Defines an alternate content for users that do not support frames
<u><noscript></u>	Defines an alternate content for users that do not support client-side scripts
<u><object></u>	Defines an embedded object
<u></u>	Defines an ordered list
<u><optgroup></u>	Defines a group of related options in a select list
<u><option></u>	Defines an option in a select list
<u><p></u>	Defines a paragraph
<u><param /></u>	Defines a parameter for an object
<u><pre></u>	Defines preformatted text
<u><q></u>	Defines a short quotation
<u><s></u>	Deprecated. Defines strikethrough text
<u><samp></u>	Defines sample computer code
<u><script></u>	Defines a client-side script
<u><select></u>	Defines a select list (drop-down list)
<u><small></u>	Defines small text
<u></u>	Defines a section in a document
<u><strike></u>	Deprecated. Defines strikethrough text
<u></u>	Defines strong text
<u><style></u>	Defines style information for a document
<u><sub></u>	Defines subscripted text
<u><sup></u>	Defines superscripted text
<u><table></u>	Defines a table
<u><tbody></u>	Groups the body content in a table
<u><td></u>	Defines a cell in a table
<u><textarea></u>	Defines a multi-line text input control
<u><tfoot></u>	Groups the footer content in a table
<u><th></u>	Defines a header cell in a table
<u><thead></u>	Groups the header content in a table
<u><title></u>	Defines the title of a document
<u><tr></u>	Defines a row in a table
<u><tt></u>	Defines teletype text
<u><u></u>	Deprecated. Defines underlined text
<u></u>	Defines an unordered list
<u><var></u>	Defines a variable part of a text
<u><xmp></u>	Deprecated. Defines preformatted text

Entity Encoding	Looks Like	Explanation of Symbol
 		no-break space
¡	¡	inverted exclamation mark
¢	¢	cent sign
£	£	pound sterling sign
¤	¤	general currency sign
¥	¥	yen sign
¦	¦	broken (vertical) bar
§	§	section sign
¨	¨	umlaut (dieresis)
©	©	copyright sign
ª	ª	ordinal indicator, feminine
«	«	angle quotation mark, left
¬	¬	not sign
­		soft hyphen
®	®	registered sign
¯	¯	macron
°	°	degree sign
±	±	plus-or-minus sign
²	²	superscript two
³	³	superscript three
´	´	acute accent
µ	µ	micro sign
¶	¶	pilcrow (paragraph sign)
·	·	middle dot
¸	¸	cedilla
¹	¹	superscript one
º	º	ordinal indicator, masculine
»	»	angle quotation mark, right
¼	¼	fraction one-quarter
½	½	fraction one-half
¾	¾	fraction three-quarters
¿	¿	inverted question mark
ß	ß	small sharp s, German (sz ligature)
æ	æ	small ae diphthong (ligature)
"	"	quotation mark, apl quote
&	&	ampersand
<	<	less-than
>	>	greater-than sign




```
#calldata {
    color:#0000cd;
    font-size:18px;
    font-style:italic;
    letter-spacing: 3px;
    background-image: url(http://files.qrz.com/d/ua6jd/banner.jpg);
    background-position:center 30px;
    background-repeat:no-repeat;
    padding-top:30px;
}
```

Let's design baner image step by step using CorelDRAW.


1. Scan QSLs and place it as background



2. Set Arrange|Order|To back of Page




3. Edit by "Text" your callsign




4. Pick and Ctrl+C (Copy text)

5. Click to QSL images and do:Effects|PowerClip|Place Inside Container




6. Click by bold arrow to callsign text



7. Ctrl-V, Order|to Back of Page , then little shift .



8. The image is ready – you can place it in any background texture (I am do it with wood) and convert to jpg file.



UA6JW MEMORIAL



Search Main Menu

Logged in as: UA6JW MGR 3 Sep 2009 09:08:13 UTC Log Out

RUSSIA
UA6JW

Igor A. Lambrianov
Vladikavkaz
North Ossetia,
RUSSIA

Lookups: 2021 QRZ Member
Email: ua6jw@gmx.com QSL: UA6JD

[Click for more detail...](#)



My brother Igor was born in 1951 - all relatives called him Harrik and later when he began to work on air all knew him under a name of Harry..
Our daddy Anton (UA6JD) in middle of the sixties has got acquainted Valentin Posykin UA6JW which has involved all over again him, and then they contain also us in this fine hobby.

I remember those fine years in second half of sixties when we together with the brother stayed in the whole days and at night in front of the big army receiver KBM listening to mysterious as it seemed to us then, to sounds. In 1967 the brother has received callsign UA6JWW and one of his first QSO on 10 meters AM was with VS9A??? . to a regret those years we did not understand value of this country -logs were not conducted properly and this country appeared irrevocably lost for Harry. Later I1RBJ has visited Aden as 7O0A - and Harry has QSO (I unfortunately at that time was not an at home and has missed him). We have not found Don Miller - but Harry had the luck to QSOs with Gus Browning's the African activity in summer 1970 - at me still then there was no license and I only with pleasure listened such pleasant to an ear signal like VQ9/A/A , AC0A/GR

In the beginning of seventies Harry and me had meeting with two HAMS which in the image have changed ours relations to DXing. It was Peter Rushakov UM8FM (nw SK - at the end of 70 years the license of him was selected for active correspondence with foreign radio HAMS) and Vlad Kaploun UA1CK (nowadays DJ9BK) . We repeatedly met them personally at us and at their place - frequently talked on air and by the phone. They open in us that has then developed a spark of that into unextinguishable fire of DXing. Understanding that rare DXpeditions are very hard for fulfilling with the simple equipment and having missed the first DXpedition to Okino Torishima we have begun build a new antenna array - have constructed rare at that time the 6 elements YAGI on a tower established with the ground. After one month of daily work on adjustment we have achieved an optimum F/B & F/S ratio of parameters for DX operation. At the same time we already is realized have started to hunt for the new countries and also behind performance 5 bands awards - 5BDXCC and later 5BWAZ. It is necessary to tell that in seventies activity and propagation was differed from present activity - small activity on 80 meters at round-the-clock pass on 20 meters with huge non-stop hours US pile-up. Made 500-800 QSO with North Americans for 2 or 3 hour on air before office time was ordinary business. Destinies has once again turned to us the person and has acquainted us with brother with remarkable people - which have brought up in us that spirit of the HAM RADIO which I think true till now. Many of them have left this life - but I shall try to tell about those who most sharply relate to us, simple unknown to anybody guys from Russia, have changed our relation not only on air but also on life. It was Ed W2MIG, Ray W8CNL , Jim K1MEM, Franz DJ9ZB, Gary K4MQG, Joe W3HNK, Jim W8ZET and many others. They were our Elmers - and we tried to be diligent pupils. Especially us with Harry the open relation to us has struck pleased famous HAMS known at that time. They shared with us that knowledge and experience which probably too have got as well as we communicating with other HAMS. Those years conditions in the USSR was such - as then it was characterized by historians - "cold war". It was forbidden to receive QSL on the home address. Those years when was not Internet we always communicated by QSO or by post letters - send AIR MAIL envelope costed very cheaply - approximately as much - how many costed half-packs of cigarettes. And we with the brother wrote much. It is a lot of. We always received cards from DXpeditions direct - and never paid for them. Why? Ben , W2BXA was taught us with very good lesson - he has told what easy and better simply to tell that the card is necessary and to thank for it - than to apply \$\$ or the IRC. I do not remember practically any case when we had difficulties with reception of QSL. All with whom we communicated were impregnated with spirit of HAM RADIO - that is tried help each other nothing demanding in exchange . Unfortunately now the HAM RADIO spirit began to be substituted by commercial interests of insatiable managers and it started to be considered same rare now as North Korea .

Gradually necessary countries became ever less and less - and there has come the long-awaited moment when we could remove to Moscow in Central Radio Club applications for plaques DXCC HR and 5BDXCC. Post to the charge on process of these awards has undertaken - CRC reception of these plaques has costed for us an equivalent approximately 2.5\$ each - it about cost of one small box of Marlboro. Those years applications for such awards acted very little - as to execute them it was very uneasy. The truth the application for UA6JW 5BWAZ plaque laid about 4 years while was solved the problem with payment.

Have passed years and at last long-awaited and it seemed - not achievable HR#1. And before us there was a question - than to be more? By then IARU has made the decision removing an interdiction on receptions HF licensee without knowledge of CW - there was a Perestrojka, crash of USSR... The ether was captivated by huge crowd of people, who have money enough for purchase of the expensive equipment - but concepts not having about norms of morals and rules of behaviour on air. The range of 20 meters became similar to east market - infinite conversations on personal themes with not normative words. Harry, and I till now, and could not accept it. Harry with a head has left in work CW , for one year at him it was no more than 50 phone QSOs - the beginnings to be engaged in clubs plaques and trophies ([click to see his wall of plaques](#)).

For years of work on air he became a member of many clubs and organizations like Clipperton DX Club, Western Washington DX Club, French-DX-Foundation, EUDXF, NCDXF, HH, FH, MF, FISTS, 10-10 and many others.

Harry waited for 3 new countries in PJ - spoke that it will be his last label - 370 countries. He has not waited.....

August 20, 2009 after haemorrhage of brain his DX saga has stopped on 367 countries.

He always remain in my memory as the true person with which it is necessary to follow an example.

Vlad UA6JD

