

TABELA SLIK:

```
<script type="text/javascript">
var slike = [
  ["avto1.jpg"],
  ["avto2.jpg"],
  ["avto3.jpg"]
]

var n = prompt("vpiši število vrstic");
document.write("<table>")
  for(var i=0; i<slike.length; i++){
    if(i%n == 0){
      document.write("<tr>")
    }
    document.write("<td><img src='"+ slike[i] + "'/></td>")
    if(i%n == n-1){
      document.write("</tr>")
    }
  }
}</script>
```

Spremeni Besedilo:

```
<p id="prvi" onclick="spremeni('prvi')"> HELLO WORLD</p>
<p id="drugi" onclick="spremeni('drugi')"> HELLO MITJA</p>
<script>
  function spremeni(demo){
    var element = document.getElementById(demo)
    element.style.color = (element.style.color == 'black') ? 'red' : 'black'
    element.style.fontFamily = (element.style.fontFamily == 'Times New Roman') ?
    'Arial' : 'Times New Roman'
  }
}</script>
```

Večkrat Spremeni Besedilo:

```
<p id="prvi" onclick="indeks1=spremeni(prvi, indeks1)">Nekaj besedila</p>
<p id="drugi" onclick="indeks2=spremeni(drugi, indeks2)">Nekaj besedila</p>
```

```
<script type="text/javascript">
```

```
    var prvi = document.getElementById("prvi")
    var drugi = document.getElementById("drugi")
```

```
    var tabela = [
        ['black', 'Times New Roman'],
        ['red', 'Arial'],
        ['blue', 'Comic Sans MS'],
        ['green', 'verdana']
    ]
```

```
    var indeks1 = 0 // INDEKS ZASPRTEMINJANE 2 ODSTAVKA V TABELI
    var indeks2 = 0 // INDEKS ZA SPREMINJANE 1 ODSTAVKA V TABELI
```

```
    function spremeni(element, i){
```

```
        i= i+1 // indeks v tabeli; če presežemo zadnji indeks gremo na začetek
    tabeel i=0
```

```
        if(i >= tabela.length) {
            i=0
```

```
        }
```

```
        element.style.color = tabela[i][0]
        element.style.fontFamily = tabela[i][1]
```

```
        return i
```

```
    }
```

```
</script>
```

Sprememba velikosti Slike

```
<p></p>
```

```
<p></p>
```

```
<p></p>
```

Sprememba src=

```
<p></p>
```

```
<script type="text/javascript">
```

```
var slika = 1
function spremeni(element){
    if(slika== 1){
        slika=2
    }
    else{
        slika=1
    }
    element.src = 'avto' + slika + ".jpg"
}
```

```
</script>
```

Sprememba naključnega src=

```
<p></p>
```

```
<script type="text/javascript">
```

```
function spremni(element){
    slika = Math.floor(Math.random()*(4-1)+1) //zgornjavrednost –
    spodnjavrednost + 1
    element.src= "avto" + slika + ".jpg"
}
```

```
</script>
```

Src= dobi z male slike

```
<p>
  
  
  
  
</p>
<p></p>
<script type="text/javascript">
  var avto = document.getElementById('avto')

  function spremeni(src){
    avto.src=src
  }
</script>
```

Sprememba forma drop-down

```
<form action="">
<div>
  <select onchange="spremeni(selectedIndex)">
    <option>BMW</option>
    <option>Audi</option>
    <option>Toyota</option>
    <option>Porsche</option>
  </select>
</div>
</form>
<p></p>
<script type="text/javascript">
  var tab = [
    ['avto1.jpg'],
    ['avto2.jpg'],
    ['avto3.jpg'],
    ['avto4.jpg']
  ]
  var avto = document.getElementById('avto')

  function spremeni(i){
    avto.src = tab[i]
  }
</script>
```

Animacija

```
<body onload="setInterval(premik, 30)" >
<p></p>
<script type="text/javascript">
var x = 0
var avto = document.getElementById('avto')
function premik(){
    x++
    avto.style.left = x + "px"
}
</script>
```

Animacija levo desno

```
<body onload="setInterval(premik, 30)">
<p></p>
<form action="">
<div>
    <input type="button" value="levo" onclick="dx = -1"/>
    <input type="button" value="desno" onclick="dx = 1"/>
</div>
</form>
<script type="text/javascript">
var avto = document.getElementById('avto')
var x = 0
var dx = 1 //korak za premikanje

function premik(){
var n = document.body.clientWidth - avto.width //kje na desni strani okna se
ustavimo: širina okna - okno slike

    x+=dx //povečamo položaj
    if(x < 0) x = 1

    if(x > n) dx = -1 //če dam 2 se bo odbijalo
```

```
        avto.style.left = x + "px"
    }
</script>
```

Animacija, levo, desno, start, stop

```
<p></p>
<form action="">
<div>
    <input type="button" value="levo" onclick="dx=-1" />
    <input type="button" value="desno" onclick="dx=1" />
    <input type="button" value="start" onclick="koda=setInterval(premik, 30)" />
    <input type="button" value="stop" onclick="clearInterval(koda)" />
</div>
</form>
<script type="text/javascript">
var avto = document.getElementById('avto')
var x = 0
var dx = 1                //korak za premikanje

function premik(){
var n = document.body.clientWidth - avto.width //kje na desni strani okna se
ustavimo: širina okna - okno slike
    x+=dx //povečamo položaj
    if(x < 0) dx = 1
    if(x > n) dx = -1
    avto.style.left = x + "px"
}
</script>
```

Album

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8"/>
<title>Album</title>
<h1>Album</h1>

<script>

var indeksSlike = 0

var slike = [
["album1.jpg", "Psi"],
["album2.jpg", "Gepardi in sloni"],
["album3.jpg", "Medvedi"],
["album4.jpg", "Mačka na drevesu"],
["album5.jpg", "Papagaja"]
]

function dodajSelectTabela(ime, tabela){
document.write('<select name="'+ ime + "'
onchange="prikaziSliko(izbSlike.selectedIndex)" id="'+ ime +"'>')

        for (var i=0; i<tabela.length; i++){
            document.write('<option
value="'+tabela[i][0]+'">'+tabela[i][1]+'</option>')
        }
        document.write('</select>')
    }

    function prikaziSliko(indeks){
        if (indeks < 0) indeks=0
            if(indeks >= slike.length) indeks=slike.length-1
        slika.src = slike[indeks][0]
        izbSlike.selectedIndex = indeks
        indeksSlike = indeks
    }
</script>
</head>
<body>
```

```

<div>
  <input type="button" value="&lt;&lt;" onclick="prikaziSlika(0)"/>
  <input type="button" value="&lt;" onclick="prikaziSlika(indeksSlike-1)"/>
  <script>
    dodajSelectTabela("slike", slike)
  </script>
  <input type="button" value="&gt;"
onclick="prikaziSlika(indeksSlike+1)"/>
  <input type="button" value="&gt;&gt;" onclick="prikaziSlika(slike.length-
1)"/>

  <script>
    document.write('<br/><br/>')
    document.write('')

    var izbSlike = document.getElementById('slike') //spremeni select
      izbSlike.selectedIndex = indeksSlike

    var slika = document.getElementById('album') //spremeni slike

  </script>
</div>

</body>
</html>

```


Atlet

```
<html>
<head>

<meta charset="utf-8"/>
<title>Atlet</title>
    <h1>Atlet</h1>
</head>
<body>
<div>
    
</div>
<form>
    <div>
        <input type="button" value="Hitreje" onclick="hitreje()" />
        <input type="button" value="Počasneje" onclick="pocasneje()" />
    </div>
</form>
<script>

    var casZakasnitve = 100
    var indTren = 0
    var atlet = document.getElementById('atlet')
    var koda = setTimeout(animacija, casZakasnitve)

    var tab = [0,1,2,3,4,3,2,1] //tabela zaporedja slik

    function animacija(){
        indTren++
        if(indTren == tab.length){
            indTren = 0
        }
        atlet.src = 'atlet' + tab[indTren] + '.gif'
        koda = setTimeout(animacija, casZakasnitve)
    }

    function hitreje(){
        if(casZakasnitve > 10){
            casZakasnitve-=10
        }
    }
</script>
</body>
</html>
```

```
    }  
  }  
  
  function pocasneje(){  
    if(casZakasnitve < 1000){  
      casZakasnitve+=10  
    }  
  }  
</script>
```

</div>

</body>

</html>

IZBERI

<html>

<head>

<title>Izbira slik</title>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

</head>

<body>

<h1>Izbira slik</h1>

<form action="">

<div>

<input type="checkbox" checked="checked" name="hisaN"
onchange="izberiH(hisaN)" /> Hiša

<input type="checkbox" checked="checked" name="avtoN"
onchange="izberiA(avtoN)" /> Avto

<input type="checkbox" checked="checked" name="drevoN"
onchange="izberiD(drevoN)" /> Drevo

</div>

</form>

<p>


```


</p>
```

```
<script type="text/javascript">
```

```
var hisa = document.getElementById('hisa') // id slik
var avto = document.getElementById('avto')
var drevo = document.getElementById('drevo')
```

```
var hisaN = document.getElementsByName('hisaN') // name-i od checkbox
var avtoN = document.getElementsByName('avtoN')
var drevoN = document.getElementsByName('drevoN')
```

```
function izberiH(checkbox){
```

```
    if (checkbox.checked)
        hisa.style.visibility = 'visible'
```

```
    else
```

```
        hisa.style.visibility = 'hidden'
```

```
}
```

```
function izberiA(checkbox){
```

```
    if (checkbox.checked)
```

```
        avto.style.visibility = 'visible'
```

```
    else
```

```
        avto.style.visibility = 'hidden'
```

```
}
```

```
function izberiD(checkbox){
```

```
    if (checkbox.checked)
```

```
        drevo.style.visibility = 'visible'
```

```
    else
```

```
        drevo.style.visibility = 'hidden'
```

```
}
```

```
</script>
</body>
</html>
```

ŠTEVILO

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN">
<html>
<head>
<title>Števílo</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
</head>
<body>

<h1>Števílo</h1>

<p>
  <script type="text/javascript">
    <!--

      var stevíla = decodeURIComponent(location.search.substring(1)) // kako
      pridobimo besedilo iz URL

      for(var i=0; i<stevíla.length; i++){
        document.write('')
      }

    //-->
  </script>
</p>

</body>
</html>
```

Sladoled

```
<!DOCTYPE HTML>
<html>
<head>
<meta charset="UTF-8">
<title>Checkboxes</title>
<script type="text/javascript">
function preveri(obr){

var i = 0
  while (i < obr.container.length && !obr.container[i].checked) ++i
  if (i == obr.container.length) {
    alert("Izbrati morate skodelico ali kornet!")
    return false
  }

  if(!obr.pogoji.checked){
    alert('Strinjati se morate s pogoji')
    return false
  }
  return true
}

</script>

</head>
<body>
<h1>Naročilo sladoleda</h1>
<form onsubmit="return preveri(this)" action="URL" action="izpis.html" >

  <strong>Skodelica ali kornet?</strong>
  <input type="radio" name="container" value="skodelica"> V skodelici
  <input type="radio" name="container" value="navaden"> v navadnem kornetu
  <input type="radio" name="container" value="sladkor"> V sladkornem kornetu
  <input type="radio" name="container" value="vafelj"> V vaflju
  <br><br>
  <input type="checkbox" name="pogoji">
  Zavedam se, da ob naročilu ne bom prejel nobenega sladoleda.
  <br><br>
  <input type="submit" value="Naročilo">
</form>

</body>
```

```
</html>
```

IZBERI

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN">
<html>
<head>
<title>Izbira slik</title>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
</head>
<body>

<h1>Izbira slik</h1>

<form action="">
  <div>
    <input type="checkbox" checked="checked" name="hisaN"
onchange="izberiH(hisaN)" /> Hiša <br />
    <input type="checkbox" checked="checked" name="avtoN"
onchange="izberiA(avtoN)" /> Avto <br />
    <input type="checkbox" checked="checked" name="drevoN"
onchange="izberiD(drevoN)" /> Drevo <br />
  </div>
</form>

<p>
  
  
  
</p>

<script type="text/javascript">
<!--
var hisa = document.getElementById('hisa') // id slik
var avto = document.getElementById('avto')
var drevo = document.getElementById('drevo')

var hisaN = document.getElementsByName('hisaN') // name-i od checkbox
var avtoN = document.getElementsByName('avtoN')
var drevoN = document.getElementsByName('drevoN')

function izberiH(checkbox){
```

```
if (checkbox.checked)
  hisa.style.visibility = 'visible'

else
  hisa.style.visibility = 'hidden'
}

function izberiA(checkbox){

  if (checkbox.checked)
    avto.style.visibility = 'visible'

  else
    avto.style.visibility = 'hidden'

}

function izberiD(checkbox){

  if (checkbox.checked)
    drevo.style.visibility = 'visible'

  else
    drevo.style.visibility = 'hidden'

}

</script>

</body>
</html>
```