

## References

Aboushelib, M., de Kler, M., van der Zel, J. and Feilzer, A. (2009). Microtensile Bond Strength and Impact Energy of Fracture of CAD-Veneered Zirconia Restorations. *Journal of Prosthodontics*, 18(3), pp.211-216.

ABOUSHELIB, M., KLEVERLAAN, C. and FEILZER, A. (2006). Microtensile bond strength of different components of core veneered all-ceramic restorations Part II: Zirconia veneering ceramics. *Dental Materials*, 22(9), pp.857-863.

Aboushelib, M.N., Mirmohama di, H., Matinlinna, J.P., Kukk, E., Ounsi, H.F. and Salameh, Z., 2009. Innovations in bonding to zirconia-based materials. Part II: Focusing on chemical interactions. *Dental Materials*, 25(8), pp. 989-993.

Ahmad, M., Naim, H., Hussain AlSagoor, H., Ali Zilai Alomar, M., Bakri Madkhali, A., Ahmed AlAsmari, A. and Abdullah Hummedi, Y. (2017). Reconstruction of esthetically compromised maxillary anterior teeth with CAD CAM zirconia crowns – A case report. *Dental, Oral and Craniofacial Research*, 3(5); 1-4.

AL-AMLEH, B., LYONS, K. and SWAIN, M. (2010). Clinical trials in zirconia: a systematic review. *Journal of Oral Rehabilitation*, 37(8), pp. 641-652.

AL-Azrag, K.I., Ghazy, M.H., El-Anwar, M.I. and Dawood, L.E., 2014. Influence of implant abutment angulations on fracture resistance and stress analysis of different all-ceramic restoration. *Mansoura J Dent*, 1, pp.94-9.

Al-Wahadni, A., Al-Saleh H., Al-Quran F., Hatamleh MM. (2012) 'Fracture resistance of fixed partial dentures supported by different abutment combinations: An ex vivo study', *General Dentistry*, 60(5), pp. 295–301.

Al-Wahadni, A., Shahin, A. and Kurtz, K. (2016). Veneered Zirconia-Based Restorations Fracture Resistance Analysis. *Journal of Prosthodontics*. 10 : pp1-8

Anusavice, K., Kakar, K. and Ferree, N. (2007). Which mechanical and physical testing methods are relevant for predicting the clinical performance of ceramic-based dental prostheses?. *Clinical Oral Implants Research*, 18, pp.218-231.

Anusavice, K., Kakar, K. and Ferree, N. (2007). Which mechanical and physical testing methods are relevant for predicting the clinical performance of ceramic-based dental prostheses?. *Clinical Oral Implants Research*, 18, pp.218-231.

Ban, S., Sato, H., Suehiro, Y., Nakanishi, H. and Nawa, M. (2008). Biaxial flexure strength and low temperature degradation of Ce-TZP/Al<sub>2</sub>O<sub>3</sub>nanocomposite and Y-TZP as dental restoratives. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 87B(2), pp.492-498.

Bartolo, D., Cassar, G., Al-Haj Husain, N., Özcan, M. and Camilleri, J. (2017). Effect of polishing procedures and hydrothermal aging on wear characteristics and phase transformation of zirconium dioxide. *The Journal of Prosthetic Dentistry*, 117(4), pp.545-551.

Belli, R., Monteiro, S., Baratieri, L., Katte, H., Petschelt, A. and Lohbauer, U. (2012). A Photoelastic Assessment of Residual Stresses in Zirconia-Veneer Crowns. *Journal of Dental Research*, 91(3), pp.316-320.

Beuer, F., Edelhoff, D., Gernet, W. and Sorensen, J. (2009). Three-year clinical prospective evaluation of zirconia-based posterior fixed dental prostheses (FDPs). *Clinical Oral Investigations*, 13(4), pp.445-451.

Beuer, F., Schweiger, J. and Edelhoff, D. (2008). Digital dentistry: an overview of recent developments for CAD/CAM generated restorations. *British Dental Journal*, 204(9), pp.505-511.

BEUER, F., SCHWEIGER, J., EICHBERGER, M., KAPPERT, H., GERNET, W. and EDELHOFF, D. (2009). High-strength CAD/CAM-fabricated veneering material sintered to zirconia copings — A new fabrication mode for all-ceramic restorations. *Dental Materials*, 25(1), pp.121-128.

BEUER, F., SCHWEIGER, J., EICHBERGER, M., KAPPERT, H., GERNET, W. and EDELHOFF, D. (2009). High-strength CAD/CAM-fabricated veneering material sintered to zirconia copings — A new fabrication mode for all-ceramic restorations. *Dental Materials*, 25(1), pp.121-128.

BEUER, F., SCHWEIGER, J., EICHBERGER, M., KAPPERT, H., GERNET, W. and EDELHOFF, D. (2009). High-strength CAD/CAM-fabricated veneering material sintered to zirconia copings — A new fabrication mode for all-ceramic restorations. *Dental Materials*, 25(1), pp.121-128.

BEUER, F., SCHWEIGER, J., EICHBERGER, M., KAPPERT, H., GERNET, W. and EDELHOFF, D. (2009). High-strength CAD/CAM-fabricated veneering material sintered to zirconia copings — A new fabrication mode for all-ceramic restorations. *Dental Materials*, 25(1), pp.121-128.

Brawek, P., Wolfart, S., Endres, L., Kirsten, A. and Reich, S. (2013). The clinical accuracy of single crowns exclusively fabricated by digital workflow—the comparison of two systems. *Clinical Oral Investigations*, 17(9), pp.2119-2125.

Çehreli, M., Kökat, A. and Akça, K. (2009). CAD/CAM Zirconia vs. slip-cast glass-infiltrated Alumina/Zirconia all-ceramic crowns: 2-year results of a randomized controlled clinical trial. *Journal of Applied Oral Science*, 17(1), pp.49-55.

CHAAR, M., WITKOWSKI, S., STRUB, J. and ATT, W. (2012). Effect of veneering technique on the fracture resistance of zirconia fixed dental prostheses. *Journal of Oral Rehabilitation*, 40(1), pp.51-59.

Chevalier, J., Gremillard, L., Virkar, A. and Clarke, D. (2009). The Tetragonal-Monoclinic Transformation in Zirconia: Lessons Learned and Future Trends. *Journal of the American Ceramic Society*, 92(9), pp.1901-1920.

Choi, Y., Kim, S., Lee, J., Han, J. and Yeo, I. (2012). In vitro evaluation of fracture strength of zirconia restoration veneered with various ceramic materials. *The Journal of Advanced Prosthodontics*, 4(3), p.162.

Choi, Y., Kim, S., Lee, J., Han, J. and Yeo, I. (2012). In vitro evaluation of fracture strength of zirconia restoration veneered with various ceramic materials. *The Journal of Advanced Prosthodontics*, 4(3), p.162.

Church, T., Jessup, J., Guillory, V., Vandewalle, K., 2017. *Translucency and Strength of High Translucency Monolithic Zirconium Oxide Materials* (No. 16208). *General Dentistry Journal*. 65(1):48-52

Coldea, A., 2014. *Suitability of Polymer-Infiltrated-Ceramic-Networks for CAD/CAM based dental restorative materials* (Doctoral dissertation, University of Otago).

Curtis, A., Wright, A. and Fleming, G. (2006). The influence of surface modification techniques on the performance of a Y-TZP dental ceramic. *Journal of Dentistry*, 34(3), pp.195-206.

Curtis, A., Wright, A. and Fleming, G. (2006). The influence of surface modification techniques on the performance of a Y-TZP dental ceramic. *Journal of Dentistry*, 34(3), pp.195-206.

De Aza, A., Chevalier, J., Fantozzi, G., Schehl, M. and Torrecillas, R. (2002). Crack growth resistance of alumina, zirconia and zirconia toughened alumina ceramics for joint prostheses. *Biomaterials*, 23(3), pp.937-945.

De Jager, N., Pallav, P. and Feilzer, A. (2005). The influence of design parameters on the FEA-determined stress distribution in CAD–CAM produced all-ceramic dental crowns. *Dental Materials*, 21(3), pp.242-251.

Denry, I. (1996). Recent Advances in Ceramics for Dentistry. *Critical Reviews in Oral Biology & Medicine*, 7(2), pp.134-143.

DENRY, I. and KELLY, J. (2008). State of the art of zirconia for dental applications. *Dental Materials*, 24(3), pp.299-307.

Eisenburger, M., Mache, T., Borchers, L. and Stiesch, M. (2011). Fracture stability of anterior zirconia crowns with different core designs and veneered using the layering or the press-over technique. *European Journal of Oral Sciences*, 119(3), pp.253-257.

Ferrario, V., Sforza, C., Serrao, G., Dellavia, C. and Tartaglia, G. (2004). Single tooth bite forces in healthy young adults. *Journal of Oral Rehabilitation*, 31(1), pp.18-22.

Ferrario, V., Sforza, C., Zanotti, G. and Tartaglia, G. (2004). Maximal bite forces in healthy young adults as predicted by surface electromyography. *Journal of Dentistry*, 32(6), pp.451-457.

Freitas-Júnior, A., Almeida, E., Bonfante, E., Silva, N. and Coelho, P. (2012). Reliability and failure modes of internal conical dental implant connections. *Clinical Oral Implants Research*, 24(2), pp.197-202.

Gautam, C., Joyner, J., Gautam, A., Rao, J. and Vajtai, R. (2016). Zirconia based dental ceramics: structure, mechanical properties, biocompatibility and applications. *Dalton Transactions*, 45(48), pp.19194-19215.

Guazzato, M., Albakry, M., Ringer, S. and Swain, M. (2004). Strength, fracture toughness and microstructure of a selection of all-ceramic materials. Part II. Zirconia-based dental ceramics. *Dental Materials*, 20(5), pp.449-456.

Guess, P., Bonfante, E., Silva, N., Coelho, P. and Thompson, V. (2013). Effect of core design and veneering technique on damage and reliability of Y-TZP-supported crowns. *Dental Materials*, 29(3), pp.307-316.

Guess, P., Bonfante, E., Silva, N., Coelho, P. and Thompson, V. (2013). Effect of core design and veneering technique on damage and reliability of Y-TZP-supported crowns. *Dental Materials*, 29(3), pp.307-316.

Guess, P., Bonfante, E., Silva, N., Coelho, P. and Thompson, V. (2013). Effect of core design and veneering technique on damage and reliability of Y-TZP-supported crowns. *Dental Materials*, 29(3), pp.307-316.

Guess, P., Zhang, Y. and Thompson, V. (2009) *Effect of veneering techniques on damage and reliability of Y-TZP trilayers*, *The European journal of esthetic dentistry : official journal of the European Academy of Esthetic Dentistry*. 4(3):262-76

Heintze, S. and Rousson, V. (2011). Survival of zirconia- and metal-supported fixed dental prostheses: a systematic review. *British Dental Journal*, 210(7), pp.311-311.

ISHIKAWA, Y., KOMADA, W., INAGAKI, T., NEMOTO, R., OMORI, S. and MIURA, H. (2017). The effects of post and core material combination on the surface strain of the 4-unit zirconia fixed partial denture margins. *Dental Materials Journal*, 36(6), pp.798-808.

Jayaraman, S., Rajan, B., Kandhasamy, B. and Rajakumaran, I. (2015). Evaluation of marginal fit and internal adaptation of zirconia copings fabricated by two CAD - CAM systems: An in vitro study. *The Journal of Indian Prosthodontic Society*, 15(2), p.173.

Johansson, C., Kmet, G., Rivera, J., Larsson, C. and Vult Von Steyern, P. (2013). Fracture strength of monolithic all-ceramic crowns made of high translucent yttrium oxide-stabilized zirconium dioxide compared to porcelain-veneered crowns and lithium disilicate crowns. *Acta Odontologica Scandinavica*, 72(2), pp.145-153.

Johansson, C., Kmet, G., Rivera, J., Larsson, C. and Vult Von Steyern, P. (2013). Fracture strength of monolithic all-ceramic crowns made of high translucent yttrium oxide-stabilized zirconium dioxide compared to porcelain-veneered crowns and lithium disilicate crowns. *Acta Odontologica Scandinavica*, 72(2), pp.145-153.

Kanat, B., Çömlekoğlu, E., Dünder-Çömlekoğlu, M., Hakan Sen, B., Özcan, M. and Ali Güngör, M. (2014). Effect of Various Veneering Techniques on Mechanical Strength of Computer-Controlled Zirconia Framework Designs. *Journal of Prosthodontics*, 23(6), pp.445-455.

Kanat, B., Çömlekoğlu, E., Dünder-Çömlekoğlu, M., Hakan Sen, B., Özcan, M. and Ali Güngör, M. (2014). Effect of Various Veneering Techniques on Mechanical Strength of Computer-Controlled Zirconia Framework Designs. *Journal of Prosthodontics*, 23(6), pp.445-455.

Kanat, B., Çömlekoğlu, E., Dünder-Çömlekoğlu, M., Hakan Sen, B., Özcan, M. and Ali Güngör, M. (2014). Effect of Various Veneering Techniques on Mechanical Strength of Computer-Controlled Zirconia Framework Designs. *Journal of Prosthodontics*, 23(6), pp.445-455.

Kanat-Ertürk, B., Çömlekoğlu, E., Dünder-Çömlekoğlu, M., Özcan, M. and Güngör, M. (2014). Effect of Veneering Methods on Zirconia Framework-Veneer Ceramic Adhesion and Fracture Resistance of Single Crowns. *Journal of Prosthodontics*, 24(8), pp.620-628.

Kelly, J. (1999). Clinically relevant approach to failure testing of all-ceramic restorations. *The Journal of Prosthetic Dentistry*, 81(6), pp.652-661.

Kim, H. and Kim, S. (2014). Effect of the number of coloring liquid applications on the optical properties of monolithic zirconia. *Dental Materials*, 30(9), pp.e229-e237.

Koc, D., Dogan, A. and Bek, B. (2010) 'Bite force and influential factors on bite force measurements: a literature review.', *European journal of dentistry*, 4(2), pp. 223–232.

Kohorst, P., Dittmer, M., Borchers, L. and Stiesch-Scholz, M. (2008). Influence of cyclic fatigue in water on the load-bearing capacity of dental bridges made of zirconia. *Acta Biomaterialia*, 4(5), pp.1440-1447.

Kwon, T., Pak, H., Yang, J., Han, J., Lee, J., Kim, S. and Yeo, I. (2013). Comparative fracture strength analysis of Lava and Digident CAD/CAM zirconia ceramic crowns. *The Journal of Advanced Prosthodontics*, 5(2), p.92.

Lameira, D., Silva, W., Silva, F. and De Souza, G. (2015). Fracture Strength of Aged Monolithic and Bilayer Zirconia-Based Crowns. *BioMed Research International*, 2015, pp.1-7.

Larsson, C., Madhoun, S., Wennerberg, A. and Vult von Steyern, P. (2011). Fracture strength of yttria-stabilized tetragonal zirconia polycrystals crowns with different design: an in vitro study. *Clinical Oral Implants Research*, 23(7), pp.820-826.

Larsson, C., Madhoun, S., Wennerberg, A. and Vult von Steyern, P. (2011). Fracture strength of yttria-stabilized tetragonal zirconia polycrystals crowns with different design: an in vitro study. *Clinical Oral Implants Research*, 23(7), pp.820-826.

Lee, J., Choi, S., Kim, M., Kim, H., Kim, Y. and Shin, S. (2013). Effect of span length on the fit of zirconia framework fabricated using CAD/CAM system. *The Journal of Advanced Prosthodontics*, 5(2), p.118.

Lughi, V. and Sergo, V. (2011). Low temperature degradation –aging– of zirconia: A critical review of the relevant aspects in dentistry. *The Journal of Prosthetic Dentistry*, 105(2), p.90.

Mahmood, D., Linderorth, E. and Vult Von Steyern, P. (2011). The influence of support properties and complexity on fracture strength and fracture mode of all-ceramic fixed dental prostheses. *Acta Odontologica Scandinavica*, 69(4), pp.229-237.

Mahmoodi, N., Hooshmand, T., Heidari, S. and Khoshro, K. (2015). Effect of sandblasting, silica coating, and laser treatment on the microtensile bond strength of a dental zirconia ceramic to resin cements. *Lasers in Medical Science*, 31(2), pp.205-211.

Mahmood Jallal Hadi, D., 2015. *On core and bi-layered all-ceramic fixed dental prostheses, design and mechanical properties: studies on stabilized zirconiumdioxide*. Malmö University, Faculty of Odontology. (Doctoral dissertation, Malmö University).

Manicone, P., Rossi Iommetti, P. and Raffaelli, L. (2007). An overview of zirconia ceramics: Basic properties and clinical applications. *Journal of Dentistry*, 35(11), pp.819-826.

McLaren, E.A. and Giordano, R.A., 2005. Zirconia-based ceramics: material properties, esthetics, and layering techniques of a new veneering porcelain, VM9. *Quintessence Dent Technol*, 28, pp.99-111.



Millen, C., Reuben, R. and Ibbetson, R. (2012). The effect of coping/veneer thickness on the fracture toughness and residual stress of implant supported, cement retained zirconia and metal–ceramic crowns. *Dental Materials*, 28(10), pp.e250-e258.

MIYAZAKI, T., HOTTA, Y., KUNII, J., KURIYAMA, S. and TAMAKI, Y. (2009). A review of dental CAD/CAM: current status and future perspectives from 20 years of experience. *Dental Materials Journal*, 28(1), pp.44-56.

Nettleship, I. and Stevens, R. (1987). Tetragonal zirconia polycrystal (TZP)—A review. *International Journal of High Technology Ceramics*, 3(1), pp.1-32.

Nordahl, N., Vult von Steyern, P. and Larsson, C. (2015). Fracture strength of ceramic monolithic crown systems of different thickness. *Journal of Oral Science*, 57(3), pp.255-261.

OMORI, S., KOMADA, W., YOSHIDA, K. and MIURA, H. (2013). Effect of thickness of zirconia-ceramic crown frameworks on strength and fracture pattern. *Dental Materials Journal*, 32(1), pp.189-194.

Pittayachawan, P., 2009. *Comparative study of physical properties of zirconia based dental ceramics* (Doctoral dissertation, UCL (University College London)).

POROJAN, L., TOPALĂ, F., POROJAN, S. and SAVENCU, C. (2017). Effect of frame design and veneering material on biomechanical behavior of zirconia dental crowns veneered with overpressing ceramics. *Dental Materials Journal*, 36(3), pp.275-281.

Pozzi, A., Holst, S., Fabbri, G. and Tallarico, M. (2013). Clinical Reliability of CAD/CAM Cross-Arch Zirconia Bridges on Immediately Loaded Implants Placed with Computer-Assisted/Template-Guided Surgery: A Retrospective Study with a Follow-Up between 3 and 5 Years. *Clinical Implant Dentistry and Related Research*, 17, pp.e86-e96.

Preis, V., Behr, M., Hahnel, S., Handel, G. and Rosentritt, M. (2012). In vitro failure and fracture resistance of veneered and full-contour zirconia restorations. *Journal of Dentistry*, 40(11), pp.921-928.

Preis, V., Behr, M., Handel, G., Schneider-Feyrer, S., Hahnel, S. and Rosentritt, M. (2012). Wear performance of dental ceramics after grinding and polishing treatments. *Journal of the Mechanical Behavior of Biomedical Materials*, 10, pp.13-22.

Preis, V., Letsch, C., Handel, G., Behr, M., Schneider-Feyrer, S. and Rosentritt, M. (2013). Influence of substructure design, veneer application technique, and firing regime on the in vitro performance of molar zirconia crowns. *Dental Materials*, 29(7), pp.e113-e121.

Qeblawi, D., Muñoz, C., Brewer, J. and Monaco, E. (2010). The effect of zirconia surface treatment on flexural strength and shear bond strength to a resin cement. *The Journal of Prosthetic Dentistry*, 103(4), pp.210-220.

Raigrodski, A., Hillstead, M., Meng, G. and Chung, K. (2012). Survival and complications of zirconia-based fixed dental prostheses: A systematic review. *The Journal of Prosthetic Dentistry*, 107(3), pp.170-177.

Rekow, E., Silva, N., Coelho, P., Zhang, Y., Guess, P. and Thompson, V. (2011). Performance of Dental Ceramics: Challenges for Improvements. *Journal of Dental Research*, 90(8), pp.937-952.

Rekow, E., Silva, N., Coelho, P., Zhang, Y., Guess, P. and Thompson, V. (2011). Performance of Dental Ceramics: Challenges for Improvements. *Journal of Dental Research*, 90(8), pp.937-952.

Ritter, J. (1995). Predicting lifetimes of materials and material structures. *Dental Materials*, 11(2), pp.142-146.

Ritzberger, C., Apel, E., Höland, W., Peschke, A. and Rheinberger, V. (2010). Properties and Clinical Application of Three Types of Dental Glass-Ceramics and Ceramics for CAD-CAM Technologies. *Materials*, 3(12), pp.3700-3713.

Robert Kelly, J. (2004). Dental ceramics: current thinking and trends. *Dental Clinics of North America*, 48(2), pp.513-530.

Rues, S., Kröger, E., Müller, D. and Schmitter, M. (2010). Effect of firing protocols on cohesive failure of all-ceramic crowns. *Journal of Dentistry*, 38(12), pp.987-994.

Rues, S., Kröger, E., Müller, D. and Schmitter, M. (2010). Effect of firing protocols on cohesive failure of all-ceramic crowns. *Journal of Dentistry*, 38(12), pp.987-994.

Rues, S., Lenz, J., Türp, J., Schweizerhof, K. and Schindler, H. (2010). Muscle and joint forces under variable equilibrium states of the mandible. *Clinical Oral Investigations*, 15(5), pp.737-747.

Sailer, I., Pjetursson, B., Zwahlen, M. and Hämmerle, C. (2007). A systematic review of the survival and complication rates of all-ceramic and metal-ceramic reconstructions after an observation period of at least 3 years. Part II: fixed dental prostheses. *Clinical Oral Implants Research*, 18, pp.86-96.

Schaefer, O., Decker, M., Wittstock, F., Kuepper, H. and Guentsch, A. (2014). Impact of digital impression techniques on the adaption of ceramic partial crowns in vitro. *Journal of Dentistry*, 42(6), pp.677-683.

Schmitter, M., Mueller, D. and Rues, S. (2012). Chipping behaviour of all-ceramic crowns with zirconia framework and CAD/CAM manufactured veneer. *Journal of Dentistry*, 40(2), pp.154-162.

Schmitter, M., Mueller, D. and Rues, S. (2013). In vitro chipping behaviour of all-ceramic crowns with a zirconia framework and feldspathic veneering: comparison of CAD/CAM-produced veneer with manually layered veneer. *Journal of Oral Rehabilitation*, 40(7), pp.519-525.

Scott, H. (1975). Phase relationships in the zirconia-yttria system. *Journal of Materials Science*, 10(9), pp.1527-1535.

Silva, N., Bonfante, E., Rafferty, B., Zavanelli, R., Martins, L., Rekow DDS PhD, E., Thompson, V. and Coelho, P. (2012). Conventional and Modified Veneered Zirconia vs.

Metallo-ceramic: Fatigue and Finite Element Analysis. *Journal of Prosthodontics*, 21(6), pp.433-439.

Stawarczyk, B., Özcan, M., Roos, M., Trottmann, A., Sailer, I. and Hämmerle, C. (2011). Load-bearing capacity and failure types of anterior zirconia crowns veneered with overpressing and layering techniques. *Dental Materials*, 27(10), pp.1045-1053.

Studart, A., Filser, F., Kocher, P. and Gauckler, L. (2007). In vitro lifetime of dental ceramics under cyclic loading in water. *Biomaterials*, 28(17), pp.2695-2705.

Sulaiman, T., Abdulmajeed, A., Donovan, T., Ritter, A., Vallittu, P., Närhi, T. and Lassila, L. (2015). Optical properties and light irradiance of monolithic zirconia at variable thicknesses. *Dental Materials*, 31(10), pp.1180-1187.

Terry, D.A., 2002. CAD/CAM Systems, Materials, and Clinical Guidelines for All-Ceramic Crowns and Fixed Partial Dentures. *Compendium*, p.537.

Tinschert, J., Natt, G., Mautsch, W., Augthun, M. and Spiekermann, H., 2001. Fracture Resistance of Lithium Disilicate-, Alumina-, and Zirconia-Based Three-Unit Fixed Partial Dentures: A Laboratory Study. *International Journal of Prosthodontics*, 14(3) :231-8

Tinschert, J., Natt, G., Mautsch, W., Spiekermann, H. and Anusavice, K.J., 2001. Marginal fit of alumina- and zirconia-based fixed partial dentures produced by a CAD/CAM system. *Operative dentistry*, 26(4), pp.367-374.

Torabi, K., Vojdani, M., Giti, R., Taghva, M. and Pardis, S. (2015). The effect of various veneering techniques on the marginal fit of zirconia copings. *The Journal of Advanced Prosthodontics*, 7(3), p.233.

Turk, A., Ulusoy, M., Yuce, M. and Akin, H. (2015). Effect of different veneering techniques on the fracture strength of metal and zirconia frameworks. *The Journal of Advanced Prosthodontics*, 7(6), p.454.

Urapepon, S. and Taenguthai, P. (2015). The effect of zirconia framework design on the failure of all-ceramic crown under static loading. *The Journal of Advanced Prosthodontics*, 7(2), p.146.

Vagkopoulou, T., Koutayas, S.O., Koidis, P. and Strub, J.R., 2009. Zirconia in dentistry: Part 1. Discovering the nature of an upcoming bioceramic. *European Journal of Esthetic Dentistry*, 4(2) : pp130-51

VON STEYERN, P., EBBESSON, S., HOLMGREN, J., HAAG, P. and NILNER, K. (2006). Fracture strength of two oxide ceramic crown systems after cyclic pre-loading and thermocycling. *Journal of Oral Rehabilitation*, 33(9), pp.682-689.

Vult, V.S.P., Kokubo, Y. and Nilner, K., 2005. Use of abutment-teeth vs. dental implants to support all-ceramic fixed partial dentures: an in-vitro study on fracture strength. *Swedish dental journal*, 29(2), pp.53-60.

Wassell, R., Barker, D. and Steele, J. (2002). Crowns and other extra-coronal restorations: Try-in and cementation of crowns. *British Dental Journal*, 193(1), pp.17-28.

Yoshimura, M., Noma, T., Kawabata, K. and Sōmiya, S. (1987). Role of H<sub>2</sub>O on the degradation process of Y-TZP. *Journal of Materials Science Letters*, 6(4), pp.465-467.

Zarone, F., Russo, S. and Sorrentino, R. (2011). From porcelain-fused-to-metal to zirconia: Clinical and experimental considerations. *Dental Materials*, 27(1), pp.83-96.

Zhang, Y., Mai, Z., Barani, A., Bush, M. and Lawn, B. (2016). Fracture-resistant monolithic dental crowns. *Dental Materials*, 32(3), pp.442-449.