



Foshan Greatfold Building Material Co., Ltd

Contact: Camille Lu

Email: sales11@greatfold.com

Whatsapp: +86 158 0009 1036

Skype: live:..cid.50811a855bbd5c4

Established in 2013, is a professional manufacturer in China engaged in development, production, sales and after-sales services of movable partition wall and glass partition.

Our dedicated sales team and well trained staff are ready to serve clients from all over the world. And we have a showroom with 300 square meters, provide you with applications from place application, surface material, sound isolating demands, CAD drawing designed, guided installation and after-sales services etc. Advanced equipment enable us to provide the perfect solution for every space, be it an innovative showcase solution or a practical sliding wall.

Due to their flexibility and cost effectiveness they allow large rooms to be conveniently sub-divided to maximize space utilization. It can be divided into two categories: **movable partition** and **fixed partition**. **Movable partition walls** also can be called portable partition which can be rotated 360° and turn to anywhere.

Fixed partition consists of plate, glass, frame material, sealing material and hardware, fixed partitions generally use glass styles, fixed glass partitions are partition walls made of toughened glass.

Other Name: sliding wall, movable partition wall, wall partition, operable partition, folding partition, and sliding partition.

Partition Wall Type: GLS-65, GLS-85, GLS-100, GLS- Ultra

Height limited: 2 -16 meters

Features:


- a. Top hung with no floor track required
- b. High acoustic ratings up to 56dB available
- c. Recycling and friendly-environment

Applications: hotel, office interiors, sports and leisure facilities, schools, churches, conference centers exhibition centers and banks

Panel finishes: include Melamine Laminate, Veneer, Vinyl, Magnetic Dry Wipe Whiteboard or Painted, etc

Surface material: MDF, Acoustic MDF Panel, Melamine board, Hard Fabric, Sorf Fabric(Leather / Pu leather / Melange Fabric)

No	Thickness	STC	Width	Height	Surface Material
65 Type	65 mm	28-35 dB	680-1228 mm	2000-4000 mm	MDF HPL Melamine board Fabric/Leather: Hard case;Soft case
85 Type	85 mm	32-45 dB		2000-6000 mm	
100 Type	100 mm	43-55 dB		2000-10000 mm	
Super High Type	100 mm	43-55 dB		2000-12000 mm	
G40 Frameless Operable Glass Wall	10-12 mm	15-20 dB	600-1100 mm	2500-3600 mm	Toughened glass Frosted glass
G65/85 Full Frame Movable Glass Wall	10-12 mm	15-20 dB	800-1100 mm	2500-3600 mm	Toughened glass Frosted glass (Single glass/Double glass)



Glass Partition: GLS-G40, GLS-G65/G85


Materials: single-layer glass, double-layer glass and art glass.

Structure: frameless and full frame glass for choice

Glass Thickness: 10-12 mm

Features:

- a. scalable and can be used to suit an area's changing needs.
- b. create a brighter and more open environment.
- c. reduce electricity bills in the long run as there won't be a need for artificial lighting installations.



Innovation and customer orientation is our business philosophy. We aim to offering the excellent customized products and services to satisfy each customer. We look to having win-win cooperation with you soon.

