

www.changer-china.com

www.hichanger.com

IV

Changer
Products World
2021

Chest Freezer
Series

Contact: Mr. Ray Zhao

E-Mail: ray@changer-china.com

sales@changer-china.com




FEATURES

Changer Beverage Cooler



Intelligent Feature




Hovering Door

Door can be opened and stay at different angles from 45° to 75°




Lock(Optional)

Safety with lock




Special drainage system for box body

Special drainage system, anti-corrosion and durable, keep the box clean.



Insulation layer

Ultra thick insulation layer




Efficient refrigeration

Quality compressor, efficient operation, quiet refrigeration



Removable Storage Basket

Storage basket can be easily removed




Nano cell foam layer

Better improve the insulation performance of the box, better energy saving effect.



ROLLERS(Optional)

Rollers for easy movement.



Three wide design, easy to operate

The "three wide design" of wide voltage, wide temperature band and wide wet band is adopted to fully adapt to the complex and changeable climate change and the use environment of different ring refrigerators.



CHEST FREEZER

Changer Top Glass Door



BD(W)-100M

Specification

Capacity(L):100
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):555x560x830mm
Packing W*D*H(mm):595x582x869mm
Loading Quantity 40'HC:240

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-150M

Specification

Capacity(L):150
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):731x560x830mm
Packing W*D*H(mm):771x582x869mm
Loading Quantity 40'HC:180

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-200M

Specification

Capacity(L):200
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):943x560x830mm
Packing W*D*H(mm):983x582x869mm
Loading Quantity 40'HC:144

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-80

Specification

Capacity(L):80
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):530x440x830mm
Packing W*D*H(mm):566x462x872mm
Loading Quantity 40'HC:313

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Top Glass Door



BD(W)-116

Specification

Capacity(L):100
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):580x570x830mm
Packing W*D*H(mm):621x578x883mm
Loading Quantity 40'HC:228

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-131

Specification

Capacity(L):131
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):664x560x830mm
Packing W*D*H(mm):700x580x883mm
Loading Quantity 40'HC:203

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-157

Specification

Capacity(L):157
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):814x560x830mm
Packing W*D*H(mm):850x580x883mm
Loading Quantity 40'HC:166

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-227C

Specification

Capacity(L):227
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):834x678x830mm
Packing W*D*H(mm):884x703x876mm
Loading Quantity 40'HC:129

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Top Glass Door



BD(W)-271C

Specification

Capacity(L):271
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):954x678x830mm
Packing W*D*H(mm):1004x703x876mm
Loading Quantity 40'HC:105

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-327C

Specification

Capacity(L):327
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a/R290
Approval:CE,CB
Net W*D*H(mm):1104x678x830mm
Packing W*D*H(mm):1154x703x876mm
Loading Quantity 40'HC:102

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-140

Specification

Capacity(L):140
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):625x560x829mm
Packing W*D*H(mm):666x582x870mm
Loading Quantity 40'HC:216

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-180

Specification

Capacity(L):180
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):755x560x829mm
Packing W*D*H(mm):796x582x870mm
Loading Quantity 40'HC:180

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-210

Specification

Capacity(L):210
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):905x560x829mm
Packing W*D*H(mm):946x582x870mm
Loading Quantity 40'HC:150

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-240

Specification

Capacity(L):240
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):1640x560x829mm
Packing W*D*H(mm):1681x582x870mm
Loading Quantity 40'HC:84

Standard Features

Low temperty cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-280

Specification

Capacity(L):280
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):1145x560x829mm
Packing W*D*H(mm):1186x582x870mm
Loading Quantity 40'HC:118

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-330

Specification

Capacity(L):330
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):1242x560x829mm
Packing W*D*H(mm):1283x582x870mm
Loading Quantity 40'HC:108

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-370

Specification

Capacity(L):370
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):1422x560x829mm
Packing W*D*H(mm):1463x582x870mm
Loading Quantity 40'HC:96

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-430

Specification

Capacity(L):430
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):988x560x829mm
Packing W*D*H(mm):1029x582x870mm
Loading Quantity 40'HC:138

Standard Features

Low temperty cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-60

Specification

Capacity(L):60
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):530x465x600mm
Packing W*D*H(mm):585x500x645mm
Loading Quantity 40'HC:384

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-70

Specification

Capacity(L):70
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):404x610x830mm
Packing W*D*H(mm):435x625x867mm
Loading Quantity 40'HC:300

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-80

Specification

Capacity(L):80
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):530x440x830mm
Packing W*D*H(mm):566x462x872mm
Loading Quantity 40’HC:313

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-100

Specification

Capacity(L):100
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):544x610x830mm
Packing W*D*H(mm):575x625x867mm
Loading Quantity 40’HC:228

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-116

Specification

Capacity(L):116
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):580x570x830mm
Packing W*D*H(mm):621x578x883mm
Loading Quantity 40’HC:228

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-131

Specification

Capacity(L):131
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):664x560x830mm
Packing W*D*H(mm):700x580x883mm
Loading Quantity 40’HC:203

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-157

Specification

Capacity(L):157
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):814x560x830mm
Packing W*D*H(mm):850x580x883mm
Loading Quantity 40'HC:166

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation




BD(W)-210

Specification

Capacity(L):210
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):905x560x829mm
Packing W*D*H(mm):946x582x870mm
Loading Quantity 40'HC:150

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-227

Specification

Capacity(L):227
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):834x670x830mm
Packing W*D*H(mm):885x685x885mm
Loading Quantity 40'HC:129

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-271

Specification

Capacity(L):271
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):954x670x830mm
Packing W*D*H(mm):1005x685x885mm
Loading Quantity 40'HC:105

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-235

Specification

Capacity(L):235
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):988x560x829mm
Packing W*D*H(mm):1029x582x870 mm
Loading Quantity 40'HC:138

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-280

Specification

Capacity(L):280
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):1145x560x829mm
Packing W*D*H(mm):1186x582x870mm
Loading Quantity 40'HC:118

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-327

Specification

Capacity(L):327
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a/R290
Approval:CE,CB
Net W*D*H(mm):1104x670x830mm
Packing W*D*H(mm):1155x685x885mm
Loading Quantity 40'HC:102

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-363

Specification

Capacity(L):363
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a/R290
Approval:CE,CB
Net W*D*H(mm):1304x670x830mm
Packing W*D*H(mm):1355x685x885 mm
Loading Quantity 40'HC:75

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-423

Specification

Capacity(L):423
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R134a/R290
Approval:CE,CB
Net W*D*H(mm):1480x670x830mm
Packing W*D*H(mm):1535x685x885 mm
Loading Quantity 40'HC:72

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-520

Specification

Capacity(L):520
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R134a/R290
Approval:CE,CB
Net W*D*H(mm):1600x760x827mm
Packing W*D*H(mm):1650x775x868mm
Loading Quantity 40'HC:63

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-600

Specification

Capacity(L):600
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R134a/R290
Approval:CE,CB
Net W*D*H(mm):1800x760x827mm
Packing W*D*H(mm):1850x775x868mm
Loading Quantity 40'HC:57

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-980


Specification

Capacity(L):980
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R134a/R290
Approval:CE,CB
Net W*D*H(mm):1975x1040x941.5mm
Packing W*D*H(mm):2055x1076x1048mm
Loading Quantity 40'HC:22

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

Optional Part



Outside Condenser Door LED Lamp Inner divider Sliding glass door Cool Pack Steel wire Basket Plastic Basket

CHEST FREEZER

Changer Hard Door



BD(W)-197C

Specification

Capacity(L):197
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):720x678x830mm
Packing W*D*H(mm):770x703x876mm
Loading Quantity 40'HC:153

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



Series F

Series H



BD(W)-227C

Specification

Capacity(L):227
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):834x678x830mm
Packing W*D*H(mm):884x703x876mm
Loading Quantity 40'HC:129

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-271C

Specification

Capacity(L):271
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):954x678x830mm
Packing W*D*H(mm):1004x703x876mm
Loading Quantity 40'HC:105

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-327C

Specification

Capacity(L):327
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a/R290
Approval:CE,CB
Net W*D*H(mm):1104x678x830mm
Packing W*D*H(mm):1154x703x876mm
Loading Quantity 40'HC:102

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-363C

Specification

Capacity(L):363
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R134a/R290
Approval:CE,CB
Net W*D*H(mm):1304x678x830mm
Packing W*D*H(mm):1354x703x876mm
Loading Quantity 40’HC:75

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-423C

Specification

Capacity(L):423
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R134a/R290
Approval:CE,CB
Net W*D*H(mm):1444x678x830mm
Packing W*D*H(mm):1494x703x876mm
Loading Quantity 40’HC:72

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-100E

Specification

Capacity(L):100
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):555x560x829mm
Packing W*D*H(mm):595x582x869mm
Loading Quantity 40’HC:240

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-150E

Specification

Capacity(L):150
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):755x560x829mm
Packing W*D*H(mm):795x582x869mm
Loading Quantity 40’HC:180

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-200E

Specification

Capacity(L):200
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):965x560x829mm
Packing W*D*H(mm):1005x582x869mm
Loading Quantity 40'HC:138

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-300E

Specification

Capacity(L):300
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:CE,CB
Net W*D*H(mm):1045x765x829mm
Packing W*D*H(mm):1085x766x884mm
Loading Quantity 40'HC:98

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-170I

Specification

Capacity(L):170
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a
Approval:/
Net W*D*H(mm):791x521x865mm
Packing W*D*H(mm):866x598x911mm
Loading Quantity 40'HC:124

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-210I

Specification

Capacity(L):210
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a
Approval:/
Net W*D*H(mm):956x521x865mm
Packing W*D*H(mm):1031x598x911mm
Loading Quantity 40'HC:112

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-240I

Specification

Capacity(L):240
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a
Approval:/
Net W*D*H(mm):1036x556x865mm
Packing W*D*H(mm):1111x633x911mm
Loading Quantity 40'HC:96

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-340I

Specification

Capacity(L):340
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a
Approval:/
Net W*D*H(mm):1236x606x865mm
Packing W*D*H(mm):1311x683x911mm
Loading Quantity 40'HC:72

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-170S

Specification

Capacity(L):170
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):791x585x832mm
Packing W*D*H(mm):832x598x885mm
Loading Quantity 40'HC:160

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-210S

Specification

Capacity(L):210
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):956x586x830mm
Packing W*D*H(mm):998x597x883mm
Loading Quantity 40'HC:132

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BD(W)-240S

Specification

Capacity(L):240
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):1036x602x830mm
Packing W*D*H(mm):1080x617x883mm
Loading Quantity 40’HC:123

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BD(W)-340S

Specification

Capacity(L):340
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):1236x666x830mm
Packing W*D*H(mm):1280x683x883mm
Loading Quantity 40’HC:81

Standard Features

Low temperty cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BCD(W)-211

Specification

Capacity(L):211
Freezer capacity(L):110
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):956x586x830mm
Packing W*D*H(mm):998x597x883mm
Loading Quantity 40’HC:132

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BCD(W)-241

Specification

Capacity(L):241
Freezer capacity(L):125
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):1036x616x830mm
Packing W*D*H(mm):1080x633x883mm
Loading Quantity 40’HC:123

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

CHEST FREEZER

Changer Hard Door



BCD(W)-291

Specification

Capacity(L):291
Freezer capacity(L):152
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):1176x616x830mm
Packing W*D*H(mm):1220x633x883mm
Loading Quantity 40'HC:84

Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation



BCD(W)-341


Specification

Capacity(L):341
Freezer capacity(L):177
Temperature:≤ -18℃
Climate:N/ST/T
Refrigerant:R600a/R134a
Approval:/
Net W*D*H(mm):1236x666x830mm
Packing W*D*H(mm):1280x683x883mm
Loading Quantity 40'HC:81


Standard Features

Low temperature cell freezer
Different temperature and climate zone, safe use
Thermal door seal, multiple air bag lock and heat insulation
Fast cooling, more lasting preservation
High efficiency compressor
Multi gear temperature control, free switching
Low noise, quiet operation

Available control panels



Available handles



Available plastic basket

